

# Package ‘DALEXtra’

May 26, 2023

**Title** Extension for 'DALEX' Package

**Version** 2.3.0

**Description** Provides wrapper of various machine learning models.

In applied machine learning, there is a strong belief that we need to strike a balance between interpretability and accuracy. However, in field of the interpretable machine learning, there are more and more new ideas for explaining black-box models, that are implemented in 'R'.

'DALEXtra' creates 'DALEX' Biecek (2018) <[arXiv:1806.08915](https://arxiv.org/abs/1806.08915)> explainer for many type of models including those created using 'python' 'scikit-learn' and 'keras' libraries, and 'java' 'h2o' library. Important part of the package is Champion-Challenger analysis and innovative approach to model performance across subsets of test data presented in Funnel Plot.

**Depends** R (>= 3.5.0), DALEX (>= 2.4.0)

**License** GPL

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**Imports** ggplot2

**Suggests** auditor, gbm, ggrepel, h2o, iml, ingredients, lime, localModel, mlr, mlr3, ranger, recipes, reticulate, rmarkdown, rpart, stacks, xgboost, testthat, tidymodels

**URL** <https://ModelOriented.github.io/DALEXtra/>,  
<https://github.com/ModelOriented/DALEXtra>

**BugReports** <https://github.com/ModelOriented/DALEXtra/issues>

**NeedsCompilation** no

**Author** Szymon Maksymiuk [aut, cre] (<<https://orcid.org/0000-0002-3120-1601>>),  
Przemyslaw Biecek [aut] (<<https://orcid.org/0000-0001-8423-1823>>),  
Hubert Baniecki [aut],  
Anna Kozak [ctb]

**Maintainer** Szymon Maksymiuk <[sz.maksymiuk@gmail.com](mailto:sz.maksymiuk@gmail.com)>

Repository CRAN

Date/Publication 2023-05-26 00:10:02 UTC

## R topics documented:

champion_challenger . . . . .	2
create_env . . . . .	4
dalex_load_explainer . . . . .	5
explain_h2o . . . . .	5
explain_keras . . . . .	8
explain_mlr . . . . .	11
explain_mlr3 . . . . .	13
explain_scikitlearn . . . . .	15
explain_tidymodels . . . . .	19
explain_xgboost . . . . .	21
funnel_measure . . . . .	23
model_info.WrappedModel . . . . .	25
overall_comparison . . . . .	27
plot.funnel_measure . . . . .	28
plot.overall_comparison . . . . .	29
plot.training_test_comparison . . . . .	30
predict_surrogate . . . . .	32
print.funnel_measure . . . . .	33
print.overall_comparison . . . . .	34
print.scikitlearn_set . . . . .	35
print.training_test_comparison . . . . .	36
training_test_comparison . . . . .	37
yhat.WrappedModel . . . . .	38
<b>Index</b>	<b>41</b>

---

champion\_challenger *Compare machine learning models*

---

## Description

Determining if one model is better than the other one is a difficult task. Mostly because there is a lot of fields that have to be covered to make such a judgement. Overall performance, performance on the crucial subset, distribution of residuals, those are only few among many ideas related to that issue. Following function allow user to create a report based on various sections. Each says something different about relation between champion and challengers. DALEXtra package share 3 base sections which are [funnel\\_measure](#) [overall\\_comparison](#) and [training\\_test\\_comparison](#) but any object that has generic plot function can be included at report.

**Usage**

```
champion_challenger(
  sections,
  dot_size = 4,
  output_dir_path = getwd(),
  output_name = "Report",
  model_performance_table = FALSE,
  title = "ChampionChallenger",
  author = Sys.info()[["user"]],
  ...
)
```

**Arguments**

sections	- list of sections to be attached to report. Could be sections available with DALEXtra which are <a href="#">funnel_measure</a> <a href="#">training_test_comparison</a> , <a href="#">overall_comparison</a> or any other explanation that can work with <code>plot</code> function. Please provide name for not standard sections, that will be presented as section titles. Otherwise class of the object will be used.
dot_size	- <code>dot_size</code> argument passed to <code>plot.funnel_measure</code> if <code>funnel_measure</code> section present
output_dir_path	- path to directory where Report should be created. By default it is current working directory.
output_name	- name of the Report. By default it is "Report"
model_performance_table	- If TRUE and <a href="#">overall_comparison</a> section present, table of scores will be displayed.
title	- Title for report, by default it is "ChampionChallenger".
author	- Author of , report. By default it is current user name.
...	- other parameters passed to <code>rmarkdown::render</code> .

**Value**

rmarkdown report

**Examples**

```
library("mlr")
library("DALEXtra")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
```

```

    "regr.lm"
  )
  model_lm <- mlr::train(learner_lm, task)
  explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

  learner_rf <- mlr::makeLearner(
    "regr.ranger"
  )
  model_rf <- mlr::train(learner_rf, task)
  explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

  learner_gbm <- mlr::makeLearner(
    "regr.gbm"
  )
  model_gbm <- mlr::train(learner_gbm, task)
  explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

  plot_data <- funnel_measure(explainer_lm, list(explainer_rf, explainer_gbm),
    nbins = 5, measure_function = DALEX::loss_root_mean_square)

  champion_challenger(list(plot_data), dot_size = 3, output_dir_path = tempdir())

```

---

 create\_env

*Create your conda virtual env with DALEX*


---

## Description

Python objects may be loaded into R. However, it requires versions of the Python and libraries to match between both machines. This functions allow user to create conda virtual environment based on provided .yml file.

## Usage

```
create_env(yml, condaenv)
```

## Arguments

yml	a path to the .yml file. If OS is Windows conda has to be added to the PATH first
condaenv	path to main conda folder. If OS is Unix You may want to specify it. When passed with windows, param will be omitted.

## Value

Name of created virtual env.

**Author(s)**

Szymon Maksymiuk

**Examples**

```
## Not run:  
  create_env(system.file("extdata", "testing_environment.yml", package = "DALEXtra"))  
  
## End(Not run)
```

---

dalex\_load\_explainer    *DALEX load explainer*

---

**Description**

Load DALEX explainer created with Python library into the R environment.

**Usage**

```
dalex_load_explainer(path)
```

**Arguments**

path                    Path to the pickle file with explainer saved.

**Details**

Function uses the reticulate package to load Python object saved in a pickle and make it accessible within R session. It also adds explainer class to the object so it can be used with DALEX R functions.

---

explain\_h2o                    *Create explainer from your h2o model*

---

**Description**

DALEX is designed to work with various black-box models like tree ensembles, linear models, neural networks etc. Unfortunately R packages that create such models are very inconsistent. Different tools use different interfaces to train, validate and use models. One of those tools, we would like to make more accessible is H2O.

**Usage**

```

explain_h2o(
  model,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,
  label = NULL,
  verbose = TRUE,
  precalculate = TRUE,
  colorize = !isTRUE(getOption("knitr.in.progress")),
  model_info = NULL,
  type = NULL
)

```

**Arguments**

model	object - a model to be explained
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.
predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters

label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed
precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colorized. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

### Value

explainer object ([explain](#)) ready to work with DALEX

### Examples

```
# load packages and data
library(h2o)
library(DALEXtra)

# data <- DALEX::titanic_imputed

# init h2o
cluster <- try(h2o::h2o.init())
if (!inherits(cluster, "try-error")) {
  # stop h2o progress printing
  h2o.no_progress()

  # split the data
  # h2o_split <- h2o.splitFrame(as.h2o(data))
  # train <- h2o_split[[1]]
  # test <- as.data.frame(h2o_split[[2]])
  # h2o automl takes target as factor
  # train$survived <- as.factor(train$survived)

  # fit a model
  # automl <- h2o.automl(y = "survived",
  #                       training_frame = train,
  #                       max_runtime_secs = 30)

  # create an explainer for the model
  # explainer <- explain_h2o(automl,
```

```

#           data = test,
#           y = test$survived,
#           label = "h2o")

titanic_test <- read.csv(system.file("extdata", "titanic_test.csv", package = "DALEXtra"))
titanic_train <- read.csv(system.file("extdata", "titanic_train.csv", package = "DALEXtra"))
titanic_h2o <- h2o::as.h2o(titanic_train)
titanic_h2o["survived"] <- h2o::as.factor(titanic_h2o["survived"])
titanic_test_h2o <- h2o::as.h2o(titanic_test)
model <- h2o::h2o.gbm(
  training_frame = titanic_h2o,
  y = "survived",
  distribution = "bernoulli",
  ntrees = 500,
  max_depth = 4,
  min_rows = 12,
  learn_rate = 0.001
)
explain_h2o(model, titanic_test[,1:17], titanic_test[,18])

try(h2o.shutdown(prompt = FALSE))
}

```

---

explain\_keras

*Wrapper for Python Keras Models*

---

## Description

Keras models may be loaded into R environment like any other Python object. This function helps to inspect performance of Python model and compare it with other models, using R tools like DALEX. This function creates an object that is easily accessible R version of Keras model exported from Python via pickle file.

## Usage

```

explain_keras(
  path,
  yml = NULL,
  condaenv = NULL,
  env = NULL,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,

```



```

    label = NULL,
    verbose = TRUE,
    precalculate = TRUE,
    colorize = !isTRUE(getOption("knitr.in.progress")),
    model_info = NULL,
    type = NULL
  )

```

## Arguments

path	a path to the pickle file. Can be used without other arguments if you are sure that active Python version match pickle version.
yml	a path to the yml file. Conda virtual env will be recreated from this file. If OS is Windows conda has to be added to the PATH first
condaenv	If yml param is provided, a path to the main conda folder. If yml is null, a name of existing conda environment.
env	A path to python virtual environment.
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.
predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters
label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed

precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

### Value

An object of the class 'explainer'.

**Example of Python code available at documentation** [explain\\_scikitlearn](#)

### Errors use case

Here is shortened version of solution for specific errors

#### There already exists environment with a name specified by given .yaml file

If you provide .yaml file that in its header contains name exact to name of environment that already exists, existing will be set active without changing it.

You have two ways of solving that issue. Both connected with anaconda prompt. First is removing conda env with command:

```
conda env remove --name myenv
```

And execute function once again. Second is updating env via:

```
conda env create -f environment.yaml
```

#### Conda cannot find specified packages at channels you have provided.

That error may be caused by a lot of things. One of those is that specified version is too old to be available from the official conda repo. Edit Your .yaml file and add link to proper repository at channels section.

Issue may be also connected with the platform. If model was created on the platform with different OS you may need to remove specific version from .yaml file.

```
- numpy=1.16.4=py36h19fb1c0_0
```

```
- numpy-base=1.16.4=py36hc3f5095_0
```

In the example above You have to remove =py36h19fb1c0\_0 and =py36hc3f5095\_0

If some packages are not available for anaconda at all, use pip statement

If .yaml file seems not to work, virtual env can be created manually using anaconda prompt.

```
conda create -n name_of_env python=3.4
```

```
conda install -n name_of_env name_of_package=0.20
```

### Author(s)

Szymon Maksymiuk

## Examples

```

library("DALEXtra")
## Not run:

if (Sys.info()["sysname"] != "Darwin") {
  # Explainer build (Keep in mind that 9th column is target)
  create_env(system.file("extdata", "testing_environment.yml", package = "DALEXtra"))
  test_data <-
  read.csv(
    "https://raw.githubusercontent.com/jbrownlee/Datasets/master/pima-indians-diabetes.data.csv",
    sep = ",")
  # Keep in mind that when pickle is being built and loaded,
  # not only Python version but libraries versions has to match aswell
  explainer <- explain_keras(system.file("extdata", "keras.pkl", package = "DALEXtra"),
    condaenv = "myenv",
    data = test_data[,1:8], y = test_data[,9])
  plot(model_performance(explainer))

  # Predictions with newdata
  predict(explainer, test_data[1:10,1:8])
}

## End(Not run)

```

---

explain\_mlr

*Create explainer from your mlr model*

---

## Description

DALEX is designed to work with various black-box models like tree ensembles, linear models, neural networks etc. Unfortunately R packages that create such models are very inconsistent. Different tools use different interfaces to train, validate and use models. One of those tools, which is one of the most popular one is the mlr package. We would like to present dedicated explain function for it.

## Usage

```

explain_mlr(
  model,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,

```

```

label = NULL,
verbose = TRUE,
precalculate = TRUE,
colorize = !isTRUE(getOption("knitr.in.progress")),
model_info = NULL,
type = NULL
)

```

## Arguments

model	object - a model to be explained
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.
predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters
label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed
precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.

model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

### Value

explainer object ([explain](#)) ready to work with DALEX

### Examples

```
## Not run:
library("DALEXtra")
titanic_test <- read.csv(system.file("extdata", "titanic_test.csv", package = "DALEXtra"))
titanic_train <- read.csv(system.file("extdata", "titanic_train.csv", package = "DALEXtra"))
library("mlr")
task <- mlr::makeClassifTask(
  id = "R",
  data = titanic_train,
  target = "survived"
)
learner <- mlr::makeLearner(
  "classif.gbm",
  par.vals = list(
    distribution = "bernoulli",
    n.trees = 500,
    interaction.depth = 4,
    n.minobsinnode = 12,
    shrinkage = 0.001,
    bag.fraction = 0.5,
    train.fraction = 1
  ),
  predict.type = "prob"
)
gbm <- mlr::train(learner, task)
explain_mlr(gbm, titanic_test[,1:17], titanic_test[,18])

## End(Not run)
```

---

explain\_mlr3

*Create explainer from your mlr model*

---

### Description

DALEX is designed to work with various black-box models like tree ensembles, linear models, neural networks etc. Unfortunately R packages that create such models are very inconsistent. Different tools use different interfaces to train, validate and use models. One of those tools, which is one of the most popular one is mlr3 package. We would like to present dedicated explain function for it.

**Usage**

```

explain_mlr3(
  model,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,
  label = NULL,
  verbose = TRUE,
  precalculate = TRUE,
  colorize = !isTRUE(getOption("knitr.in.progress")),
  model_info = NULL,
  type = NULL
)

```

**Arguments**

model	object - a model to be explained
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.
predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters

label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed
precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

### Value

explainer object ([explain](#)) ready to work with DALEX

### Examples

```
## Not run:
library("DALEXtra")
library(mlr3)
titanic_imputed$survived <- as.factor(titanic_imputed$survived)
task_classif <- TaskClassif$new(id = "1", backend = titanic_imputed, target = "survived")
learner_classif <- lrn("classif.rpart", predict_type = "prob")
learner_classif$train(task_classif)
explain_ml3(learner_classif, data = titanic_imputed,
            y = as.numeric(as.character(titanic_imputed$survived)))

task_regr <- TaskRegr$new(id = "2", backend = apartments, target = "m2.price")
learner_regr <- lrn("regr.rpart")
learner_regr$train(task_regr)
explain_ml3(learner_regr, data = apartments, apartments$m2.price)

## End(Not run)
```

---

explain\_scikitlearn    *Wrapper for Python Scikit-Learn Models*

---

### Description

scikit-learn models may be loaded into R environment like any other Python object. This function helps to inspect performance of Python model and compare it with other models, using R tools like DALEX. This function creates an object that is easily accessible R version of scikit-learn model exported from Python via pickle file.

**Usage**

```

explain_scikitlearn(
  path,
  yml = NULL,
  condaenv = NULL,
  env = NULL,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,
  label = NULL,
  verbose = TRUE,
  precalculate = TRUE,
  colorize = !isTRUE(getOption("knitr.in.progress")),
  model_info = NULL,
  type = NULL
)

```

**Arguments**

path	a path to the pickle file. Can be used without other arguments if you are sure that active Python version match pickle version.
yml	a path to the yml file. Conda virtual env will be recreated from this file. If OS is Windows conda has to be added to the PATH first
condaenv	If yml param is provided, a path to the main conda folder. If yml is null, a name of existing conda environment.
env	A path to python virtual environment.
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.
predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of



the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.

residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters
label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed
precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

### Value

An object of the class 'explainer'. It has additional field param\_set when user can check parameters of scikit-learn model

### Example of Python code

```
from pandas import DataFrame, read_csv
import pandas as pd
import pickle
import sklearn.ensemble
model = sklearn.ensemble.GradientBoostingClassifier()
model = model.fit(titanic_train_X, titanic_train_Y)
pickle.dump(model, open("gbm.pkl", "wb"), protocol = 2)
```

In order to export environment into .yaml, activating virtual env via activate name\_of\_the\_env and execution of the following shell command is necessary  
conda env export > environment.yaml

### Errors use case

Here is shortened version of solution for specific errors

**There already exists environment with a name specified by given .yaml file**

If you provide .yaml file that in its header contains name exact to name of environment that already exists, existing will be set active without changing it.

You have two ways of solving that issue. Both connected with anaconda prompt. First is removing conda env with command:

```
conda env remove --name myenv
```

And execute function once again. Second is updating env via:

```
conda env create -f environment.yaml
```

**Conda cannot find specified packages at channels you have provided.**

That error may be caused by a lot of things. One of those is that specified version is too old to be available from official conda repo. Edit Your .yaml file and add link to proper repository at channels section.

Issue may be also connected with the platform. If model was created on the platform with different OS you may need to remove specific version from .yaml file.

```
- numpy=1.16.4=py36h19fb1c0_0
```

```
- numpy-base=1.16.4=py36hc3f5095_0
```

In the example above You have to remove =py36h19fb1c0\_0 and =py36hc3f5095\_0

If some packages are not available for anaconda at all, use pip statement

If .yaml file seems not to work, virtual env can be created manually using anaconda prompt.

```
conda create -n name_of_env python=3.4
```

```
conda install -n name_of_env name_of_package=0.20
```

**Author(s)**

Szymon Maksymiuk

**Examples**

```
## Not run:
```

```
if (Sys.info()["sysname"] != "Darwin") {
  # Explainer build (Keep in mind that 18th column is target)
  titanic_test <- read.csv(system.file("extdata", "titanic_test.csv", package = "DALEXtra"))
  # Keep in mind that when pickle is being built and loaded,
  # not only Python version but libraries versions has to match aswell
  explainer <- explain_scikitlearn(system.file("extdata", "scikitlearn.pkl", package = "DALEXtra"),
    yaml = system.file("extdata", "testing_environment.yaml", package = "DALEXtra"),
    data = titanic_test[,1:17], y = titanic_test$survived)
  plot(model_performance(explainer))

  # Predictions with newdata
  predict(explainer, titanic_test[1:10,1:17])
}
```

```
## End(Not run)
```

---

explain\_tidymodels      *Create explainer from your tidymodels workflow.*

---

## Description

DALEX is designed to work with various black-box models like tree ensembles, linear models, neural networks etc. Unfortunately R packages that create such models are very inconsistent. Different tools use different interfaces to train, validate and use models. One of those tools, which is one of the most popular one is the tidymodels package. We would like to present dedicated explain function for it.

## Usage

```
explain_tidymodels(  
  model,  
  data = NULL,  
  y = NULL,  
  weights = NULL,  
  predict_function = NULL,  
  predict_function_target_column = NULL,  
  residual_function = NULL,  
  ...,  
  label = NULL,  
  verbose = TRUE,  
  precalculate = TRUE,  
  colorize = !isTRUE(getOption("knitr.in.progress")),  
  model_info = NULL,  
  type = NULL  
)
```

## Arguments

model	object - a model to be explained
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.
y	numeric vector with outputs/scores. If provided, then it shall have the same size as data
weights	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
predict_function	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is yhat.

predict_function_target_column	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
residual_function	function that takes four arguments: model, data, target vector y and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is residual_function_default.
...	other parameters
label	character - the name of the model. By default it's extracted from the 'class' attribute of the model
verbose	logical. If TRUE (default) then diagnostic messages will be printed
precalculate	logical. If TRUE (default) then predicted_values and residual are calculated when explainer is created. This will happen also if verbose is TRUE. Set both verbose and precalculate to FALSE to omit calculations.
colorize	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
model_info	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
type	type of a model, either classification or regression. If not specified then type will be extracted from model_info.

## Value

explainer object ([explain](#)) ready to work with DALEX

## Examples

```
## Not run:
library("DALEXtra")
library("tidymodels")
library("recipes")
data <- titanic_imputed
data$survived <- as.factor(data$survived)
rec <- recipe(survived ~ ., data = data) %>%
  step_normalize(fare)
model <- decision_tree(tree_depth = 25) %>%
  set_engine("rpart") %>%
  set_mode("classification")

wflow <- workflow() %>%
  add_recipe(rec) %>%
  add_model(model)
```

```

model_fitted <- wflow %>%
  fit(data = data)

explain_tidymodels(model_fitted, data = titanic_imputed, y = titanic_imputed$survived)

## End(Not run)

```

---

explain\_xgboost

*Create explainer from your xgboost model*

---

## Description

DALEX is designed to work with various black-box models like tree ensembles, linear models, neural networks etc. Unfortunately R packages that create such models are very inconsistent. Different tools use different interfaces to train, validate and use models. One of those tools, we would like to make more accessible is the xgboost package.

## Usage

```

explain_xgboost(
  model,
  data = NULL,
  y = NULL,
  weights = NULL,
  predict_function = NULL,
  predict_function_target_column = NULL,
  residual_function = NULL,
  ...,
  label = NULL,
  verbose = TRUE,
  precalculate = TRUE,
  colorize = !isTRUE(getOption("knitr.in.progress")),
  model_info = NULL,
  type = NULL,
  encode_function = NULL,
  true_labels = NULL
)

```

## Arguments

model	object - a model to be explained
data	data.frame or matrix - data which will be used to calculate the explanations. If not provided, then it will be extracted from the model. Data should be passed without a target column (this shall be provided as the y argument). NOTE: If the target variable is present in the data, some of the functionalities may not work properly.

<code>y</code>	numeric vector with outputs/scores. If provided, then it shall have the same size as data
<code>weights</code>	numeric vector with sampling weights. By default it's NULL. If provided, then it shall have the same length as data
<code>predict_function</code>	function that takes two arguments: model and new data and returns a numeric vector with predictions. By default it is <code>yhat</code> .
<code>predict_function_target_column</code>	Character or numeric containing either column name or column number in the model prediction object of the class that should be considered as positive (i.e. the class that is associated with probability 1). If NULL, the second column of the output will be taken for binary classification. For a multiclass classification setting, that parameter cause switch to binary classification mode with one vs others probabilities.
<code>residual_function</code>	function that takes four arguments: model, data, target vector $y$ and predict function (optionally). It should return a numeric vector with model residuals for given data. If not provided, response residuals ( $y - \hat{y}$ ) are calculated. By default it is <code>residual_function_default</code> .
<code>...</code>	other parameters
<code>label</code>	character - the name of the model. By default it's extracted from the 'class' attribute of the model
<code>verbose</code>	logical. If TRUE (default) then diagnostic messages will be printed
<code>precalculate</code>	logical. If TRUE (default) then <code>predicted_values</code> and <code>residual</code> are calculated when explainer is created. This will happen also if <code>verbose</code> is TRUE. Set both <code>verbose</code> and <code>precalculate</code> to FALSE to omit calculations.
<code>colorize</code>	logical. If TRUE (default) then WARNINGS, ERRORS and NOTES are colored. Will work only in the R console. Now by default it is FALSE while knitting and TRUE otherwise.
<code>model_info</code>	a named list (package, version, type) containing information about model. If NULL, DALEX will seek for information on it's own.
<code>type</code>	type of a model, either classification or regression. If not specified then type will be extracted from <code>model_info</code> .
<code>encode_function</code>	function(data, ...) that if executed with data parameters returns encoded dataframe that was used to fit model. Xgboost does not handle factors on it's own so such function is needed to acquire better explanations.
<code>true_labels</code>	a vector of $y$ before encoding.

## Value

explainer object ([explain](#)) ready to work with DALEX

**Examples**

```

library("xgboost")
library("DALEXtra")
library("mlr")
# 8th column is target that has to be omitted in X data
data <- as.matrix(createDummyFeatures(titanic_imputed[,-8]))
model <- xgboost(data, titanic_imputed$survived, nrounds = 10,
                params = list(objective = "binary:logistic"),
                prediction = TRUE)
# explainer with encode function
explainer_1 <- explain_xgboost(model, data = titanic_imputed[,-8],
                              titanic_imputed$survived,
                              encode_function = function(data) {
    as.matrix(createDummyFeatures(data))
  })
plot(predict_parts(explainer_1, titanic_imputed[1,-8]))

# explainer without encode function
explainer_2 <- explain_xgboost(model, data = data, titanic_imputed$survived)
plot(predict_parts(explainer_2, data[1,,drop = FALSE]))

```

---

funnel\_measure

*Calculate difference in performance in models across different categories*


---

**Description**

Function `funnel_measure` allows users to compare two models based on their explainers. It partitions dataset on which models were built and creates categories according to quantiles of columns in partition data. `nbins` parameter determines number of quantiles. For each category difference in provided measure is being calculated. Positive value of that difference means that Champion model has better performance in specified category, while negative value means that one of the Challengers was better. Function allows to compare multiple Challengers at once.

**Usage**

```

funnel_measure(
  champion,
  challengers,
  measure_function = NULL,
  nbins = 5,
  partition_data = champion$data,
  cutoff = 0.01,
  cutoff_name = "Other",
  factor_conversion_threshold = 7,
  show_info = TRUE,
  categories = NULL
)

```

**Arguments**

<code>champion</code>	- explainer of champion model.
<code>challengers</code>	- explainer of challenger model or list of explainers.
<code>measure_function</code>	- measure function that calculates performance of model based on true observation and prediction. Order of parameters is important and should be (y, y_hat). The measure calculated by the function should have the property that lower score value indicates better model. If NULL, RMSE will be used for regression, one minus auc for classification and crossentropy for multiclass classification.
<code>nbins</code>	- Number of quantiles (partition points) for numeric columns. In case when more than one quantile have the same value, there will be less partition points.
<code>partition_data</code>	- Data by which test dataset will be partitioned for computation. Can be either data.frame or character vector. When second is passed, it has to indicate names of columns that will be extracted from test data. By default full test data. If data.frame, number of rows has to be equal to number of rows in test data.
<code>cutoff</code>	- Threshold for categorical data. Entries less frequent than specified value will be merged into one category.
<code>cutoff_name</code>	- Name for new category that arised after merging entries less frequent than cutoff
<code>factor_conversion_threshold</code>	- Numeric columns with lower number of unique values than value of this parameter will be treated as factors
<code>show_info</code>	- Logical value indicating if progress bar should be shown.
<code>categories</code>	- a named list of variable names that will be plotted in a different colour. By default it is partitioned on Explanatory, External and Target.

**Value**

An object of the class `funnel_measure`

It is a named list containing following fields:

- `data` data.frame that consists of columns:
  - `Variable` Variable according to which partitions were made
  - `Measure` Difference in measures. Positive value indicates that champion was better, while negative that challenger.
  - `Label` String that defines subset of `Variable` values (partition rule).
  - `Challenger` Label of challenger explainer that was used in `Measure`
  - `Category` a category of the variable passed to function
- `models_info` data.frame containing information about models used in analysis

**Examples**

```
library("mlr")
library("DALEXtra")
```



```

task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

plot_data <- funnel_measure(explainer_lm, list(explainer_rf, explainer_gbm),
  nbins = 5, measure_function = DALEX::loss_root_mean_square)
plot(plot_data)

```

---

```
model_info.WrappedModel
```

*Extract info from model*

---

## Description

This generic function let user extract base information about model. The function returns a named list of class `model_info` that contain about package of model, version and task type. For wrappers like `mlr` or `caret` both, package and wrapper information are stored

## Usage

```

## S3 method for class 'WrappedModel'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'H2ORegressionModel'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'H2OBinomialModel'
model_info(model, is_multiclass = FALSE, ...)

```

```

## S3 method for class 'H2OMultinomialModel'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'scikitlearn_model'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'keras'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'LearnerRegr'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'LearnerClassif'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'GraphLearner'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'xgb.Booster'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'workflow'
model_info(model, is_multiclass = FALSE, ...)

## S3 method for class 'model_stack'
model_info(model, is_multiclass = FALSE, ...)

```

### Arguments

<code>model</code>	- model object
<code>is_multiclass</code>	- if TRUE and task is classification, then multitask classification is set. Else is omitted. If <code>model_info</code> was executed withing <code>explain</code> function. DALEX will recognize subtype on it's own. @param <code>is_multiclass</code>
<code>...</code>	- another arguments

### Details

Currently supported packages are:

- mlr models created with mlr package
- h2o models created with h2o package
- scikit-learn models created with scikit-learn Python library and accessed via reticulate
- keras models created with keras Python library and accessed via reticulate
- mlr3 models created with mlr3 package
- xgboost models created with xgboost package
- tidymodels models created with tidymodels package

**Value**

A named list of class `model_info`

---

overall_comparison	<i>Compare champion with challengers globally</i>
--------------------	---

---

**Description**

The function creates objects that present global model performance using various measures. Those data can be easily plotted with `plot` function. It uses `auditor` package to create `model_performance` of all passed explainers. Keep in mind that type of task has to be specified.

**Usage**

```
overall_comparison(champion, challengers, type)
```

**Arguments**

`champion` - explainer of champion model.  
`challengers` - explainer of challenger model or list of explainers.  
`type` - type of the task. Either classification or regression

**Value**

An object of the class `overall_comparison`

It is a named list containing following fields:

- radar list of `model_performance` objects and other parameters that will be passed to generic `plot` function
- `accordance` data.frame object of champion responses and challenger's corresponding to them. Used to plot accordance.
- `models_info` data.frame containing information about models used in analysis

**Examples**

```
library("DALEXtra")
library("mlr")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
```

```

explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "gbm")

data <- overall_comparison(explainer_lm, list(explainer_gbm, explainer_rf), type = "regression")
plot(data)

```

---

plot.funnel\_measure *Funnel plot for difference in measures*

---

### Description

Function `plot.funnel_measure` creates funnel plot of differences in measures for two models across variable areas. It uses data created with `'funnel_measure'` function.

### Usage

```

## S3 method for class 'funnel_measure'
plot(x, ..., dot_size = 0.5)

```

### Arguments

`x` - `funnel_measure` object created with `funnel_measure` function.  
`...` - other parameters  
`dot_size` - size of the dot on plots. Passed to `geom_point`.

### Value

ggplot object

### Examples

```

library("mlr")
library("DALEXtra")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,

```

```
    target = "m2.price"
  )
  learner_lm <- mlr::makeLearner(
    "regr.lm"
  )
  model_lm <- mlr::train(learner_lm, task)
  explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

  learner_rf <- mlr::makeLearner(
    "regr.ranger"
  )
  model_rf <- mlr::train(learner_rf, task)
  explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

  learner_gbm <- mlr::makeLearner(
    "regr.gbm"
  )
  model_gbm <- mlr::train(learner_gbm, task)
  explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

  plot_data <- funnel_measure(explainer_lm, list(explainer_rf, explainer_gbm),
                             nbins = 5, measure_function = DALEX::loss_root_mean_square)
  plot(plot_data)
```

---

plot.overall\_comparison

*Plot function for overall\_comparison*

---

## Description

The function plots data created with [overall\\_comparison](#). For radar plot it uses auditor's [plot\\_radar](#). Keep in mind that the function creates two plots returned as list.

## Usage

```
## S3 method for class 'overall_comparison'
plot(x, ...)
```

## Arguments

x                   - data created with [overall\\_comparison](#)  
...                  - other parameters

**Value**

A named list of ggplot objects.

It consists of:

- radar\_plot plot created with `plot_radar`
- accordance\_plot accordance plot of responses. OX axis stand for champion response, while OY for one of challengers responses. Colour indicates on challenger.

**Examples**

```
library("DALEXtra")
library("mlr")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

data <- overall_comparison(explainer_lm, list(explainer_gbm, explainer_rf), type = "regression")
plot(data)
```

---

plot.training\_test\_comparison

*Plot and compare performance of model between training and test set*

---

**Description**

Function `plot.training_test_comparison` plots dependency between model performance on test and training dataset based on `training_test_comparison` object. Green line indicates  $y = x$  line.

**Usage**

```
## S3 method for class 'training_test_comparison'  
plot(x, ...)
```

**Arguments**

x                   - object created with [training\\_test\\_comparison](#) function.  
...                  - other parameters

**Value**

ggplot object

**Examples**

```
library("mlr")  
library("DALEXtra")  
task <- mlr::makeRegrTask(  
  id = "R",  
  data = apartments,  
  target = "m2.price"  
)  
learner_lm <- mlr::makeLearner(  
  "regr.lm"  
)  
model_lm <- mlr::train(learner_lm, task)  
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")  
  
learner_rf <- mlr::makeLearner(  
  "regr.ranger"  
)  
model_rf <- mlr::train(learner_rf, task)  
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")  
  
learner_gbm <- mlr::makeLearner(  
  "regr.gbm"  
)  
model_gbm <- mlr::train(learner_gbm, task)  
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")  
  
data <- training_test_comparison(explainer_lm, list(explainer_gbm, explainer_rf),  
  training_data = apartments,  
  training_y = apartments$m2.price)  
  
plot(data)
```

---

predict\_surrogate      *Instance Level Surrogate Models*

---

### Description

Interface to different implementations of the LIME method. Find information how the LIME method works here: <https://ema.drwhy.ai/LIME.html>.

### Usage

```
predict_surrogate(explainer, new_observation, ..., type = "localModel")
```

```
predict_surrogate_local_model(
  explainer,
  new_observation,
  size = 1000,
  seed = 1313,
  ...
)
```

```
predict_model.dalex_explainer(x, newdata, ...)
```

```
model_type.dalex_explainer(x, ...)
```

```
predict_surrogate_lime(
  explainer,
  new_observation,
  n_features = 4,
  n_permutations = 1000,
  labels = unique(explainer$y)[1],
  ...
)
```

```
## S3 method for class 'predict_surrogate_lime'
plot(x, ...)
```

```
predict_surrogate_uml(explainer, new_observation, k = 4, ...)
```

### Arguments

explainer	a model to be explained, preprocessed by the 'explain' function
new_observation	a new observation for which predictions need to be explained
...	other parameters that will be passed to
type	which implementation of the LIME method should be used. Either localModel (default), lime or uml.



size	will be passed to the localModel implementation, by default 1000
seed	seed for random number generator, by default 1313
x	an object to be plotted
newdata	alias for new_observation
n_features	will be passed to the lime implementation, by default 4
n_permutations	will be passed to the lime implementation, by default 1000
labels	will be passed to the lime implementation, by default first value in the y vector
k	will be passed to the iml implementation, by default 4

**Value**

Depending on the type there are different classes of the resulting object.

**References**

Explanatory Model Analysis. Explore, Explain and Examine Predictive Models. <https://ema.drwhy.ai/>

---

print.funnel\_measure *Print funnel\_measure object*

---

**Description**

Print funnel\_measure object

**Usage**

```
## S3 method for class 'funnel_measure'
print(x, ...)
```

**Arguments**

x	an object of class funnel_measure
...	other parameters

**Examples**

```
library("DALEXtra")
library("mlr")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
```

```

    "regr.lm"
  )
  model_lm <- mlr::train(learner_lm, task)
  explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

  learner_rf <- mlr::makeLearner(
    "regr.ranger"
  )
  model_rf <- mlr::train(learner_rf, task)
  explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

  learner_gbm <- mlr::makeLearner(
    "regr.gbm"
  )
  model_gbm <- mlr::train(learner_gbm, task)
  explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

  plot_data <- funnel_measure(explainer_lm, list(explainer_rf, explainer_gbm),
                             nbins = 5, measure_function = DALEX::loss_root_mean_square)
  print(plot_data)

```

---

```
print.overall_comparison
```

*Print overall\_comparison object*

---

## Description

Print overall\_comparison object

## Usage

```
## S3 method for class 'overall_comparison'
print(x, ...)
```

## Arguments

x	an object of class overall_comparison
...	other parameters

## Examples

```

library("DALEXtra")
library("mlr")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"

```

```
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "gbm")

data <- overall_comparison(explainer_lm, list(explainer_gbm, explainer_rf), type = "regression")
print(data)
```

---

print.scikitlearn\_set *Prints scikitlearn\_set class*

---

## Description

Prints scikitlearn\_set class

## Usage

```
## S3 method for class 'scikitlearn_set'
print(x, ...)
```

## Arguments

x	a list from explainer created with <a href="#">explain_scikitlearn</a>
...	other arguments

---

```
print.training_test_comparison
      Print funnel_measure object
```

---

### Description

Print funnel\_measure object

### Usage

```
## S3 method for class 'training_test_comparison'
print(x, ...)
```

### Arguments

x	an object of class funnel_measure
...	other parameters

### Examples

```
library("mlr")
library("DALEXtra")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

data <- training_test_comparison(explainer_lm, list(explainer_gbm, explainer_rf),
  training_data = apartments,
  training_y = apartments$m2.price)

print(data)
```

---

`training_test_comparison`*Compare performance of model between training and test set*

---

## Description

Function `training_test_comparison` calculates performance of the provided model based on specified measure function. Response of the model is calculated based on test data, extracted from the explainer and training data, provided by the user. Output can be easily shown with `print` or `plot` function.

## Usage

```
training_test_comparison(  
  champion,  
  challengers,  
  training_data,  
  training_y,  
  measure_function = NULL  
)
```

## Arguments

`champion` - explainer of champion model.

`challengers` - explainer of challenger model or list of explainers.

`training_data` - data without target column that will be passed to predict function and then to measure function. Keep in mind that they have to differ from data passed to an explainer.

`training_y` - target column for `training_data`

`measure_function` - measure function that calculates performance of model based on true observation and prediction. Order of parameters is important and should be `(y, y_hat)`. By default it is RMSE.

## Value

An object of the class `training_test_comparison`.

It is a named list containing:

- `data` `data.frame` with following columns
  - `measure_test` performance on test set
  - `measure_train` performance on training set
  - `label` label of explainer
  - `type` flag that indicates if explainer was passed as champion or as challenger.
- `models_info` `data.frame` containing information about models used in analysis

**Examples**

```

library("mlr")
library("DALEXtra")
task <- mlr::makeRegrTask(
  id = "R",
  data = apartments,
  target = "m2.price"
)
learner_lm <- mlr::makeLearner(
  "regr.lm"
)
model_lm <- mlr::train(learner_lm, task)
explainer_lm <- explain_mlr(model_lm, apartmentsTest, apartmentsTest$m2.price, label = "LM")

learner_rf <- mlr::makeLearner(
  "regr.ranger"
)
model_rf <- mlr::train(learner_rf, task)
explainer_rf <- explain_mlr(model_rf, apartmentsTest, apartmentsTest$m2.price, label = "RF")

learner_gbm <- mlr::makeLearner(
  "regr.gbm"
)
model_gbm <- mlr::train(learner_gbm, task)
explainer_gbm <- explain_mlr(model_gbm, apartmentsTest, apartmentsTest$m2.price, label = "GBM")

data <- training_test_comparison(explainer_lm, list(explainer_gbm, explainer_rf),
                                training_data = apartments,
                                training_y = apartments$m2.price)

plot(data)

```

---

yhat.WrappedModel      *Wrapper over the predict function*

---

**Description**

These functions are default predict functions. Each function returns a single numeric score for each new observation. Those functions are very important since information from many models have to be extracted with various techniques.

**Usage**

```

## S3 method for class 'WrappedModel'
yhat(X.model, newdata, ...)

## S3 method for class 'H20RegressionModel'
yhat(X.model, newdata, ...)

## S3 method for class 'H20BinomialModel'

```

```
yhat(X.model, newdata, ...)  
  
## S3 method for class 'H2OMultinomialModel'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'scikitlearn_model'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'keras'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'LearnerRegr'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'LearnerClassif'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'GraphLearner'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'xgb.Booster'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'workflow'  
yhat(X.model, newdata, ...)  
  
## S3 method for class 'model_stack'  
yhat(X.model, newdata, ...)
```

### Arguments

X.model	object - a model to be explained
newdata	data.frame or matrix - observations for prediction
...	other parameters that will be passed to the predict function

### Details

Currently supported packages are:

- mlr see more in [explain\\_mlr](#)
- h2o see more in [explain\\_h2o](#)
- scikit-learn see more in [explain\\_scikitlearn](#)
- keras see more in [explain\\_keras](#)
- mlr3 see more in [explain\\_mlr3](#)
- xgboost see more in [explain\\_xgboost](#)
- tidymodels see more in [explain\\_tidymodels](#)

**Value**

An numeric vector of predictions



# Index

champion\_challenger, 2  
create\_env, 4  
dalex\_load\_explainer, 5  
explain, 7, 13, 15, 20, 22  
explain\_h2o, 5, 39  
explain\_keras, 8, 39  
explain\_mlr, 11, 39  
explain\_mlr3, 13, 39  
explain\_scikitlearn, 10, 15, 35, 39  
explain\_tidymodels, 19, 39  
explain\_xgboost, 21, 39  
funnel\_measure, 2, 3, 23, 28  
geom\_point, 28  
model\_info.GraphLearner  
    (model\_info.WrappedModel), 25  
model\_info.H2OBinomialModel  
    (model\_info.WrappedModel), 25  
model\_info.H2OMultinomialModel  
    (model\_info.WrappedModel), 25  
model\_info.H2ORegressionModel  
    (model\_info.WrappedModel), 25  
model\_info.keras  
    (model\_info.WrappedModel), 25  
model\_info.LearnerClassif  
    (model\_info.WrappedModel), 25  
model\_info.LearnerRegr  
    (model\_info.WrappedModel), 25  
model\_info.model\_stack  
    (model\_info.WrappedModel), 25  
model\_info.scikitlearn\_model  
    (model\_info.WrappedModel), 25  
model\_info.workflow  
    (model\_info.WrappedModel), 25  
model\_info.WrappedModel, 25  
model\_info.xgb.Booster  
    (model\_info.WrappedModel), 25  
model\_performance, 27  
model\_type.dalex\_explainer  
    (predict\_surrogate), 32  
overall\_comparison, 2, 3, 27, 29  
plot.funnel\_measure, 3, 28  
plot.overall\_comparison, 29  
plot.predict\_surrogate\_lime  
    (predict\_surrogate), 32  
plot.training\_test\_comparison, 30  
plot\_radar, 29, 30  
predict\_model.dalex\_explainer  
    (predict\_surrogate), 32  
predict\_parts(predict\_surrogate), 32  
predict\_parts\_break\_down  
    (predict\_surrogate), 32  
predict\_parts\_ibreak\_down  
    (predict\_surrogate), 32  
predict\_parts\_shap(predict\_surrogate),  
    32  
predict\_surrogate, 32  
predict\_surrogate\_ism  
    (predict\_surrogate), 32  
predict\_surrogate\_lime  
    (predict\_surrogate), 32  
predict\_surrogate\_local\_model  
    (predict\_surrogate), 32  
print.funnel\_measure, 33  
print.overall\_comparison, 34  
print.scikitlearn\_set, 35  
print.training\_test\_comparison, 36  
training\_test\_comparison, 2, 3, 31, 37  
yhat.GraphLearner(yhat.WrappedModel),  
    38  
yhat.H2OBinomialModel  
    (yhat.WrappedModel), 38  
yhat.H2OMultinomialModel  
    (yhat.WrappedModel), 38

yhat.H2ORegressionModel  
    (yhat.WrappedModel), 38  
yhat.keras (yhat.WrappedModel), 38  
yhat.LearnerClassif  
    (yhat.WrappedModel), 38  
yhat.LearnerRegr (yhat.WrappedModel), 38  
yhat.model\_stack (yhat.WrappedModel), 38  
yhat.scikitlearn\_model  
    (yhat.WrappedModel), 38  
yhat.workflow (yhat.WrappedModel), 38  
yhat.WrappedModel, 38  
yhat.xgb.Booster (yhat.WrappedModel), 38