

# Package ‘simulMGF’

April 3, 2023

**Type** Package

**Title** Simulate SNP Matrix, Phenotype and Genotypic Effects

**Version** 0.1.1

**Author** Martin Nahuel Garcia [aut, cre]

**Maintainer** Martin Nahuel Garcia <garcia.martin@inta.gob.ar>

**Description** Simulate genotypes in SNP (single nucleotide polymorphisms) Matrix as random numbers from an uniform distribution, for diploid organisms (coded by 0, 1, 2), Sikorska et al., (2013) <doi:10.1186/1471-2105-14-166>, or half-sib/full-sib SNP matrix from real or simulated parents SNP data, assuming mendelian segregation. Simulate phenotypic traits for real or simulated SNP data, controlled by a specific number of quantitative trait loci and their effects, sampled from a Normal or an Uniform distributions, assuming a pure additive model. This is useful for testing association and genomic prediction models or for educational purposes.

**License** MIT + file LICENSE

**Encoding** UTF-8

**URL** <https://github.com/mngar/simulMGF>

**RoxygenNote** 7.2.3

**Suggests** spelling

**Language** en-US

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2023-04-02 22:30:06 UTC

## R topics documented:

simGeno . . . . .	2
simPheno . . . . .	3
simulFS . . . . .	4
simulHS . . . . .	5
simulN . . . . .	6
simulU . . . . .	7

---

simGeno	<i>Function to simulate SNP matrix</i>
---------	--

---

### Description

Simulate SNP matrix coded 0, 1 and 2; with random genotypes.

### Usage

```
simGeno(Nind, Nmarkers)
```

### Arguments

Nind	number of individuals to simulate.
Nmarkers	Nmarkers number of SNP markers to generate.

### Value

a matrix of dimensions Nind x Nmarkers.

### Author(s)

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

### References

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

### Examples

```
#simulate 100 individuals and 1000 SNPs
set.seed(123)
simGeno(100, 1000)
#[1] "simG was generated"
dim(simG);simG[1:5,1:5]
#[1] 100 1000
#[,1] [,2] [,3] [,4] [,5]
#[1,] 0 1 0 2 2
#[2,] 2 0 2 0 0
#[3,] 1 1 1 2 2
#[4,] 2 2 1 2 1
#[5,] 2 1 1 1 1
```

---

simPheno                      *Function to simulate phenotypes*

---

**Description**

Simulate a phenotype from a genotype matrix with QTLs with random effects sampled from a Normal distribution.

**Usage**

```
simPheno(x, Nqtl, Esigma, Pmean, Perror)
```

**Arguments**

x	SNP matrix coded like 0 homozygous; 1 heterozygous; 2 homozygous
Nqtl	number of QTLs to simulate
Esigma	standard deviation of effects with distribution $N\sim(0, E\sigma^2)$
Pmean	phenotype mean
Perror	standard deviation of error (portion of phenotype not explained by genomic information)

**Value**

An object of class list containing the trait, the markers associated and their effects.

pheno	vector with the trait values simulated.
QTN	column in the SNP matrix with the SNP associated.
Meffects	effects of the associated SNPs.

**Author(s)**

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

**References**

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

**Examples**

```
set.seed(123)
simGeno(100, 1000)
#' #[1] "simG was generated"
simPheno(simG, 50, .8, 12, .5)
#[1] "simP was generated"
str(simP)
#List of 3
```

```

#$ pheno    : num [1:100, 1] 24 20.5 15.6 13.6 18.5 ...
#$ QTN      : int [1:50] 568 474 529 349 45 732 416 51 413 514 ...
#$ Meffects: num [1:50] 0.2396 -0.138 0.906 0.0186 1.0687 ...

```

---

simulFS

*Function to simulate full sib progeny genotype*


---

## Description

Simulate full sib progeny genotypes from the genotype of the parents (matrixes with the same dimensions). Pair of parents mating will be in the order of the matrixes. We assume that these are diploid organisms.

## Usage

```
simulFS(x, y, Nprogeny)
```

## Arguments

x	genotype matrix of a set of moms
y	genotype matrix of a set of dads
Nprogeny	Nprogeny number of progeny's genotypes to generate from each pair of parents

## Value

a matrix of dimensions (nrow(x)\*Nprogeny) x ncol(x)

## Author(s)

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

## References

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

## Examples

```

#simulate 100 individuals and 1000 SNPs
set.seed(123)
simGeno(100, 1000)
#[1] "simG was generated"
#simulate the genotype of 5 FS from 3 pairs of parents
simulFS(simG[1:3,],simG[4:6,],5)
#[1] "simulatedFS was generated"
dim(simulatedFS)
#[1] 15 1000
# The first 5 individuals are progeny of mom 1 and dad 1, the second 5 individuals
# are progeny of mom 2 and dad 2, and so on.

```

---

`simulHS`*Function to simulate half sib progeny genotypes*

---

**Description**

Simulate half sib progeny from one genotyped parent assuming a random genotype for the other parental. We assume that these are diploid organisms.

**Usage**

```
simulHS(x, Nprogeny)
```

**Arguments**

<code>x</code>	genotype matrix of a set of moms
<code>Nprogeny</code>	number of progeny's genotypes to simulate for each mom

**Details**

The function assume: a diploid organism; mendelian segregation of alleles; and independent segregation.

**Value**

a matrix of dimensions  $(nrow(x)*Nprogeny) \times ncol(x)$

**Author(s)**

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

**References**

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

**Examples**

```
## simulate 100 individuals and 1000 SNPs
set.seed(123)
simGeno(100, 1000)
#[1] "simG was generated"
## simulate the genotype of 3 sets 5 HS (one set by mom)
simulHS(simG[1:3,],5)
#[1] "simulatedHS was generated"
dim(simulatedHS)
#[1] 15 1000
```

---

simulN	<i>Function to simulate a SNP matrix, a phenotypic trait and the effects of associated SNPs.</i>
--------	--

---

### Description

This function simulate a SNP matrix (coded as 0, 1, 2) and traits with a selected number of QTLs and their effects that will be sampled from a Normal distribution.

### Usage

```
simulN(Nind, Nmarkers, Nqtl, Esigma, Pmean, Perror)
```

### Arguments

Nind	number of individuals to simulate.
Nmarkers	number of SNP markers to generate.
Nqtl	number of QTLs controlling the trait.
Esigma	standard deviation of effects with distribution $N\sim(0, Esigma^2)$ .
Pmean	phenotype mean.
Perror	standard deviation of error (portion of phenotype not explained by genomic information).

### Details

Genotypic data is simulated as the round value sampled from a uniform distribution with interval (-.5,2.5). Phenotypic data are obtained as a linear function defined by:

$$y = Pmean + \sum QTN * Meffects + Perror$$

### Value

An object of class list containing the SNP matrix, the trait, the markers associated and their effects.

geno	SNP matrix generated.
pheno	vector with the trait values simulated.
QTN	column in the SNP matrix with the SNP associated.
Meffects	effects of the associated SNPs.

### Note

The genotype is simulated in the same way of simGeno function. The trait, QTLs and their effects are simulated in the same way of simPheno function.

**Author(s)**

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

**References**

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

**See Also**

simGeno, simPheno, simulU

**Examples**

```
set.seed(123)
simulN(100, 1000, 50, .9, 12, .5)
#[1] "nsimout was generated"
str(nsimout)
#List of 4
#$ geno      : num [1:100, 1:1000] 0 2 1 2 2 0 1 2 1 1 ...
#$ pheno     : num [1:100, 1] 25.4 21.6 16 13.8 19.4 ...
#$ QTN       : int [1:50] 568 474 529 349 45 732 416 51 413 514 ...
#$ Meffects: num [1:50] 0.2696 -0.1552 1.0192 0.0209 1.2023 ...
```

---

simulU

*Function to simulate a random SNP matrix, phenotype and QTLs with their effects*

---

**Description**

This function simulate a SNP matrix (coded as 0, 1, 2) and traits with a selected number of QTLs and their effects that will be sampled from a Uniform distribution.

**Usage**

```
simulU(Nind, Nmarkers, Nqt1, Pmean, Perror)
```

**Arguments**

Nind	number of individuals to simulate.
Nmarkers	number of SNP markers to generate.
Nqt1	number of QTLs controlling the trait.
Pmean	phenotype mean.
Perror	standard deviation of error (portion of phenotype not explained by genomic information).

**Value**

An object of class list containing the SNP matrix, the trait, the markers associated and their effects.

geno	SNP matrix generated.
pheno	vector with the trait values simulated.
QTN	column in the SNP matrix with the SNP associated.
Meffects	effects of the associated SNPs.

**Author(s)**

Martin Nahuel Garcia <orcid:0000-0001-5760-986X>

**References**

Wu, R., Ma, C., & Casella, G. (2007). Statistical genetics of quantitative traits: linkage, maps and QTL. Springer Science & Business Media.

**See Also**

simGeno, simulN

**Examples**

```
set.seed(123)
simulU(100, 1000, 50, 12, .5)
#[1] "usimout was generated"
str(usimout)
#List of 4
#$ geno      : num [1:100, 1:1000] 0 2 1 2 2 0 1 2 1 1 ...
#$ pheno     : num [1:100, 1] 10.3 14.7 11.8 10.2 13.1 ...
#$ QTN       : int [1:50] 568 474 529 349 45 732 416 51 413 514 ...
#$ Meffects  : num [1:50] 0.2355 0.0158 -0.1369 -0.1246 0.7426 ...
```



# Index

simGeno, [2](#)  
simPheno, [3](#)  
simulFS, [4](#)  
simulHS, [5](#)  
simulN, [6](#)  
simulU, [7](#)