

The `hyperref-generic` module

A generic driver for `hyperref`

The L^AT_EX Project*

Version 0.96i, released 2024-05-23

This module generates a generic driver for `hyperref` meant to be used with the new L^AT_EX PDF management code. It is loaded automatically if the PDF management code is active. The name of the driver will change after the testphase.

The generic driver can be used with `pdfflatex`, `lualatex`, `xelatex`, `latex` with `dvipdfmx`, `latex` with `dvips+ps2pdf`. `latex` with `dvips+distiller` could work too but is untested. `(x)dvipdfmx` will probably soon support `dvilualatex`, then this combination should work too.

The driver *requires* the new PDF management code, so documents wanting to use it should start like this (this requires L^AT_EX-2022-06-01 or newer):

```
\DocumentMetadata %loads the PDF management and activates it
{
  %% options
  %% e.g. pdf version, backend:
  % pdfversion=1.7,
  % backend = dvipdfmx
}
```

The new driver tries to be compatible with the standard `hyperref` drivers but there are nevertheless differences. Some of them due to the still experimental status of the driver, others are design decisions: one part of the project is to clean up and modernize the code. The following sections try to describe the differences but also to document some of the rationales of the changes, and to add some details and comments about the existing options and so to extend the `hyperref` manual.

1 Avoiding transition problems

Some code will only work properly after other packages have been adapted to the new PDF management code and the changes in this driver. This will take some time. Until then it is recommended to follow the following rules

- Package options are processed at the end of the driver, Class options are ignored. But not every option already works as package options, in some cases `hyperref` interferes. So it is recommended for most options —with the exception of a few mentioned below in section 9—to set them in `\hypersetup`, not as package option.

*E-mail: latex-team@latex-project.org

- This driver uses the `l3color` module for the colors. All colors defined with `\color_set:nn` or `\color_set:nnn` will work. Colors defined with `xcolor` will work if they don't use one of the special color models not supported by `l3color` as `pdfmanagement-firstaid` contains a patch for `xcolor`. If the package `color` is used it is currently recommended to define colors after `hyperref`.
- Load a color package or `graphicx` to get the right page sizes.
- Report problems! Only known problem can be resolved.

2 Bookmarks / outlines

The new driver doesn't contain code to handle bookmarks/outlines. Instead it forces the loading of the `bookmark` package unless the package option `bookmarks=false` has been used. Currently `bookmark` is loaded at the end of the preamble so if commands from `bookmark` are needed in the preamble the document should load it manually. This is subject to change at some time in the future.

3 “Metadata”

“Metadata”, informations about the document, are stored in a PDF in two places: The `/Info` dictionary and the XMP-metadata. `hyperref` only handles the `/Info` dictionary. The XMP-metadata are added by code from `l3pdfmeta`. (without the `pdfmanagement` the XMP-metadata can be added with packages like `pdfx` and `hyperxmp`).

The `/Info` dictionary can be filled with arbitrary keys, but the PDF viewer typically care only about a few, like `/Author`, `/Title` and `/Keywords`. A number of `/Info` keys, like dates and the producer, are added automatically by the engines and backends. Some of them can only be removed with special commands, some not at all. But—with the exception of `/Producer` when using the `dvips` backend—they can be overwritten.

The current handling of the metadata is problematic:

- External package like `hyperxmp` wants to access them too and for this had to patch a number of internal `hyperref` commands—which is a problem if the internal commands change (as happens with this new driver)
- `hyperref` (and also `hyperxmp`) tries to deduce some datas from document commands like `\title` or `\author`—something that worked reasonably well when only some standard classes with well-known definitions of these command existed, but gets problematic with classes and packages which define more powerful commands knowing a variety of optional arguments to set authors and affiliations and title information.

To resolve some of this problem the driver will

- *Not* try deduce author and title from documents. They have to be set in `\hypersetup` with `pdfauthor` and `pdftitle`. It is recommended to separate more than one author by commas, and to hide commas inside braces if needed:

```
pdfauthor = {Bär, Peter Anteater, {Riley, the sloth}}
```

- It is possible to store titles in more than one language. If the value begins with an “optional argument” which represents a language tag, the value is taken as a comma list and splitted. The first value is used for the Info dictionary, the others are used in the XMP-metadata. Commas in a title must then be protected with braces:

```
pdftitle = {[en]English Title,[de] Deutscher Titel,[fr]{titre français, avec comm
```

- All values of relevant keys (including keys from the hyperxmp package) will be stored in a Metadata container, and can be retrieved with `\GetDocumentProperties`.

```
\edef\my@pdfauthor{\GetDocumentProperties{hyperref/pdfauthor}}
```

If the key hasn't be set, the result is empty. This gives external packages a public and reliable access to the data.

- `pdflang` is deprecated. Instead `\DocumentMetadata` should be used:

```
\cs{DocumentMetadata}{lang=de-DE}
```

The value can be retrieved as `document/lang`.

4 Dates

`hyperref` has a few keys to set dates. They typically expect the date in “PDF” format: `D:YYYYMMDDhhmmss+01'00'`.

5 PDF page size (mediabox)

The standard `hyperref` driver contain code to set the PDF page size. There is no real justification why this is done by `hyperref` apart from the fact that \LaTeX itself doesn't do it and that the needed special code could be added to the backend drivers.

In the new driver this code is gone. The reason is not that it is difficult to set the `MediaBox`, actually it could be done with one line of code:

```
\pdfmanagement_add:nnn{Page}{MediaBox}
  {[0-0~\dim_to_decimal_in_bp:n{\paperwidth}~
  \dim_to_decimal_in_bp:n{\paperheight}}}
```

The problem is to know which value to use (with the memoir class e.g. `\stockwidth` should be used instead of `\paperwidth`), and detecting this not a `hyperref` task. Instead the packages which change these values should also set the PDF page size. Also there are too many actors here: `color/graphicx`, `geometry`, the KOMA-classes, memoir, ... all try to set this.

So if the PDF page size is wrong: load one of the other packages setting it e.g. the `color` or the `graphicx` package.

6 Commands to create “external” references

`hyperref` has three commands related to external references like URL and file: `\url`, `\nolinkurl` and `\href`. The first two take one argument, while the last has two: the url and some free text.

`\url` and `\href` create link annotations. `\url` creates always an URI type, `\href` creates URI, GoToR and Launch depending on the structure of the argument.

`\href` has to create a (in the PDF) valid url or file name from its first argument. `\url` has to create a (in the PDF) valid url from its only argument and has also to print this argument as url. `\nolinkurl` only prints the url.

For the printing `\url` and `\nolinkurl` rely on the `url` package and its `\Url` command.

(Expandable) commands are expanded and special chars can also be input by commands but beside this no conversion is done: for all input `hyperref` basically assumes that the input is already a valid percent encoded url or a valid file name. `hyperref` also doesn't extend or add protocols.

As nowadays everyone is used to copy and paste links with all sorts of unicode into a browser and they work the `hyperref` input is clearly rather restricted.

So the new driver tries to extend the input and print options. Both `\href` and `\url` can now be told to accept non-ascii url's and to convert them internally to percent encoding. It is possible to define a standard protocol and so to avoid to have to type it all the time.

But extending the *print* options for `\url` and `\nolinkurl` while still using the `url`-package is hard to impossible in pdfL^AT_EX due to the way the `url` package works. Some chars can be added with the help of `\UrlSpecial` (at the cost of warnings) but it doesn't work for every input and documenting and explaining all the edge cases is no joy. So instead the new driver offers here the option to use different commands to format the printed output. It must be noted that this disable the special “hyphenation” method of url's.

6.1 Special problem: links to files

When a file is linked with `\href` than normally it is added as URI link. The exceptions are PDF's: for them PDF has the special type GoToR which allows also to link to a destination or a special page.

After a number of tests with various PDF viewer established that non-ascii files names don't work at all with a simple file name specification GoToR links now use a full filespec dictionary. This works better, but still no every PDF viewer support this correctly. on various system.

The following can be used to test viewers. It assumes that a `test.pdf`, a `grüßpdf.pdf` and a `grüße.txt` are in the current folder.

```
test-ascii  
test grüßpdf.pdf  
test grüße.txt
```

6.2 Splits

`\href` tries to be clever and to detect from the argument if a url or a file link or a launch command should be created.

The rules are not trivial, and they make the code complicated. This detection also makes it more difficult to handle special cases like non-ascii input for the link types.

For this reason three new commands have been create:

- `\hrefurl` for standard urls (and non-pdf files)
- `\hrefpdf` for references to pdf files
- `\hrefrun` for launch links

The new commands don't use prefixes like `\href`. Their argument should be the real content.

6.3 Options

All `\href` commands and `\url` have an option argument for keyval syntax. It accepts the following keys. Not all keys make sense for all keys, but they don't error, they are silently ignored. The optional argument can currently not be used together with the `\urldef` command.

key	applicable commands	note
<code>urlencode</code>	<code>\hrefurl</code>	if set the code will convert the argument to percent encoding. This allows non-ascii input.
<code>protocol</code>	<code>\hrefurl</code> , <code>\url</code>	This sets a prefix/protocol that is added to the url, see below.
<code>format</code>	<code>\url</code>	a command used to format the printed text. It replaces the standard <code>\Url</code> . This can improve non-ascii typesetting at the cost of losing the special line breaking.
<code>destination</code>	<code>\href</code> , <code>\hrefpdf</code>	A destination name in the PDF
<code>page</code>	<code>\href</code> , <code>\hrefpdf</code>	destination page, default: 1
<code>pdfremotestartview</code>	<code>\href</code> , <code>\hrefpdf</code>	start view, default: Fit
<code>ismap</code>	<code>\href</code> , <code>\hrefurl</code>	see PDF reference
<code>afrelationship</code>	<code>\href</code> , <code>\hrefpdf</code>	Changes the <code>/AFRelationship</code> key of the filespec dictionary. The value should be a PDF name without the starting slash.
<code>run-parameter</code>	<code>\hreflaunch</code>	run parameter (see the PDF reference)
<code>nextactionraw</code>	various	puts a <code>/Next</code> entry in the action dictionary (see the PDF reference)

The first four keys can be set also in `\hypersetup` for all following commands in the current group through the keys `href/urlencode`, `href/protocol`, `href/destination`, `href/format`.

It is possible to define own url commands with specific options e.g. with

```
\NewDocumentCommand\myurl{0{}}{\url[protocol=https://,format=\textsc,#1]}
```

7 Link decorations: border, color, OCG-color, ...

Some main changes are

- The default colors have been changed.

- Citations have by default no special color, they are colored like other internal links. You can use `citecolor` and `citebordercolor` to assign them a special color. This color is not reset if you use `allcolors` or switch to another color scheme. If you want the colors to follow `linkcolor` again you should remove the label `hyp/cite` and/or `hyp/citeborder` from the hook `hyp/link/cite`.
- a number of color schemes have been predefined.

7.1 Background information

With the standard drivers `hyperref` allows either to color the link text, or to use a border around it. There is also a (rather unknown) option `frenchlinks` to use small caps for some links instead of colors.

The *link border* is a setting in the PDF annotation directory. It can be colored and styled (with the `<xxx>bordercolor`, `pdfborderstyle` and `pdfhighlight` keys), but the exact look depends on the PDF viewer. Such decorations are normally not printed.

The *link text* is colored with the standard color commands for text. Such a color is also printed, which is often not wanted. The printing can be avoided in PDF with so-called OCG-layers: They allow to add variants of a text along with instructions which variant should be used for viewing and which for printing. `hyperref` implements a rather simple version for links: The link text is put in a box and printed twice with different colors on different OCG layers. As boxes are used such links can't be broken. The package `ocgx2` implements a more sophisticated version which allows to use it for links broken over lines and pages.

`hyperref` has keys to set the color and border for `link`, `url`, `file`, `menu` and `run` types. They correspond to the PDF annotation types `GoTo`, `URI`, `GoToR`, `Named` and `Launch`. Beside this there is a `anchorcolor` which isn't used at all, and `citecolor` which is a semantical category and doesn't fit to the other types.

In the standard drivers the decoration options are more or less exclusive and global: One of the options (`colorlinks`, `ocgcolorlinks`, or `borders`) has to be chosen in the preamble and is then used for the whole document and all link types. Only colors and eventually the border style can be adjusted locally. But there is no technical reason for these restrictions: It is quite possible to change all these attributes at any time both by link type and locally. The restrictions of the current implementation can only be explained by the age of the code: `hyperref` has been created at a time when memory was small and the main drivers were html and postscript based.

While link colors have been traditionally more or less under the control of `hyperref`, the situation with other format options, like the font, is more complicated. The font in `\url` is for example determined by `\Urlfont`, a command from the `url` package. In the case of internal (`GoTo`) references packages like `cleveref` or `biblatex` or `glossaries` offer formatting options too. Formatting here is often connected to semantics: an acronym should use a different font than a citation. While `hyperref` could offer options here, it would probably only clash with package formatting. It is more sensible not to interfere here. For this reason the `frenchlinks` option has been dropped.

7.2 New Keys

Some of the existing keys have been extended to allow individual setting for the link types `link`, `url`, `file` `menu` and `run`:

- Beside `pdfborder` there are also `linkborder`, `urlborder` etc

- Beside `pdfhighlight` there are also `linkhighlight`, `urlhighlight` etc
- Beside `pdfborderstyle` there are also `linkborderstyle`, `urlborderstyle` etc
- Beside `colorlinks` there are also `colorlink`, `colorurl` etc
- Beside `ocgcolorlinks` there are also `ocgcolorlink`, `ocgcolorurl`, etc TODO
- Beside `hidelinks` there are also `hidelink`, `hideurl`, etc
- `bordercolormodel` allows to set the model used in annotations, the allowed values are `rgb` or `cmymk`. `rgb` is the default. It does *not* change the model of text colors. Be aware that while the PDF format allows `cmymk` (4 numbers) in the `/C` key of an annotation, this is often ignored by pdf viewers and the colors can be wrong.
- The boolean keys `url`, `link`, `run`, `menu`, `file` allow to deactivate locally the link types.

`colorscheme` (*setup key*) The new key `colorscheme` allows to switch the colors (both for text and borders) with a key word. It takes one of the values `primary-colors` (the colors as `hyperref` uses normally), `phelype`, `daleif`, `szabolcsA`, `szabolcsB`, `tivv`, `julian`, `henryford`.

The names refer to the authors in answers and comments in <https://tex.stackexchange.com/questions/525261/better-default-colors-for-hyperref-links>.

The default is `phelype`.

7.3 Public interfaces

The `colorlinks` and `ocgcolorlinks` and related keys are using these booleans:

```

\l_hyp_annot_colorlink_bool,
\l_hyp_annot_colorurl_bool,
\l_hyp_annot_colorfile_bool,
\l_hyp_annot_colorryn_bool,
\l_hyp_annot_colormenu_bool,
\l_hyp_annot_ocgcolorlink_bool,
\l_hyp_annot_ocgcolorurl_bool,
\l_hyp_annot_ocgcolorfile_bool,
\l_hyp_annot_ocgcolorryn_bool,
\l_hyp_annot_ocgcolormenu_bool,

```

They are both inserting hook code in the `pdfannot/link/<type>/begin` and `pdfannot/link/<type>/end` hooks. `<type>` is one of `GoTo`, `URI`, `GoToR`, `Named` or `Launch`. `colorlinks` uses the label `hyp/color`, and `ocgcolorlinks` the label `hyp/ocg`.

They both use the same color names: `hyp/color/link`, `hyp/color/url`, `hyp/color/file`, `hyp/color/run`, `hyp/color/menu`.

The cite colors uses the names `hyp/color/cite` and `hyp/color/citeborder`.

The border colors aren't saved in color names currently, but if the need would arise it would possible to change this.

7.4 Changed behaviour

colorlinks `colorlinks` or `colorlinks=true` will as before disable the `pdfborder` (`colorlinks=false` will leave the `pdfborder` untouched), but it is possible to use the key in the document at any time, or to reenable the border if wanted. Internally `colorlinks` & friends will no longer define/undefine `\Hy@colorlink`, but instead use the hooks provided by the `l3pdfannot` package.

Color keys accept the following input syntax:

```
model based      urlbordercolor = [rgb]{1,1,0}
color expression urlbordercolor = red!50!blue
command          urlbordercolor = \mycolor
```

where `\mycolor` should expand to one of the other two syntax variants.

frenchlinks The option `frenchlinks` does nothing at all.

cite colors As mentioned above the support for `citecolor` and `citebordercolor` has been reduced. A package like `hyperref` can't keep track of such semantic contexts like `cite`, `acronym`, `glossaries` and `special references` and maintain keys for them. The keys are not completely dropped as this would affect packages like `natbib`, but they have been separated and are no longer affected by group keys like `allcolors` but must be set individually instead.

link margin The driver sets a default link margin—this is identical to `pdftex` and `luatex` driver, but a change for the `xetex` and `dvips` driver. The (undocumented) command `\setpdflinkmargin` does nothing. Use either the key `pdflinkmargin` or `\pdfannot_link_margin:n` to change the margin. See also the description in section 14 and in the `hyperref` manual.

8 PDF strings

`hyperref` uses a command called `\pdfstringdef` to convert text input into something that makes sense and is valid in a PDF string, e.g. in the bookmarks or in the info dictionary or as form field values.

As the handling of the outlines are delegated to the `bookmark` package, they will for now still use `\pdfstringdef`, but all other strings produced by this driver will use a new method based on the `expl3` commands `\text_purify:n` and `\str_set_convert:Nnnn`. For normal text it shouldn't matter, but a variety of commands and math are handled differently. Like with `\pdfstringdef` they are a number of ways to adjust the outcome of `\text_purify:n`. These are described in the `expl3` documentation `interface3.pdf`.

The new method is under heavy development!

Important differences here are

- *This new method requires that files are utf8-encoded* (at least if non-ascii chars are used in for PDF strings).
- *All robust commands are currently removed, unless an equivalent has been declared.*
- *Currently the new method is much more silent: it doesn't warn like hyperref if it removes commands.*

9 Package options from hyperref

The driver will process the package options at the end. But normally options should better be set with `\hypersetup` after the package has been loaded. This is also the case for options which normally don't work in `\hypersetup`. One option that currently doesn't work correctly as package option is `ocgcolorlinks`

Options that still must be set as package options are

- `backref`
- `CJKbookmarks` this key should not be used anymore. At some time it will be removed.
- `destlabel` (destination names are taken from `\label` if possible)
- `encap`
- `hyperfigures` (according to the `hyperref` manual it makes figures hyper links, but actually is a no-op for most drivers, and it does nothing with this driver either.)
- `hyperfootnotes`
- `hyperindex`
- `implicit` (redefine `LATEX` internals)
- `nesting` unneeded key, see comment below in 14. At some time it will be either removed or extended (if some use can be found).
- `pagebackref`
- `pdfpagelabels` (set PDF page labels)
- `psdextra` this loads some extra definitions used by `\pdfstringdef`. The new driver uses `\pdfstringdef` only for the bookmarks, for other strings it is not relevant.

Options that can be without problems set as package options are

- `debug`, `verbose` (a boolean)
- `bookmarks` (a boolean)
- `plainpages`
- `draft`, `final`
- `hypertextnames`
- `naturalnames`
- `pageanchor`

Ignored options:

- All driver options like `pdftex`, `dvipdfmx`, ...
- `raiselinks` (only used in the `dviwind`, `textures` and `tex4ht` driver anyway)
- `frenchlinks`
- `setpagesize`
- `addtopdfcreator`

10 Disabling links

`hyperref` knows like many packages the options `draft` and `final`. With `hyperref` they can be used as package options or in the preamble in `\hypersetup` and disable links and anchors completely. The new driver passes the options also to the `bookmark` package if `bookmark` hasn't been loaded yet as bookmarks can't work properly if the anchors from `hyperref` are missing.

`link` (*setup key*) The `draft` option is a global option that can't be undone (at least not easily). So the
`url` (*setup key*) new driver offers also boolean keys `link`, `url`, `file`, `run` and `menu` which allow to locally
`file` (*setup key*) disable a link type. So e.g. `\hypersetup{link=false}\ref{abc}` will give a reference
`run` (*setup key*) without link (this is naturally also possible with `\ref*{abc}`). This disables also all
`menu` (*setup key*) hooks of the link type, so the link is for example no longer colored. It also removes the
implicit grouping of the content.

`nested-links` (*setup key*)

Links are sometimes nested. E.g. if a section heading contains a reference it can lead to nested links in the table of contents or if `\nameref` is used. That is not forbidden and normally work as expected: If the link area overlap normally the inner link is "on top" and chosen at a click. But it is not always actually wanted, so with the `nested-links` (a boolean key) it is possible to disable such nested links.

11 Draftmode

`pdftex` and other engines knows a `draftmode` which can be set with `\pdfdraftmode=1` and `hyperref` honors this in some places. The new driver ignores it, for example `pagelabels` are created in any case. With today's computer power there is not much to gain and it only complicates the code.

This should not be confused with the `draft` and `final` package options! They are still honored.

12 Dropped options

A number of options are ignored by this driver

pdfversion The `pdfversion` should be set in `\DocumentMetadata`

setpagesize The key is ignored and the PDF page size is not set. Load `color` or `graphicx` or use a class which sets the PDF page size.

breaklinks The option does nothing sensible anyway (apart from triggering a warning).
Currently with `latex+dvips` links can't be broken. But there is work in progress to change this.

unicode This is always true.

pdfa If this option is set to true `hyperref` normally checks and sets a small number of requirements for the PDF standard PDF/A. The key is ignored with this driver. Instead the wanted standard should be declared in `\DocumentMetadata`:

```
\DocumentMetadata{pdfstandard=A-2b}
```

Currently `A-1b`, `A-2b`, `A-3b` can be set. The support for various requirements is still incomplete, but the parts that `hyperref` checked are implemented:

- The `/F` key is added to links and `Print` is activated, `Hidden`, `Invisible`, `NoView` are deactivated.
- `/NeedAppearances` is suppressed
- `PushButtons`, which use the action `/S/JavaScript` are suppressed.
- `ResetButtons`, which use the action `/S/ResetForm` are suppressed.
- In widget annotations, the `/AA` dictionary is suppressed.

13 Destinations

Destinations (sometimes call anchors in the `hyperref` documentation) are the places a link jumped too. Unlike the name may suggest they don't described an exact location in the PDF. Instead a destination contains a reference to a page along with an instruction how to display this page. The normally used "`XYZ top left zoom`" for example instructs the viewer to show the page with the given *zoom* and the top left corner at the *top left* coordinates—which then gives the impression that there is an anchor at this position.

From these instructions two (`Fit` and `FitB`) don't take an argument. All others take one (`FitH`, `FitV`, `FitBH`, `FitBV`) or more (`XYZ`, `FitR`) arguments. These arguments are normally coordinates, `XYZ` takes also a zoom factor. The coordinates are absolute coordinates in `bp` relative to the lower left corner of the PDF.

With the primitive command `\pdfdest` of `pdftex` almost all instructions are created with a keyword only: The needed coordinate is calculated automatically from the location the `\pdfdest` command is issued. So to get a specific coordinate one has to move the command to the right place. E.g.

```
\AddToHookNext{shipout/background}
  {\put(0,-\pdfpageheight+100bp){\pdfdest name{destA} FitH\relax}}
```

Exceptions are the `XYZ` instruction, where `pdftex` accepts a keyword `zoom` followed by a zoom factor, and the `FitR` instruction which understands the keywords `width`, `height` and `depth` followed by a dimension, which is then used to calculate a rectangle relative to the current location. If no keywords are given the dimensions are taken from the surrounding box—which can also lead to zero sized areas.

The manual of `hyperref` gives a bit the impression as if this coordinates can be set manually by the user but as described above this is mostly wrong: It is for normal destination only possible with a dvi-backend like `dvips` which make use of `pdfmark.def`. `pdftex` and `luatex` can use manual coordinates only for `pdfstartview` and `pdfremotestartview`. As `dvips` was the first driver of `hyperref` the option `pdfview` was at first developed for it and then adapted to `pdftex`. But this had the effect that the handling of the option `pdfview` is inconsequent across the backend and engines: For example with `pdfview=FitH 100` `pdftex` ignores the number and calculates its own, while `dvips` sets the coordinate to the absolute 100. The zoom factor of `XYZ` is not supported by the `pdftex` driver at all, and `FitR` only partially.

The generic driver consolidate this but tries to stay compatible with the other drivers as far as possible. It also takes into account that `pdfview` and `pdfstartview` and `pdfremotestartview` have different requirements: While for the first relative coordinates are fine, for the two others absolute coordinates are more sensible.

`pdfview` (*setup key*) So with this driver the options `pdfview`, `pdfstartview` and `pdfremotestartview`
`pdfstartview` (*setup key*) take the following options:
`pdfremotestartview` (*setup*
key)

- `Fit`, `FitB`, `FitH`, `FitV`, `FitBH`, `FitBV` which can be followed by a positive integer (separated by a space) or the keyword `null`. The number can be given as a *<dimension expression>* surrounded with `\hypercalscbp`. The driver redefines this command to use `\dim_to_decimal_in_bp:n`.
 - `pdfview` will ignore the integer and any other arguments and calculate the expected coordinates as described above for `pdftex` with all supported engines and backends.
 - `pdfstartview` and `pdfremotestartview` will pass the optional number or keyword after expansion as absolute coordinate. Missing numbers will be filled up with `null`.
- `XYZ`. This can be followed (separated by spaces) by up to three positive integers or keywords `null` which are then taken as *top left zoom* in this order. *zoom* is a factor, so e.g. 0.5 will give a scaling of 50%.
 - `pdfview` will use the last value as *zoom*, ignore all other values and calculate the expected coordinates as described above for `pdftex` with all supported engines and backends (this means it is possible to use `XYZ 2` to set a zoom of 200%, it is not necessary to fill in dummy values.)
 - `pdfstartview` and `pdfremotestartview` will pass the optional numbers or keyword after expansion as absolute coordinates and zoom. Missing numbers will be filled up with `null`.

This new behaviour is in part incompatible with previous handling with the `dvips` driver.

- `FitR`. If no argument (separated by spaces) follows then `pdfview` will use with `pdftex` and `luatex` the automatic calculation of the coordinates from the encompassing box. With `dvips` and `(x)dvipdfmx` it will fall back to `Fit`. `pdfstartview` and `pdfremotestartview` will fallback to `Fit` too.

If arguments (separated by spaces) follow they should be four numbers representing *left bottom right top*.

- `pdfview` will use the values to calculate coordinates relative to the current location. So `0 -100 200 400` will give a “box” of width 200bp, height 400bp and depth 100dp that the destination should encompass. Missing numbers will be set to 0. But one should be aware that it is quite unpredictable how viewers which support `FitR` handles zero sizes.
- `pdfstartview` and `pdfremotestartview` will pass the values as absolute coordinates.

13.1 Names of destinations

`hyperref` creates two types of destination names: For numbered structures (so when the anchor is set by `\refstepcounter`) it builds the name from the counter name and the `\theH...` representation: `<counter name>.\theH<counter name>`.

For unnumbered structures, e.g. starred chapters or anchors created with `\phantomsection` it uses names like `section*.<number>` and `chapter*.<number>`.

Typically the name of destination can be retrieved by setting a label, this works also with unnumbered sections. The anchor and also the page can be retrieve in an expandable way with the help of commands from the `refcount` package which is loaded by `hyperref`. For example with the following commands it is possible to use the label to create a bookmark:

```
\bookmark[dest=\getrefbykeydefault{label}{anchor}{Doc-Start}]{my bookmark}
\bookmark[dest=page.\getrefbykeydefault{label}{page}{Doc-Start}]{my bookmark}
```

If a `\HyperDestNameFilter` is defined, this must be added around the definition, so actually the full code has to look like this

```
\bookmark[dest=
\HyperDestNameFilter{\getrefbykeydefault{label}{anchor}{Doc-Start}}]{mysection}
```

To simplify this `hyperref` provides `\hyperget{anchor}{label}` and `\hyperget{pageanchor}{label}`

14 Assorted key descriptions

The following gives a few details to some keys that are perhaps not completely described in the manual, or are a bit different in this driver. The list is alphabetic.

bookmarkstype (*setup key*) This key takes as value the extension of a list like `toc` or `lof`. If this list uses `\addcontentsline` the content will be added to the bookmarks. The key can be use in `\hypersetup` and also in the middle of the document to switch the list.

bordercolormodel (*setup key*) With `bordercolormodel` the `colormodel` used in the `/C` key of the annotation array and in similar keys is set. It does not affect the text and graphics colors in the page stream. Possible choices are `rgb` (three numbers in the array) and `cmk` (four numbers). While the PDF reference allows four numbers, PDF readers don't necessarily handle this correctly, so the value can be wrong.

destlabel (*setup key*) This is a boolean key. Currently it must be set as package option. If set to true, the name of a destination is taken from a following `\label`, if there is one before the next destination command. This requires two compilations to get the correct coordinates in the destination. In the first compilation the alias name is recorded in the aux-file:

```
\hyper@newdestlabel{section.1.2}{sec:sec2}
```

The next compilation can then make use of it. The two-pass could be avoided in the future with a better labeling system, where the name if set earlier.

extension (*setup key*) This key sets an variable that has two purposes: It is used if file name has not extension, and it decides if the annotation is a URI or GoToR annotation. So

```
\hypersetup{extension=dvi}
\href{mwe1.pdf}{pdf}
\href{mwe2.dvi}{dvi}
\href{mwe3}{no ext}
```

will create

```
/Subtype/Link/A<</S/URI /URI(mwe1.pdf)>>
/Subtype/Link/A<</S/GoToR /F (mwe2.dvi)>>
/Subtype/Link/A<</S/GoToR /F (mwe3.dvi)>>
```

Typically PDF viewer can handle only GoToR annotations pointing to a PDF. So normally the default value `pdf` of this key should not be changed. This key is useless in PDF context. The boolean is only used in the code for anchors/destination where nesting doesn't make sense. It should not be changed.

`nesting` (*setup key*)

`pdfborder` (*setup key*) This key set accept as value three numbers or three numbers and an array describing a dash pattern, examples are `0 0 1` or `0 0 1 [3 2]`. The first two numbers should according to the reference set round corners, but PDF viewer seem to ignore it. The third number is the line width of the border. Settings done with `pdfborderstyle` should take precedence.

`linkborder` (*setup key*)

`urlborder` (*setup key*)

`runborder` (*setup key*)

`menuborder` (*setup key*)

`pdfborderstyle` (*setup key*) The value of this key is the content of the BS dictionary. As an example

`linkborderstyle` (*setup key*) `/Type/Border /W 1 /S/U /D[3 2]`

<code>urlborderstyle</code> (<i>setup key</i>)	Key	Values	comment / example
<code>fileborderstyle</code> (<i>setup key</i>)	<code>/Type</code>	<code>/Border</code>	optional
<code>runborderstyle</code> (<i>setup key</i>)	<code>/W</code>	<code><number></code>	Width of border line
<code>menuborderstyle</code> (<i>setup key</i>)	<code>/S</code>	<code>/S</code>	solid (default)
		<code>/D</code>	dash pattern can be set with <code>/D</code>
		<code>/B</code>	beveled
		<code>/I</code>	inset
		<code>/U</code>	underline
	<code>/D</code>	<code><array of numbers></code>	dash pattern (lines/gaps) (default [3])

`pdfcreationdate` (*setup key*) Setting these keys is normally not needed. If they are used the values of the first

`pdfmoddate` (*setup key*) two keys are stored directly in the Info dictionary for `/Creationdate` and `/ModDate`.

`pdfmetadate` (*setup key*) All three keys are used in XMP-metadata. The values are converted to strings but not processed further, so they should have the correct PDF format without the enclosing parentheses, e.g. `D:20200202111111+01'00'`.

`pdflinkmargin` (*setup key*) As described in the hyperref manual the behaviour differs between the backends: with dvips it is possible to change links locally, pdfflatex and luatex work by page, with dvipld the setting is global (and has to be done in the preamble).

`pdflang` (*setup key*) The key will work, but it is recommended to set the language in `\DocumentMetadata` instead.

File I

hyperref-generic driver implementation

```

1 *package
2 @@=hyp
3 \ProvidesFile{hgeneric-testphase.def}[2024-05-23 v0.96i %
4   generic Hyperref driver for the LaTeX PDF management testphase bundle]
5
6 \RequirePackage{etoolbox} %why?

```

Temporary command definition, can be remove when hyperref is update too.

```

7 \long\def\Hy@ReturnAfterFi#1\fi{\fi#1}
8 \ExplSyntaxOn
9 \file_input:n {hyperref-colorschemes.def}
10 \ExplSyntaxOff

```

1 messages

Redirect the message name:

```
11 \ExplSyntaxOn
12 \prop_gput:Nnn \g_msg_module_name_prop { hyp }{ hyperref }
```

At first a message for the testing of the resource management

```
13 \cs_if_exist:NTF \DocumentMetadata
14 {
15   \msg_new:nnnn
16     { hyp }
17     { missing-resource-management }
18     { The~PDF~resource~management~is~required~for~this~hyperref~driver! }
19     {
20       Activate~it~with \
21       \tl_to_str:n{\DocumentMetadata{<options>}}\
22       before~\tl_to_str:n{\documentclass}
23     }
24 }
25 {
26   \msg_new:nnnn
27     { hyp }
28     { missing-resource-management }
29     { The~PDF~resource~management~is~required~for~this~hyperref~driver! }
30     {
31       Activate~it~with \
32       \tl_to_str:n{\RequirePackage{pdfmanagement-testphase}}\
33       \tl_to_str:n{\DocumentMetadata{<options>}}\
34       before~\tl_to_str:n{\documentclass}
35     }
36 }
```

The pdfversion should be set in \DocumentMetadata

```
37 \msg_new:nnnn
38 { hyp }
39 { pdfversion-disabled }
40 {
41   This~hyperref~driver~ignores~the~pdfversion~key!\
42   Set~the~pdfversion~in~\token_to_str:N \DocumentMetadata
43 }
44 {
45   For~example:\
46   \tl_to_str:n
47   {
48     \DocumentMetadata { pdfversion=1.7 }
49   }
50 }
```

A generic message for ignored keys.

```
51 \msg_new:nnn
52 { hyp }
53 { key-dropped }
54 {
55   This~hyperref~driver~ignores~the~key~#1!\
56   Please~check~the~documentation.
```

```
57 }
```

pdf/A messages for fields, this will probably be moved to an external package

```
58 \msg_new:nnn
59 { hyp }
60 { pdfa-no-push-button }
61 { PDF/A:~Push~button~with~JavaScript~is~prohibited }
62
63 \msg_new:nnn
64 { hyp }
65 { pdfa-no-reset-button }
66 { PDF/A:~Reset~action~is~prohibited }
```

pdf/A message for not allowed Named actions

```
67 \msg_new:nnn
68 { hyp }
69 { pdfa-no-named-action }
70 { PDF/A:~Named~action~#1~is~prohibited }
```

A message if the destination name is empty.

```
71 \msg_new:nnn
72 { hyp }
73 { empty-destination-name }
74 {
75   Empty-destination~name,\\
76   using~'#1'
77 }
```

A message if the destination check fails

```
78 \msg_new:nnn
79 { hyp }
80 { invalid-destination-value }
81 {
82   Invalid~value~'#1'~of~'#2'  \\
83   is~replaced~by~'Fit'~\msg_line_context:.
84 }
```

Some options or values should not be used in older pdf versions

```
85 \msg_new:nnn
86 { hyp }
87 { ignore-deprecated-or-unknown-option-in-pdf-version }
88 {
89   Option~'#1'~is~unknown~or~deprecated~in\\
90   pdf~version~#2.~Ignored.
91 }
92 \msg_new:nnn
93 { hyp }
94 { ignore-deprecated-or-unknown-value-in-pdf-version }
95 {
96   Value~'#1'~is~unknown~or~deprecated~in\\
97   pdf~version~#2.~Ignored.
98 }
99 \msg_new:nnn
100 { hyp }
101 { replace-deprecated-or-unknown-value-in-pdf-version }
102 {
```



```

103     Value-`#1`~is~unknown~or~deprecated~in\\
104     pdf-version-#2. Value-`#3`~is used instead.
105 }

```

During development not all standard hyperref keys are known and the Hyp-handler needs to process some new keys unknown to him. This issues warnings for now:

```

106 \msg_new:nnn
107 { hyp }
108 { unknown-key }
109 {
110     unknown-key-#2-of-module-`#1`~set-to-`#3`.
111 }
112 \msg_new:nnn
113 { hyp }
114 { unknown-key-to-Hyp }
115 {
116     ignored-in-family-Hyp-unknown-key-#1.
117 }

```

There are a lot choice keys. This defines messages which shows the valid choices if a faulty one has been used:

```

118 \cs_new:Npn \__hyp_clist_display:n #1 {*~#1\\}
119 \msg_new:nnn
120 { hyp }
121 { unknown-choice }
122 {
123     Value-`#3`~is~invalid~for~key-`#1`.\\
124     The~key~accepts~only~the~choices\\
125     \clist_map_function:nN { #2 }\__hyp_clist_display:n
126 }
127
128 \msg_new:nnn
129 { hyp }
130 { unknown-choice+empty }
131 {
132     Value-`#3`~is~invalid~for~key-`#1`.\\
133     The~key~accepts~only~the~choices\\
134     \clist_map_function:nN { #2 }\__hyp_clist_display:n
135     An~empty~value~removes~the~setting.
136 }
137
138 \msg_new:nnn
139 { hyp }
140 { no-bool }
141 {
142     Value-`#2`~is~invalid~for~key-`#1`.\\
143     The~key~accepts~only~the~choices\\
144     *~true\\
145     *~false \\
146     *~and~an~empty~value~which~removes~the~setting.\\
147     No~value~is~equivalent~to~using-`true`.
148 }

```

A message for creator and producer which can't be removed.

```

149 \msg_new:nnn

```

```

150 { hyp }
151 { empty-info-value }
152 {
153   Empty-value-for-key-#1.\
154   This-isn't-honored-by-all-backends.
155 }

```

2 Variants

```

156 \cs_generate_variant:Nn\pdf_destination:nn {nf}
157 \cs_generate_variant:Nn\pdf_object_ref:n {e}
158 \cs_generate_variant:Nn\pdf_pageobject_ref:n {e}

```

3 Overwriting/providing commands from hyperref

hyperref checks driver version, we need to suppress this during the development

```

159 \chardef\Hy@VersionChecked=1 %don't check the version!
160 %\cs_set_protected:Npn \PDF@SetupDoc{}
161 %\PDF@FinishDoc{}% dummy needed for hyperref ...

```

\hypercalcbp We define a better (expandable) version of \hypercalcbp

\hypercalcbp

```

162 \cs_set_eq:NN \hypercalcbp \dim_to_decimal_in_bp:n

```

(End of definition for \hypercalcbp. This function is documented on page 18.)

This command must be provided for now, but they are unused by the driver:

```

163 \providecommand\@pdfborder{}
164 \providecommand\@pdfborderstyle{}
165 \newcommand\OBJ@OCG@view {} % needed in hyperref
166 \def\Hy@numberline#1{#1\c_space_tl} %needed by bookmark

```

The pdfversion should be set in \DocumentMetadata but we must copy it to the hyperref command:

```

167 \cs_set_eq:NN \Hy@pdfminorversion \pdf_version_minor:
168 \cs_set_eq:NN \Hy@pdfmajorversion \pdf_version_major:
169 \legacy_if:nT { Hy@setpdfversion }
170 {
171   \msg_warning:nn { hyp }{ pdfversion-disabled }
172 }
173 \Hy@DisableOption{pdfversion}

```

\Acrobatmenu should use the new internal link command

```

174 \RenewDocumentCommand \Acrobatmenu { m m }
175 {
176   \hyper@linknamed {#1} {#2}
177 }

```

`\hypersetup` should set the new keys. We can't also execute `\kvsetkeys{Hyp}` as this errors for example with colors. This means the driver has to provide new code for every key!

```

178 % TODO should go at some time ...
179 % \kv@set@family@handler{Hyp}
180 % { \msg_warning:nne {hyp}{unknown-key-to-Hyp}{#1} }
181 \cs_set_protected:Npn \hypersetup #1
182 {
183   %\kvsetkeys{Hyp} {#1}
184   \keys_set:nn { hyp }{ #1 }
185 }
186 % TODO for now unknown keys should only give warnings.
187 \keys_define:nn { hyp }
188 {
189   unknown .code:n =
190   {
191     \msg_warning:nneee { hyp } { unknown-key }
192     { hyp }{ \l_keys_key_str } { #1 }
193   }
194 }

```

Hyperref creates a number of destinations automatically. E.g. in unnumbered chapters and sections and with `\phantomsection`. The following key allows to force a specific name for the destination so that it can be used by bookmarks.

```

195 \keys_define:nn { hyp }
196 {
197   next-anchor .code:n =
198   {
199     \AddToHookNext{__hyp/dest/make}
200     {\Hy@MakeCurrentHref{#1}}
201   }
202 }

```

Allow non-ascii in href, and add more href versions. We add a few new keys: `urlencode` to force percent encoding (`\hrefurl`, `\href`) protocol to add a protocol (`\hrefurl`, `\href` doesn't work here as it needs the colon for the split and the guessing.) `destination` to add a destination (`\hrefpdf`)

```

203
204 \bool_new:N \l__hyp_href_url_encode_bool
205 \bool_new:N \l__hyp_href_url_ismap_bool
206 \tl_new:N \l__hyp_href_url_protocol_tl
207 \tl_new:N \l__hyp_href_pdf_destination_tl
208 \tl_new:N \l__hyp_href_pdf_page_tl
209 \tl_new:N \l__hyp_href_run_parameter_tl
210 \cs_new_protected:Npn \__hyp_href_url_format: {\begingroup\Url}
211
212
213 \keys_define:nn { hyp / href }
214 {
215   ,urlencode .bool_set:N = \l__hyp_href_url_encode_bool
216   ,format .code:n = { \cs_set:Nn \__hyp_href_url_format: {#1} },
217   ,protocol .tl_set:N = \l__hyp_href_url_protocol_tl
218   ,destination .tl_set:N = \l__hyp_href_pdf_destination_tl

```

```

219 ,pdfremotestartview .code:n =
220 {
221   \keys_set:nn { hyp }
222   { pdfremotestartview = #1 }
223 }
224 ,page .code:n =
225 {
226   \tl_set:Nn \l__hyp_href_pdf_page_tl {#1}
227   \tl_set:Nn \Hy@href@page {#1}
228 }
229 ,ismap .bool_set:N = \l__hyp_href_url_ismap_bool
230 ,run-parameter .tl_set:N = \l__hyp_href_run_parameter_tl
231 ,nextactionraw .code:n =
232 { %perhaps some safety match later, see hyperref code
233   \tl_if_empty:nTF {#1}
234   {
235     \pdfdict_remove:nn{l_hyp/annot/A}{Next}
236   }
237   {
238     \pdfdict_put:nnn{l_hyp/annot/A}{Next}{#1}
239     \tl_set:Nn \Hy@href@nextactionraw {/Next~#1}
240     \keys_set:nn {hyp }{ pdfnewwindow = true}
241   }
242 }
243 ,afrelationship .code:n =
244 {
245   \pdfdict_put:nne
246   { l_pdffile/Filespec}{AFRelationship}{ \pdf_name_from_unicode_e:n {#1}}
247 }
248
249 }
250
251 \keys_define:nn { hyp }
252 {
253   ,href / urlencode .bool_set:N = \l__hyp_href_url_encode_bool
254   ,href / urlencode .default:n = {true}
255   ,href / urlencode .initial:n = {false}
256   ,href / protocol .tl_set:N = \l__hyp_href_url_protocol_tl
257   ,href / destination .tl_set:N = \l__hyp_href_pdf_destination_tl
258   ,href / format .code:n = { \cs_set:Nn \__hyp_href_url_format:{#1} }
259 }
260
261 \hook_new_pair:nn{cmd/href/before}{cmd/href/after}
262
263 \DeclareRobustCommand*{\href}[1][ ]{%
264   \mode_leave_vertical:
265   \hook_use:n{cmd/href/before}
266   \group_begin:
267   \keys_set:nn { hyp / href } {#1}
268   \bool_if:NTF \l__hyp_href_url_encode_bool
269   {
270     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/URI}
271   }
272   {

```

```

273     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/string}
274   }
275   \@ifnextchar\bgroup\Hy@href{\hyper@normalise\href@}%
276 }
277
278 \begingroup
279   \catcode'\$=6 %
280   \catcode'\#=12 %
281   \gdef\href@#1{\expandafter\href@split$1##\}%
282   \gdef\href@split$1#$2#$3\\$4{%
283     \hyper@@link{$1}{$2}{$4}%<---__hyp-docstrip doubling!
284     \endgroup
285     \hook_use:n{cmd/href/after}
286   }%
287 \endgroup
288
289 \hook_new_pair:nn{cmd/hrefurl/before}{cmd/hrefurl/after}
290
291 \DeclareRobustCommand*{\hrefurl}[1] []
292 {
293   \mode_leave_vertical:
294   \hook_use:n{cmd/href/before}
295   \group_begin:
296   \keys_set:nn { hyp / href } {#1}
297   \bool_if:NTF \l__hyp_href_url_encode_bool
298     {
299     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/URI}
300     }
301     {
302     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/string}
303     }
304   \hyper@normalise\__hyp_href_url_aux:nn}
305
306 \cs_new_protected:Npn \__hyp_href_url_aux:nn #1 #2
307 {
308   \exp_args:Nno\hyper@linkurl{#2}{\l__hyp_href_url_protocol_tl#1}
309   \group_end:
310   \hook_use:n{cmd/href/after}
311 }
312
313 \hook_new_pair:nn{cmd/hrefpdf/before}{cmd/hrefpdf/after}
314 \DeclareRobustCommand*{\hrefpdf}[1] []
315 {
316   \mode_leave_vertical:
317   \hook_use:n{cmd/hrefpdf/before}
318   \group_begin:
319   \keys_set:nn { hyp / href } {#1}
320   \hyper@normalise\__hyp_href_pdf_aux:nn
321 }
322
323 \cs_new_protected:Npn \__hyp_href_pdf_aux:nn #1 #2
324 {
325   \exp_args:Nno\hyper@linkfile{#2}{#1}{\l__hyp_href_pdf_destination_tl}
326   \group_end:

```

```

327     \hook_use:n{cmd/hrefpdf/after}
328   }
329
330 \hook_new_pair:nn{cmd/hrefrun/before}{cmd/hrefrun/after}
331 \DeclareRobustCommand*{\hrefrun}[1] []
332 {
333   \mode_leave_vertical:
334   \hook_use:n{cmd/hrefrun/before}
335   \group_begin:
336   \keys_set:nn { hyp / href } {#1}
337   \hyper@normalise\__hyp_href_run_aux:nn
338 }
339
340 \cs_new_protected:Npn \__hyp_href_run_aux:nn #1 #2
341 {
342   \exp_args:Nno\hyper@linklaunch{#1}{#2}{\l__hyp_href_run_parameter_tl}
343   \group_end:
344   \hook_use:n{cmd/hrefrun/after}
345 }
346
347
348 \hook_new_pair:nn{cmd/url/before}{cmd/url/after}
349
350 \DeclareRobustCommand*{\url}[1] []
351 {
352   \mode_leave_vertical:
353   \hook_use:n{cmd/url/before}
354   \group_begin:
355   \keys_set:nn { hyp / href } {#1}
356   \bool_if:NTF \l__hyp_href_url_encode_bool
357   {
358     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/URI}
359   }
360   {
361     \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/string}
362   }
363   \hyper@normalise\__hyp_href_url_aux:n
364 }
365
366 \cs_new_protected:Npn \__hyp_href_url_aux:n #1
367 {
368   \exp_args:Nno
369   \hyper@linkurl{\__hyp_href_url_format: {#1}}
370   {\l__hyp_href_url_protocol_tl#1}
371   \group_end:
372   \hook_use:n{cmd/url/after}
373 }
374

```

the `\urldef` command doesn't like the optional argument, so we overwrite locally the `\url` command here:

```

375
376 \def\urldef#1#2{\begingroup\def\url{\hyper@normalise\url@}\setbox\z@\hbox\bgroup
377   \def\url@HyperHook##1\endgroup{\url@def{#1}{#2}}%

```

```

378 % Because hyperref breaks \urldef and does not define its own (Grrrr!)...
379 \def\url@##1{\egroup\endgroup\DeclareRobustCommand#1{#2{##1}}}%
380 #2}
381

```

make the new commands compatible with `\pdfstringdef`:

```

382 \NewExpandableDocumentCommand\__hyp_secondoftwowithopt:wnn {omm}{#3}
383 \pdfstringdefDisableCommands{\let\hrefurl\__hyp_secondoftwowithopt:wnn}
384 \pdfstringdefDisableCommands{\let\hrefpdf\__hyp_secondoftwowithopt:wnn}
385 \pdfstringdefDisableCommands{\let\hrefrun\__hyp_secondoftwowithopt:wnn}

```

4 Compatibility commands

4.1 Metadata

A number of values should be accessible from other packages. Until now packages like `hyperxmp` used variables like `\pdfauthor`. As they are gone we need to provide some other access.

```

386 \cs_new_protected:Npn \__hyp_store_metadata:nn #1 #2 %#1 key, #2 value.
387 {
388   %\tl_set:cn {@#1}{#2}
389   \AddToDocumentProperties[hyperref]{#1}{#2}
390 }
391 \cs_generate_variant:Nn \__hyp_store_metadata:nn {en,ne,ee}

```

4.2 citecolor

`cite` is a link context. So we define a hook, and the keys in terms of this hook.

```

392 \hook_new:n{hyp/link/cite}
393 %\color_set:nnn {hyp/color/cite}{HTML}{2E7E2A}
394 %\color_set:nn {hyp/color/citeborder}{hyp/color/cite!60!white}
395 \keys_define:nn { hyp }
396 {
397   ,citecolor .code:n = {\__hyp_color_set:ne {hyp/color/cite}{#1}\__hyp_citecolor_hook_init}
398   ,citebordercolor
399   .code:n = {\__hyp_color_set:ne {hyp/color/citeborder}{#1}\__hyp_citebordercolor_hook_init}
400 }
401 \cs_new_protected:Npn \__hyp_citecolor_hook_init:
402 {
403   \hook_gput_code:nnn { hyp/link/cite }{hyp/cite}
404   {
405     \keys_set:nn { hyp }
406     {
407       linkcolor = hyp/color/cite
408     }
409   }
410   \cs_gset_eq:NN \__hyp_citecolor_hook_init: \prg_do_nothing:
411 }
412 \cs_new_protected:Npn \__hyp_citebordercolor_hook_init:
413 {
414   \hook_gput_code:nnn { hyp/link/cite }{hyp/citeborder}
415   {

```

```

416     \keys_set:nn { hyp }
417     {
418         linkbordercolor      = hyp/color/citeborder
419     }
420 }
421 \cs_gset_eq:NN \__hyp_citebordercolor_hook_init: \prg_do_nothing:
422 }
423

```

5 Checks

The driver can not work properly if the pdfmanagement is not active, as keys need to write to the catalog and to info. But annotations and outlines should work. So should this be a fatal error? Should there be a difference between missing and inactive management? TODO

```

424 \bool_lazy_and:nnF
425 { \cs_if_exist_p:N \pdfmanagement_if_active_p: }{ \pdfmanagement_if_active_p: }
426 { \msg_error:nn { hyp}{ missing-resource-management } }

```

Outlines/bookmarks require the bookmark package. TODO check pdfpagemode if bookmarks are suppressed. TODO We overwrite the color key here for now, but this should be moved to bookmark

```

427 \AddToHook { package/bookmark/after}
428 {
429     \define@key{BKM}{color}
430     {
431         \__hyp_color_set:ne {__hyp/tmpa}{#1}
432         \color_export:nVN
433         {__hyp/tmpa}
434         \g__hyp_bordercolormodel_str
435         \BKM@color
436     }
437 }
438 \legacy_if:nT { Hy@bookmarks }
439 {
440     \AddToHook{begindocument/before}[hyperref/bookmark]
441     {
442         \RequirePackage{bookmark}
443     }
444 }
445 \legacy_if:nT { Hy@draft}
446 {
447     \PassOptionsToPackage{draft}{bookmark}
448 }

```

6 Reference and label commands

This uses the in-built property module.

```

\__hyp_property_record:nn

```

```

449 %

```


A label command which adds the space commands from LaTeX:

```

450 \cs_new_protected:Npn \__hyp_property_record:nn #1 #2 %label/attributes
451 {
452   \@bsphack
453   \property_record:nn{#1}{#2}
454   \@esphack
455 }

```

we generate a few variants. We use ee-variants as they already exist in the module and once this is there it can go here.

```

456 \cs_generate_variant:Nn \__hyp_property_record:nn {ee}

```

(End of definition for __hyp_property_record:nn.)

7 Variables

7.1 Private temporary variables

At first a few generic tmp variables

```

\l__hyp_tmpa_tl
\l__hyp_tmpa_seq 457 \box_new:N \l__hyp_tmpa_box
\l__hyp_tmpa_int 458 \tl_new:N \l__hyp_tmpa_tl
\l__hyp_tmpa_box 459 \seq_new:N \l__hyp_tmpa_seq
\l__hyp_tmpa_str 460 \int_new:N \l__hyp_tmpa_int
461 \str_new:N \l__hyp_tmpa_str

```

(End of definition for \l__hyp_tmpa_tl and others.)

A number of more specific tmp variables. These will perhaps disappear or change.

```

\l__hyp_dest_name_tmpa_tl 462 \tl_new:N \l__hyp_dest_name_tmpa_tl
\l__hyp_uri_tmpa_tl 463 \tl_new:N \l__hyp_uri_tmpa_tl
\l__hyp_filename_tmpa_tl 464 \tl_new:N \l__hyp_filename_tmpa_tl
\g__hyp_text_tmpa_str 465 \tl_new:N \l__hyp_para_tmpa_tl
466 \str_new:N \l__hyp_text_tmpa_str
467 \str_new:N \g__hyp_text_tmpa_str

```

TODO: document and check use!

(End of definition for \l__hyp_dest_name_tmpa_tl and others.)

7.2 Constants

\c__hyp_dest_undefined_tl This variable is used if a destination name is empty.

```

468 \tl_const:Nn \c__hyp_dest_undefined_tl {UNDEFINED}

```

(End of definition for \c__hyp_dest_undefined_tl.)

\c__hyp_annot_types_seq This constants holds the link types managed by hyperref along with a mapping from annot names to hyperref names and back.

```

\c__hyp_map_annot_hyp_prop 469 \seq_const_from_clist:Nn \c__hyp_annot_types_seq
\c__hyp_map_hyp_annot_prop 470 {url,link,file,menu,run}
471 \prop_const_from_keyval:Nn \c__hyp_map_annot_hyp_prop
472 {
473   URI = url,

```

```

474     GoTo = link,
475     GoToR = file,
476     Named = menu,
477     Launch= run
478 }
479 \prop_const_from_keyval:Nn \c__hyp_map_hyp_annot_prop
480 {
481     url = URI,
482     link = GoTo,
483     file = GoToR,
484     menu = Named,
485     run = Launch
486 }
487

```

(End of definition for `\c__hyp_annot_types_seq`, `\c__hyp_map_annot_hyp_prop`, and `\c__hyp_map_hyp_annot_prop`.)

7.3 Variables

`\g__hyp_dest_pdfstartpage_tl` The first holds the (absolute) start page number, the other the startview instruction for the current and remote files. The instruction is in “PDF format” but without the leading slash!

```

488 \tl_new:N \g__hyp_dest_pdfstartpage_tl
489 \tl_new:N \g__hyp_dest_pdfstartview_tl
490 \tl_new:N \l__hyp_dest_pdfremotestartview_tl

```

(End of definition for `\g__hyp_dest_pdfstartpage_tl`, `\g__hyp_dest_pdfstartview_tl`, and `\l__hyp_dest_pdfremotestartview_tl`.)

It is still unclear which str convert option is the best in the various places, so we use a variable to allow tests and perhaps external configuration. The “print” type should always have the delimiters.

```

\l__hyp_text_enc_uri_print_tl
\l__hyp_text_enc_info_print_tl
\l__hyp_text_enc_dest_tl
\l__hyp_text_enc_dest_print_tl
\l__hyp_text_enc_file_print_tl
\l__hyp_text_enc_para_print_tl
491 \tl_new:N \l__hyp_text_enc_uri_print_tl
492 \tl_new:N \l__hyp_text_enc_info_print_tl
493 \tl_new:N \l__hyp_text_enc_dest_tl
494 \tl_new:N \l__hyp_text_enc_dest_print_tl
495 \tl_new:N \l__hyp_text_enc_file_print_tl
496 \tl_new:N \l__hyp_text_enc_para_print_tl
497
498 \tl_set:Nn \l__hyp_text_enc_uri_print_tl {utf8/URI}
499 \tl_set:Nn \l__hyp_text_enc_info_print_tl {utf16/hex}
500 \tl_set:Nn \l__hyp_text_enc_dest_tl {utf8/string-raw}
501 \tl_set:Nn \l__hyp_text_enc_dest_print_tl {utf8/string}
502 \tl_set:Nn \l__hyp_text_enc_file_print_tl {utf8/string}
503 \tl_set:Nn \l__hyp_text_enc_para_print_tl {utf8/string}

```

(End of definition for `\l__hyp_text_enc_uri_print_tl` and others.)

It is also unclear how the `/Contents` entry would look at best. So we use sockets. The first argument is the target (url or destination), For `GoTo` we also pass the text as argument. The sockets should define `\l__hyp_link_Contents_tl`

```

504 \tl_new:N\l__hyp_link_Contents_tl
505 \socket_new:nm {hyp/link/GoTo/Contents}{2}

```

```

506 \socket_new:nn {hyp/link/URI/Contents}{1}
507 \socket_new_plug:nnn {hyp/link/GoTo/Contents}{default}
508 {
509   \__hyp_text_pdfstring:eoN
510   { Go~to~destination~#1 }
511   { \l__hyp_text_enc_info_print_tl }
512   \l__hyp_link_Contents_tl
513 }
514 \socket_new_plug:nnn {hyp/link/URI/Contents}{default}
515 {
516   \__hyp_text_pdfstring:eoN
517   { #1 }
518   { \l__hyp_text_enc_info_print_tl }
519   \l__hyp_link_Contents_tl
520 }
521 \socket_assign_plug:nn{hyp/link/GoTo/Contents}{default}
522 \socket_assign_plug:nn{hyp/link/URI/Contents}{default}

```

`\l__hyp_dest_pdfview_tl` This hold the destination instructions in a format suitable for `\pdf_destination:nn`. The special value `fitrbox` indicates a boxed destination.

```
523 \tl_new:N \l__hyp_dest_pdfview_tl
```

(End of definition for `\l__hyp_dest_pdfview_tl`.)

`hyp/annot/link` (*color name*) These color names are used for the annotations (colorlinks). They are initialized at the end when the color scheme is used

`hyp/annot/url` (*color name*)

`hyp/annot/file` (*color name*)

`hyp/annot/run` (*color name*)

`hyp/annot/menu` (*color name*)

This holds the export model for border color etc. It is currently either `space-sep-cmyk` or `space-sep-rgb`. The default is the second. It can be change by the key `bordercolormodel`

```
524 \str_new:N \g__hyp_bordercolormodel_str
```

(End of definition for `\g__hyp_bordercolormodel_str`.)

7.4 Booleans

`\l_hyp_annot_colorlink_bool` These booleans are needed to control the colors. They are public so that other packages can query the state too.

`\l_hyp_annot_colorurl_bool`

`\l_hyp_annot_colorfile_bool`

`\l_hyp_annot_colorrurl_bool`

`\l_hyp_annot_colormenu_bool`

```
525 \seq_map_inline:Nn \c__hyp_annot_types_seq
```

```
526 {
```

```
527   \bool_new:c {l_hyp_annot_color#1_bool}
```

```
528 }
```

(End of definition for `\l_hyp_annot_colorlink_bool` and others. These variables are documented on page ??.)

`\l_hyp_annot_ocgcolorlink_bool`

`\l_hyp_annot_ocgcolorurl_bool`

`\l_hyp_annot_ocgcolorfile_bool`

`\l_hyp_annot_ocgcolorrurl_bool`

`\l_hyp_annot_ocgcolormenu_bool`

These booleans are needed to control the ocgcolors. They are public so that other packages can query the state too.

```
529 \seq_map_inline:Nn \c__hyp_annot_types_seq
```

```
530 {
```

```
531   \bool_new:c {l_hyp_annot_ocgcolor#1_bool}
```

```
532 }
```

(End of definition for `\l_hyp_annot_ocgcolorlink_bool` and others. These variables are documented on page ??.)

not_Named_bool, \l_hyp_annot_Launch_bool

This booleans are used to disable some link types while keeping others.

```

533 \seq_map_inline:Nn \c_pdfannot_link_types_seq
534 {
535   \bool_new:c {l__hyp_annot_#1_bool}
536   \bool_set_true:c {l__hyp_annot_#1_bool}
537 }

```

(End of definition for \l__hyp_annot_GoTo_bool \l__hyp_annot_URI_bool \l__hyp_annot_GoToR_boo1 \l__hyp_annot_Named_bool \l__hyp_annot_Launch_bool.)

7.5 Boxes

\l__hyp_dest_box

This holds an (empty) box which is used to get the width for FitR destinations.

```

538 \box_new:N \l__hyp_dest_box

```

(End of definition for \l__hyp_dest_box.)

7.6 Regex

\c__hyp_dest_startview_regex

This regex is used to extract the right arguments pdfstartview and pdfremotestartview. Their values is filled up with null and then the start extracted.

```

539 \regex_const:Nn \c__hyp_dest_startview_regex
540 {
541   \A\ *
542   (?
543     (? : XYZ (? : \ + (? : (? : \d+ | \d* \. \d+ ) | null ) ) {3} \ )
544     |
545     (? : Fit \b | FitB \b )
546     |
547     (? : (? : FitH | FitV | FitBH | FitBV ) (? : \ + (? : \d+ | \d* \. \d+ ) | \ + null ) {1} )
548     |
549     (? : FitR (? : \ + \d+ | \ + \d* \. \d+ ) {4} \ )
550   )
551 }

```

(End of definition for \c__hyp_dest_startview_regex.)

7.7 PDF dictionaries

l__hyp_page/Trans

This dictionary is used for page transitions.

```

552 \pdfdict_new:n {l__hyp_page/Trans}
553 \pdfdict_put:nnn {l__hyp_page/Trans}{Type}{/Trans}

```

(End of definition for l__hyp_page/Trans.)

8 PDF string conversion

This defines a command which is used to replace \pdfstringdef. This is probably temporary and will be adjusted or replaced if some more generic PDF string command/module exists. All commands here use the “submodule” name text. At first a hook for user additions:

hyp/text/pdfstring

```
554 \hook_new:n {hyp/text/pdfstring}
```

(End of definition for hyp/text/pdfstring. This function is documented on page ??.)

The first step to convert input in a PDF string is to purify it, that means to remove/expand commands. As the whole process is not expandable anyway we can use a protected command. The “output” is a string:

_hyp_text_purify:nN

```
555 \cs_new_protected:Npn \_hyp_text_purify:nN #1 #2 %#1 input, #2 str command
556 {
557   \str_set:Ne #2 {\text_purify:n { #1 } }
558 }
```

(End of definition for _hyp_text_purify:nN.)

The second step is to cleanup the output of the first step. This is a dummy currently. The argument should be a string variable.

_hyp_text_cleanup:N

```
559 \cs_new_protected:Npn \_hyp_text_cleanup:N #1
560 {
561
562 }
```

(End of definition for _hyp_text_cleanup:N.)

The last step converts the string to a PDF encoding. As we have at least two targets (hex and literal) there is an argument. The conversion assumes utf8 input, it is based on `cspdf_string_from_unicode:nnN` in `l3pdftools`.

#2 is str variable, #1 should be one of	
utf8/string	(lit) (utf8/string)
utf8/string-raw	lit (utf8/string)
utf8/URI	(percent encoded url)
utf8/URI-raw	percent encoded url
utf16/hex	<HEX> (utf16/hex)
utf16/hex-raw	HEX (utf16/hex)
utf16/string	(lit) (utf16/string)
utf16/string-raw	lit (utf16/string)

_hyp_text_string_from_unicode:nN

```
563 \cs_new_protected:Npn \_hyp_text_string_from_unicode:nN #1 #2
564 {
565   \pdf_string_from_unicode:nVN { #1 } #2 #2
566 }
```

(End of definition for _hyp_text_string_from_unicode:nN.)

This command combines everything. #1=input, #2= handler shortcut #3= output str variable The commands uses a group to locally set `\Hy@pdfstringtrue` so that `\texorpdfstring` works and other local settings can be done.

_hyp_text_pdfstring:nnN

```
567 \cs_new_protected:Npn \_hyp_text_pdfstring:nnN #1 #2 #3
568 {
569   \group_begin:
570   \Hy@pdfstringtrue
```

```

571 \hook_use:n {hyp/text/pdfstring}
572 \__hyp_text_purify:nN { #1 } \l__hyp_text_tmpa_str
573 \__hyp_text_cleanup:N \l__hyp_text_tmpa_str
574 \__hyp_text_string_from_unicode:nN { #2 } \l__hyp_text_tmpa_str
575 \str_gset_eq:NN \g__hyp_text_tmpa_str\l__hyp_text_tmpa_str
576 \group_end:
577 \str_set_eq:NN #3 \g__hyp_text_tmpa_str
578 }
579 \cs_generate_variant:Nn \__hyp_text_pdfstring:nnN {enN,onN,eoN,ooN,noN}

```

(End of definition for `__hyp_text_pdfstring:nnN`.)

!!! temporary until all instances are gone

```

580 \cs_new_protected:Npn \Hy@pstringdef #1 #2
581 { \__hyp_text_pdfstring:enN {#2} {utf8/string-raw}#1 }

```

This is a special version for info keys:

`__hyp_text_pdfstring_info:nN`

```

582 \cs_new_protected:Npn \__hyp_text_pdfstring_info:nN #1 #2
583 {
584 \__hyp_text_pdfstring:noN { #1 } { \l__hyp_text_enc_info_print_tl } #2
585 }

```

(End of definition for `__hyp_text_pdfstring_info:nN`.)

9 Pagelabels

Page labels are representations of the page numbers in the PDF viewer. If the `hyperref` options `pdfpagelabels` is true (the default) roman numbers are e.g. shown as “ii (2/58)”. To do this the page ranges must be collected, if possible a prefix and the numbering of the counter must be identified and then written to the catalog.

The current implementation in `hyperref/hyperref` drivers:

xetex: `hxdetex.def`, line 80-110

`\HyPL@StorePageLabel` writes to the aux-file at begin document (after reading the aux) `\HyPL@SetPageLabels` is called (defined in `hyperref.sty` after the driver loading) which calls `\Hy@PutCatalog{/PageLabels<</Nums[\HyPL@Labels]>>}`

dvips: identical to `xetex`, line 60 to 90 in `pdfmark.def`

dvipdfm: identical to `xetex`

pdftex: `\HyPL@StorePageLabel` stores in `\HyPL@Labels` in the first compilation In `\AtVeryEndDocument` `\HyPL@SetPageLabels` is called.

luatex identical to `pdftex`

The code in `hyperref` inspects `\thepage` and tries to figure out the numbering system and the prefix. E.g. A-30 is correctly split. If the counter can not be identified `hyperref` generates only `/P` entries with the whole content.

The new implementation makes use of the pdf management: The relevant entry in the catalog is continuously updated and pushed out at the end of the document. This works (hopefully ...) with all drivers.

We do not try to avoid the (in hyperref’s wording) “useless” pagelabel entry `/PageLabels <</Nums[0<</S/D>>]>>` (but it would be possible), we also don’t test for empty `\thepage`, hyperref seems to handle this fine and the pdf is valid.

The code has to define `\Hy@PutCatalog` as we can’t yet change code in hyperref. The switch for draftmode has been removed.

```

\__hyp_PageLabels_gpush:
  \Hy@PutCatalog
  \HyPL@StorePageLabel
586 \cs_new_protected:Npn\__hyp_PageLabels_gpush:
587   {
588     \pdfmanagement_add:nne {Catalog} {PageLabels}{<</Nums[\HyPL@Labels]>>}
589   }
590
591 \def\Hy@PutCatalog #1 {}
592
593
594 \legacy_if:nT { Hy@pdfpagelabels }
595   {
596     \cs_set_protected:Npn \HyPL@StorePageLabel #1
597       {
598         \tl_gput_right:Ne \HyPL@Labels { \the\Hy@abspage<<#1>> }
599         \__hyp_PageLabels_gpush:
600       }
601   }

```

(End of definition for `__hyp_PageLabels_gpush:`, `\Hy@PutCatalog`, and `\HyPL@StorePageLabel`. These functions are documented on page ??.)

10 Core Hyperref Commands

Every hyperref has to define eight core command:

```

\hyper@anchor
\hyper@anchorstart
\hyper@anchorend
\hyper@link      %GoTo
\hyper@linkstart %GoTo
\hyper@linkend   %GoTo
\hyper@linkfile  %GoToR
\hyper@linkurl   %URI

```

This driver defines for consistency also `\hyper@linklaunch` for Launch and `\hyper@linknamed` for Named.

10.1 Link level

Links can be nested. Inner links need perhaps special handling, e.g. to deactivate the link, or to change the border, or in the case of tagging to add some additional structure to handle the parent-child rules. We therefore add a global counter which is increased at the begin of link and decreased at the end.

```

g__hyp_linknestlevel_int
602 \int_new:N \g__hyp_linknestlevel_int

```

(End of definition for `g_hyp_linknestlevel_int`.)

```

603 \prg_new_conditional:Npnn \__hyp_if_outer_link: {TF}
604 {
605   \int_compare:nNnTF { \g__hyp_linknestlevel_int } > {1}
606     { \prg_return_false: }
607     { \prg_return_true: }
608 }
609 \cs_new:Npn \__hyp_check_link_nesting:TF #1 #2
610 {
611   \use_i:nn {#1}{#2}
612 }
613 \keys_define:nn { hyp }
614 {
615   nested-links .choice:,
616   nested-links / true .code:n =
617     { \cs_set_eq:NN \__hyp_check_link_nesting:TF \use_i:nn },
618   nested-links / false .code:n =
619     { \cs_set_eq:NN \__hyp_check_link_nesting:TF \__hyp_if_outer_link:TF },
620   nested-links .default:n = {true}
621 }

```

10.2 Anchors / destinations

The first three commands are needed for “anchors”. At first the internal commands to create a destination. It uses `\Hy@WrapperDef` to make it babel safe, it is not clear if this is still needed, but we leave it for now.

```

\__hyp_destination:nn \__hyp_destination:nn {<destination name>} {<location>}

```

The `<destination name>` is encoded with the method stored in in `\l__hyp_text_enc_dest_tl`. The location should be one of `fit`, `fith`, `fitv`, `fitbv`, `fitbh`, `fitr`, `xyz`, `fitrbx`. The last will make use of `\l__hyp_dest_box`

```

\__hyp_destination:nn

```

```

622 \Hy@WrapperDef \__hyp_destination:nn #1 #2
623 {
624   \mode_if_horizontal:T { \@savsf\spacefactor }
625   \Hy@SaveLastskip      %defined in hyperref
626   \Hy@VerboseAnchor{#1} %defined in hyperref, for debugging
627   \__hyp_text_pdfstring:eoN
628   { \HyperDestNameFilter{#1} }
629   { \l__hyp_text_enc_dest_tl }
630   \l__hyp_tmpa_tl
631   \str_if_eq:nnTF {#2} {fitrbox}
632   {
633     \exp_args:NV
634     \pdf_destination:nmmn \l__hyp_tmpa_tl
635     { \box_wd:N \l__hyp_dest_box }
636     { \box_ht:N \l__hyp_dest_box }
637     { \box_dp:N \l__hyp_dest_box }
638   }
639   {

```



```

640     \exp_args:NV
641     \pdf_destination:nf
642     { \l__hyp_tmpa_tl }
643     { #2 }
644   }
645   \Hy@RestoreLastskip   %defined in hyperref
646   \mode_if_horizontal:T { \spacefactor\@savsf }
647 }

```

(End of definition for `__hyp_destination:nn`.)

This are the three destinations commands. They are modelled along the xetex version. It is not quite clear if really all three are needed for the backends supported by this driver, but changing the hyperref code would be difficult. We add a hook. This allows e.g. the tagging code to create also a structured destination. We don't use the cmd hook, as we want the same hook for both start commands. We make the current dest name available so that the hook code can use it.

```

\hyper@anchor
\hyper@anchorstart
\hyper@anchorend
hyp/anchor
\l_hyp_current_dest_name_tl
648 \tl_new:N\l_hyp_current_dest_name_tl
649 \hook_new:n{hyp/anchor}
650 \cs_new_protected:Npn \hyper@anchor #1
651 {
652   \exp_args:NnV
653   \__hyp_destination:nn {#1} \l_hyp_dest_pdfview_tl
654   \tl_set:Nn \l_hyp_current_dest_name_tl {#1}
655   \hook_use:n{hyp/anchor}
656 }
657
658 \cs_new_protected:Npn \hyper@anchorstart #1
659 {
660   \Hy@activeanchortrue
661   \exp_args:NnV
662   \__hyp_destination:nn {#1} \l_hyp_dest_pdfview_tl
663   \tl_set:Nn \l_hyp_current_dest_name_tl {#1}
664   \hook_use:n{hyp/anchor}
665 }
666
667 \cs_new_protected:Npn \hyper@anchorend
668 {
669   \Hy@activeanchorfalse
670 }

```

(End of definition for `\hyper@anchor` and others. These functions are documented on page ??.)

10.3 GoTo Links

The next three commands are for links inside the document, to destinations (GoTo links). The definition in hyperref have a first argument which can be used to pass a semantical context. Currently this argument is only used for `\cite` and only to change the color. The new implementation uses it for a real hook.

At first the internal link commands:

```

671 \cs_new_protected:Npn \__hyp_link_goto_begin:nw #1
672 {
673   \mode_leave_vertical:

```

```

674 \protected@edef \l__hyp_dest_name_tmpa_tl { #1 }
675 \tl_if_empty:NTF \l__hyp_dest_name_tmpa_tl
676 {
677   \msg_warning:nne
678     { hyp }
679     { empty-destination-name }
680     { \c__hyp_dest_undefined_tl }
681   \tl_set_eq:NN \l__hyp_dest_name_tmpa_tl \c__hyp_dest_undefined_tl
682 }
683 {
684   \__hyp_text_pdfstring:eoN
685   { \exp_args:No \HyperDestNameFilter { \l__hyp_dest_name_tmpa_tl } }
686   { \l__hyp_text_enc_dest_tl }
687   \l__hyp_dest_name_tmpa_tl
688 }
689 \exp_args:No
690   \pdfannot_link_goto_begin:nw { \l__hyp_dest_name_tmpa_tl }
691 }
692
693 \cs_new_protected:Npn \__hyp_link_goto_end:
694 {
695   \pdfannot_link_goto_end:
696 }

```

Now the three hyperref commands. The splitted commands `\hyper@linkstart` and `\hyper@linkend` are used for footnotemarks, toc and natbib-cites.

`\hyper@link` `\hyper@link{<context>}{<destination name>}{<link text>}`

This creates a complete GoTo link around the `<link text>` pointing to `<destination name>`. The hook `hyp/link/<context>` is executed at the begin if it exists.

The only `<context>` for which a hook is predefined is `cite`. Packages which want to use another `<context>` should initialize the hook like this:

```

\IfHookExistsTF{hyp/link/context}{ }
{ \NewHook{hyp/link/context} }

```

The hook code is executed in a group but before all the pdfannot hooks.

`\hyper@linkstart` `\hyper@linkstart{<context>}{<destination name>}`
`\hyper@linkend` `\hyper@linkend`

This creates the start and end commands for a GoTo link around the text between both pointing to `<destination name>`. The hook `hyp/link/<context>` is executed at the begin if it exists as with `\hyper@link`

The commands open and close a group, so should be placed carefully. .

hyperref adds a group with `\Hy@colorlink`, we move this outside the link so that it groups the context hook too. We store again the destination name in the public tl `\l__hyp_current_dest_name_tl` so that the hook code can make use of it

```

697
698 \cs_new_protected:Npn \hyper@link #1 #2 #3 % #1 context, #2=destination name, #3 content
699 {
700   \bool_if:NTF \l__hyp_annot_GoTo_bool
701   {

```

```

702     \int_gincr:N\g__hyp_linknestlevel_int
703     \__hyp_check_link_nesting:TF
704     {
705         \Hy@VerboseLinkStart{#1}{#2}
706         \group_begin:
707         \tl_set:Nn \l_hyp_current_dest_name_tl {#2}
this socket defines \l__hyp_link_Contents_tl
708         \socket_use:nmn{hyp/link/GoTo/Contents}{#2}{#3}
709         \pdfannot_dict_put:nne {link/GoTo}{Contents}
710         {\l__hyp_link_Contents_tl}
711         \hook_use:n {hyp/link/#1}
712         \__hyp_link_goto_begin:nw {#2}#3\Hy@xspace@end
713         \__hyp_link_goto_end:
714         \group_end:
715         \Hy@VerboseLinkStop
716     }
717     {
718         \group_begin: #3\group_end:
719     }
720     \int_gdecr:N\g__hyp_linknestlevel_int
721 }
722 {{\let\protect\relax#3}}
723 }
724 \cs_new_protected:Npn \hyper@linkstart #1 #2 %#1 context, #2=destination name
725 {
726     \bool_if:NT \l__hyp_annot_GoTo_bool
727     {
728         \int_gincr:N\g__hyp_linknestlevel_int
729         \__hyp_check_link_nesting:TF
730         {
731             \Hy@VerboseLinkStart{#1}{#2}% only for debug
732             \group_begin:
733             \tl_set:Nn \l_hyp_current_dest_name_tl {#2}
734             \hook_use:n {hyp/link/#1}
735             \__hyp_link_goto_begin:nw {#2}
736         }
737         {
738             \group_begin:
739         }
740     }
741 }
742
743 \cs_new_protected:Npn \hyper@linkend
744 {
745     \bool_if:NT \l__hyp_annot_GoTo_bool
746     {
747         \__hyp_check_link_nesting:TF
748         {
749             \__hyp_link_goto_end:
750             \group_end:
751             \Hy@VerboseLinkStop
752         }
753         {
754             \group_end:

```

```

755     }
756     \int_gdecr:N\g__hyp_linknestlevel_int
757   }
758 }

```

10.4 URI links

We define a dictionary for the action dictionary. For now it is public.

```

759 \pdfdict_new:n {l_hyp/annot/A/URI}
760 \pdfdict_put:nnn {l_hyp/annot/A/URI}{Type}{/Action}
761 \pdfdict_put:nnn {l_hyp/annot/A/URI}{S}{/URI}
762
763 \cs_new_protected:Npn \hyper@linkurl #1 #2 %#1:link text #2: URI,
764 {
765   \bool_if:NTF \l__hyp_annot_URI_bool
766   {
767     \int_gincr:N\g__hyp_linknestlevel_int
768     \__hyp_check_link_nesting:TF
769     {
770       \group_begin:
771       \__hyp_text_pdfstring:eon
772       { #2}
773       { \l__hyp_text_enc_uri_print_tl }
774       \l__hyp_uri_tmpa_tl
775       \pdfdict_put:nno{l_hyp/annot/A/URI}{URI}{\l__hyp_uri_tmpa_tl}
776       \bool_if:NT \l__hyp_href_url_ismap_bool
777       {
778         \pdfdict_put:nnn{l_hyp/annot/A/URI}{IsMap}{true}
779       }

```

This socket defines `\l__hyp_link_Contents_tl`

```

780     \socket_use:nn{hyp/link/URI/Contents}{#2}
781     \pdfannot_dict_put:nne {link/URI}{Contents}{\l__hyp_link_Contents_tl}
782     \cs_set_eq:NN \# \c_hash_str
783     \cs_set_eq:NN \% \c_percent_str
784     \Hy@safe@activestrue
785     \mode_leave_vertical:
786     \pdfannot_dict_put:nne {link/URI}{A}{<<\pdfdict_use:n {l_hyp/annot/A/URI}>>}
787     \pdfannot_link:nen { URI }
788     {
789     }
790     {
791       \let\protect\relax
792       #1
793       \Hy@xspace@end
794       \Hy@VerboseLinkStop %where is the start??
795     }
796     \group_end:
797   }
798   {
799     \group_begin: #1 \group_end:
800   }
801   \int_gdecr:N\g__hyp_linknestlevel_int
802 }

```

```

803     {\let\protect\relax#1}}
804   }
805

```

10.5 GoToR Links files

```

806 \pdfdict_new:n {l_hyp/annot/A/GoToR}
807 \pdfdict_put:nnn {l_hyp/annot/A/GoToR}{Type}{/Action}
808 \pdfdict_put:nnn {l_hyp/annot/A/GoToR}{S}{/GoToR}
809
810 \cs_generate_variant:Nn \pdffile_embed_file:nnn {noe}
811 \cs_new_protected:Npn \hyper@linkfile #1 #2 #3 % link text, filename, destname
812 {
813   \bool_if:NTF \l__hyp_annot_GoToR_bool
814   {
815     \int_gincr:N\g__hyp_linknestlevel_int
816     \__hyp_check_link_nesting:TF
817     {
818       \group_begin:
819       \tl_set:Ne \l__hyp_filename_tmpa_tl { \text_expand:n { #2 } }
820       \exp_args:Ne
821       \pdf_object_if_exist:nF { __hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl }
822       {
823         \pdfdict_put:nne { l_pdffile/Filespec}{Subtype}{\pdf_name_from_unicode_e:n
824         \pdffile_embed_file:noe
825         {}
826         {\l__hyp_filename_tmpa_tl }
827         {__hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl }
828       }
829       \pdfdict_put:nne
830       {l_hyp/annot/A/GoToR}
831       {F}
832       {\pdf_object_ref:e {__hyp_file_\tl_to_str:N \l__hyp_filename_tmpa_tl}}
833       \__hyp_text_pdfstring:nnN
834       { #3 }
835       { \l__hyp_text_enc_dest_print_tl }
836       \l__hyp_dest_name_tmpa_tl
837       \tl_if_blank:eTF {#3}
838       {
839         \pdfdict_put:nne {l_hyp/annot/A/GoToR}{D}
840         {
841           [
842             \int_eval:n
843             { \int_max:nn {0}{ 0\l__hyp_href_pdf_page_tl - 1 }}
844             /\l__hyp_dest_pdfremotestartview_tl
845           ]
846         }
847       }
848       {
849         \pdfdict_put:nno {l_hyp/annot/A/GoToR}{D}{\l__hyp_dest_name_tmpa_tl}
850       }
851       \mode_leave_vertical:

```

We use an extra object here, as ghostscript doesn't like the object reference in the dict

<https://chat.stackexchange.com/transcript/message/57361080#57361080>

```
852     \pdf_object_unnamed_write:ne{dict}{\pdfdict_use:n {l_hyp/annot/A/GoToR}}
853     \pdfannot_dict_put:nne {link/GoToR}{A}{\pdf_object_ref_last:}
854     \pdfannot_link:nnn %expansion??
855     { GoToR }
856     {
857     }
858     {
859     \let\protect\relax
860     #1\Hy@xspace@end
861     \Hy@VerboseLinkStop %where is the start??
862     }
863     \group_end:
864     }
865     {
866     \group_begin: #1 \group_end:
867     }
868     \int_gdecr:N\g__hyp_linknestlevel_int
869     }
870     {\let\protect\relax#1}}
871 }
```

10.6 Launch links

We define `\hyper@linklaunch` for naming consistency

```
872 \pdfdict_new:n {l_hyp/annot/A/Launch}
873 \pdfdict_put:nnn {l_hyp/annot/A/Launch}{Type}{/Action}
874 \pdfdict_put:nnn {l_hyp/annot/A/Launch}{S}{/Launch}
875
876 \cs_new_protected:Npn \hyper@linklaunch #1 #2 #3 % filename, link text, Parameters
877 {
878     \bool_if:NTF \l__hyp_annot_Launch_bool
879     {
880         \int_gincr:N\g__hyp_linknestlevel_int
881         \__hyp_check_link_nesting:TF
882         {
883             \group_begin:
884             \__hyp_text_pdfstring:nnN
885             { #1 }
886             { \l__hyp_text_enc_file_print_tl }
887             \l__hyp_filename_tmpa_tl
888             \pdfdict_put:nno {l_hyp/annot/A/Launch}{F}{\l__hyp_filename_tmpa_tl}
889             \__hyp_text_pdfstring:noN
890             { #3 }
891             { \l__hyp_text_enc_para_print_tl }
892             \l__hyp_para_tmpa_tl
893             \bool_if:nTF
894             {
895                 \str_if_eq_p:Vn \l__hyp_para_tmpa_tl {}
896                 ||
897                 \pdf_version_compare_p:Nn > {1.9}
898             }
899             {
900                 \pdfdict_remove:nn {l_hyp/annot/A/Launch}{Win}
901             }
902         }
903     }
904 }
```

```

902         {
903             \pdfdict_put:nne
904             {l_hyp/annot/A/Launch}
905             {Win}
906             {<</P \l__hyp_para_tmpa_tl /F \l__hyp_filename_tmpa_tl >>}
907         }
908         \mode_leave_vertical:
909         \pdfannot_dict_put:nne {link/Launch}{A}{<<\pdfdict_use:n {l_hyp/annot/A/Launch}
910         \pdfannot_link:nen
911         { Launch }
912         {
913             %           /A
914             %           <<
915             %           \pdfdict_use:n {l_hyp/annot/A/Launch}
916             %           >>
917         }
918         {
919             \let\protect\relax
920             #2\Hy@xspace@end
921             \Hy@VerboseLinkStop %where is the start??
922         }
923         \group_end:
924         }
925         { \group_begin: #2 \group_end: }
926         \int_gdecr:N\g__hyp_linknestlevel_int
927     }
928     {\let\protect\relax#2}}
929 }

```

The actually command used by hyperref is `\@hyper@launch` which uses a delimited argument, because of the color the definition is a bit convoluted.

```

930 \use:e
931 { % filename, anchor text, linkname
932   \cs_set_protected:Npn \exp_not:N \@hyper@launch run \c_colon_str #1 \exp_not:N \ \ #2 #3
933 }
934 {
935   \hyper@linklaunch {#1}{#2}{#3}
936 }

```

10.7 Named links (menu)

We also define `\hyper@linknamed` for consistency.

```

937 \pdfdict_new:n {l_hyp/annot/A/Named}
938 \pdfdict_put:nnn {l_hyp/annot/A/Named}{Type}{/Action}
939 \pdfdict_put:nnn {l_hyp/annot/A/Named}{S}{/Named}
940
941 \cs_new_protected:Npn \hyper@linknamed #1 #2 %#1 action, #2 link text
942 {
943   \bool_if:NTF \l__hyp_annot_Named_bool
944   {
945     \int_gincr:N\g__hyp_linknestlevel_int
946     \__hyp_check_link_nesting:TF
947     {
948       \group_begin:

```

```

949         \pdfmeta_standard_verify:nnTF {named_actions}{#1}
950         {
951             \mode_leave_vertical:
952             \pdfdict_put:nne {l_hyp/annot/A/Named}{N}
953             {\pdf_name_from_unicode_e:n{#1}}
954             \pdfannot_dict_put:nne {link/Named}{A}{<<\pdfdict_use:n {l_hyp/annot/A/Named}
955             \pdfannot_link:nnn { Named }
956             {
957                 %           /A
958                 %           <<
959                 %           \pdfdict_use:n { l_hyp/annot/A/Named }
960                 %           >>
961             }
962             {
963                 #2
964                 \Hy@xspace@end
965                 \Hy@VerboseLinkStop
966             }
967         }
968         {
969             \msg_warning:nnn { hyp } { pdfa-no-named-action }{#1}
970             #2
971         }
972         \group_end:
973     }
974     { \group_begin: #2 \group_end: }
975     \int_gdecr:N\g__hyp_linknestlevel_int
976 }
977 {\let\protect\relax#2}}
978 }
979

```

11 Link decorations

11.1 Functions to export and select colors

We support two input syntax: color expressions and model with values. Exporting can be done by first setting the color with `__hyp_color_set:nn` (if needed to a temporary color name) and then using `\color_export:nnN`. But we need a variant as the export format `space-sep-cmyk` or `space-sep-rgb` is stored in a tl.

```
980 \cs_generate_variant:Nn \color_export:nnN {nVN}
```

```
\__hyp_color_select:n \__hyp_color_select:n {<color>}
```

These commands select a (text) color. `{<color>}` should have either the format `[model]{value}` or be a color expression. For examples: `[rgb]{1,0,.5}` or `red!50!blue`

```
\__hyp_color_select:n Color keys need to parse color expressions. Two input types are supported: color=[rgb]{1,0,.5}
\__hyp_color_select_aux:wn and color=red!50!blue.
```

```
981 \cs_new_protected:Npn \__hyp_color_select:n #1
982 {
983     \tl_if_head_eq_charcode:nNTF {#1}[ %]
```



```

984     {
985     \__hyp_color_select_aux:wn #1
986     }
987     {
988     \color_select:n {#1}
989     }
990   }
991
992 \cs_new_protected:Npn \__hyp_color_select_aux:wn [#1] #2
993   {
994     \color_select:nn {#1}{#2}
995   }
996
997 \cs_generate_variant:Nn \__hyp_color_select:n {e}

```

(End of definition for `__hyp_color_select:n` and `__hyp_color_select_aux:wn`.)

`__hyp_color_set:nn` `__hyp_color_set:nn {< name >} {< color >}`

These commands store the color in `{< name >}`. `{< color >}` should have either the format `[model]{value}` or be a color expression. For examples: `[rgb]{1,0,.5}` or `red!50!blue`

`__hyp_color_set:nn` Color keys need to parse color expressions. Two input types are supported: `color=[rgb]{1,0,.5}`
`__hyp_color_set_aux:nwn` and `color=red!50!blue`.

```

998 \cs_new_protected:Npn \__hyp_color_set:nn #1 #2
999   {
1000     \tl_if_head_eq_charcode:nNTF {#2}[ %]
1001     {
1002       \__hyp_color_set_aux:nwn { #1 } #2
1003     }
1004     {
1005       \color_set:nn {#1} {#2}
1006     }
1007   }
1008
1009 \cs_new_protected:Npn \__hyp_color_set_aux:nwn #1 [#2] #3
1010   {
1011     \color_set:nnn {#1}{#2}{#3}
1012   }
1013
1014 \cs_generate_variant:Nn \__hyp_color_set:nn {ne}

```

(End of definition for `__hyp_color_set:nn` and `__hyp_color_set_aux:nwn`.)

11.2 Textcolor of links

colors are added in the hooks. This means that they can also be removed if needed. They add a group—this isn't needed with `hyperref` code, but could be relevant with low-level annotations.

```

1015 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1016   {
1017     \hook_gput_code:nnn
1018       {pdfannot/link/#2/begin}
1019       {hyp/color}

```

```

1020     {
1021       \bool_if:cT { l_hyp_annot_color#1_bool }
1022       {
1023         \group_begin:
1024         \color_select:n { hyp/color/#1}
1025       }
1026     }
1027     \hook_gput_code:nnn
1028     {pdfannot/link/#2/end}
1029     {hyp/color}
1030     {
1031       \bool_if:cT { l_hyp_annot_color#1_bool }
1032       {
1033         \group_end:
1034       }
1035     }
1036   }

```

`colorlinks` (*setup key*) This key also resets the border and borderstyle.

```

1037 \keys_define:nn { hyp }
1038 {
1039   ,colorlinks .choice:
1040   ,colorlinks / true .meta:n =
1041   {
1042     ,pdfborder={0~0~0}
1043     ,pdfborderstyle=
1044     ,colorurl =#1
1045     ,colorlink =#1
1046     ,colorrun =#1
1047     ,colormenu =#1
1048     ,colorfile =#1
1049   }
1050   ,colorlinks / false .meta:n =
1051   {
1052     ,colorurl =#1
1053     ,colorlink =#1
1054     ,colorrun =#1
1055     ,colormenu =#1
1056     ,colorfile =#1
1057   }
1058   ,colorlinks .default:n = {true}
1059 }

```

`colorurl` (*setup key*)

`colorlink` (*setup key*) 1060 \seq_map_inline:Nn \c__hyp_annot_types_seq

`colorrun` (*setup key*) 1061 {

`colormenu` (*setup key*) 1062 \keys_define:nn { hyp }

`colorfile` (*setup key*) 1063 {

`urlcolor` (*setup key*) 1064 ,color#1 .bool_set:c = { l_hyp_annot_color#1_bool }

`linkcolor` (*setup key*) 1065 ,#1color .code:n = { __hyp_color_set:ne {hyp/color/#1}{##1} }

`runcolor` (*setup key*) 1066 }

`menucolor` (*setup key*) 1067 }

`filecolor` (*setup key*) 1068

`allcolors` (*setup key*) 1069 \keys_define:nn { hyp }

```

1070 {
1071   ,allcolors .meta:n =
1072   {
1073     ,urlcolor=#1
1074     ,linkcolor=#1
1075     ,runcolor=#1
1076     ,filecolor=#1
1077     ,menucolor=#1
1078   }
1079   ,allcolors .value_required:n = true
1080 }

```

11.3 Style and color of borders

11.3.1 Border color

The border color is set by link type. The color can be set as rgb (default) or cmyk (unusual). This can be set with the `bordercolormodel` key:

`bordercolormodel` (*setup key*)

```

1081 \keys_define:nn { hyp }
1082 {
1083   ,bordercolormodel .choices:nn =
1084   {rgb,cmyk}
1085   { \str_gset:Nn \g__hyp_bordercolormodel_str {space-sep-#1}}
1086   ,bordercolormodel .initial:n ={rgb}
1087 }

1088 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1089 {
1090   \keys_define:nn { hyp }
1091   {
1092     #1bordercolor .code:n =
1093     {
1094       \tl_if_empty:nTF { ##1 }
1095       {
1096         \pdfannot_dict_remove:nn
1097         {link/#2}
1098         { C }
1099       }
1100       {
1101         \__hyp_color_set:ne {hyp/color/#1border}{##1}
1102         \color_export:nVN
1103         {hyp/color/#1border}
1104         \g__hyp_bordercolormodel_str
1105         \l__hyp_tmpa_tl
1106         \pdfannot_dict_put:nne
1107         {link/#2}
1108         { C }
1109         { [\l__hyp_tmpa_tl] }
1110       }
1111     }
1112 }
1113 }
1114

```

```

1115 \keys_define:nn { hyp }
1116 {
1117   ,allbordercolors .meta:n =
1118   {
1119     ,linkbordercolor=#1
1120     ,urlbordercolor =#1
1121     ,filebordercolor=#1
1122     ,menubordercolor=#1
1123     ,runbordercolor =#1
1124   }
1125   ,allbordercolors .value_required:n = true
1126 }
1127

```

11.3.2 Borderwidth and -arc

```

1128 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1129 {
1130   \keys_define:nn { hyp }
1131   {
1132     #1border .code:n =
1133     {
1134       \tl_if_empty:nTF { ##1 }
1135       {
1136         \pdfannot_dict_remove:nn
1137         {link/#2}
1138         { Border }
1139       }
1140       {
1141         \pdfannot_dict_put:nnn
1142         {link/#2}
1143         { Border }
1144         { [##1] }
1145       }
1146     }
1147   }
1148 }
1149 \keys_define:nn { hyp }
1150 {
1151   ,pdfborder .code:n =
1152   {
1153     \tl_if_empty:nTF { #1 }
1154     {
1155       \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1156       {
1157         \pdfannot_dict_remove:nn
1158         {link/##2}
1159         { Border }
1160       }
1161     }
1162     {
1163       \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1164       {
1165         \pdfannot_dict_put:nnn

```

```

1166             {link/##2}
1167             { Border }
1168             { [#1] }
1169         }
1170     }
1171 }
1172 ,pdfborder .initial:n = {0~0~1},
1173 }

```

11.3.3 Borderstyle

This keys fill the extended /BS entry (a dictionary).

```

pdfborderstyle (setup key)
urlborderstyle (setup key) 1174 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
linkborderstyle (setup key) 1175 {
runborderstyle (setup key) 1176   \keys_define:nn { hyp }
fileborderstyle (setup key) 1177   {
menuborderstyle (setup key) 1178     #1borderstyle .code:n =
1179     {
1180       \tl_if_empty:nTF { ##1 }
1181       {
1182         \pdfannot_dict_remove:nn
1183         {link/##2}
1184         { BS }
1185       }
1186       {
1187         \pdfannot_dict_put:nnn
1188         {link/##2}
1189         { BS }
1190         { <<##1>> }
1191       }
1192     }
1193   }
1194 }
1195 \keys_define:nn { hyp }
1196 {
1197   ,pdfborderstyle .code:n =
1198   {
1199     \tl_if_empty:nTF { #1 }
1200     {
1201       \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1202       {
1203         \pdfannot_dict_remove:nn
1204         {link/##2}
1205         { BS }
1206       }
1207     }
1208     {
1209       \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1210       {
1211         \pdfannot_dict_put:nnn
1212         {link/##2}
1213         { BS }
1214         { <<##1>> }

```

```

1215         }
1216     }
1217 }
1218 ,pdfborderstyle .initial:n = {},
1219 }

```

11.4 ocolorlinks

OCG colorlinks need objects and an entry in the catalog. Perhaps the objects need public names to avoid that ocolor2 has to create duplicates? TODO

`__hyp_ocg_init:` This commands write the objects as needed if ocolor links are used. The initialization should happens only once.

```

1220 \cs_new_protected:Npn \__hyp_ocg_init:
1221 {
1222     \pdf_object_new:n { __hyp/OCG/View }
1223     \pdf_object_new:n { __hyp/OCG/Print }
1224     \pdf_object_new:n { __hyp/OCG/config }
1225     \pdf_object_new:n { __hyp/OCG/refarray }
1226     \pdf_object_write:nne { __hyp/OCG/refarray } { array }
1227     {
1228         \pdf_object_ref:n { __hyp/OCG/View }
1229         \c_space_tl
1230         \pdf_object_ref:n { __hyp/OCG/Print }
1231     }
1232     \pdf_object_write:nnn { __hyp/OCG/View } { dict }
1233     {
1234         /Type/OCG
1235         /Name(View)
1236         /Usage
1237         <<
1238             /Print <</PrintState/OFF>>~
1239             /View <</ViewState/ON >>~
1240         >>
1241     }
1242     \pdf_object_write:nnn { __hyp/OCG/Print } { dict }
1243     {
1244         /Type/OCG
1245         /Name(Print)
1246         /Usage
1247         <<
1248             /Print <</PrintState/ON>>~
1249             /View <</ViewState/OFF>>~
1250         >>
1251     }
1252     \pdfmanagement_add:nne { Catalog / OCProperties }{OCGs }{ \pdf_object_ref:n {__hyp/OC
1253     \pdfmanagement_add:nne { Catalog / OCProperties }{OCGs }{ \pdf_object_ref:n {__hyp/OC
1254     \pdf_object_write:nne { __hyp/OCG/config } { dict }
1255     {
1256         /OFF[\pdf_object_ref:n { __hyp/OCG/Print } ]
1257         /AS[
1258             <<
1259                 /Event/View
1260                 /OCGs\c_space_tl \pdf_object_ref:n { __hyp/OCG/refarray }

```

```

1261         /Category[/View]
1262     >>
1263     <<
1264         /Event/Print
1265         /OCGs\c_space_t1 \pdf_object_ref:n { __hyp/OCG/refarray }
1266         /Category[/Print]
1267     >>
1268     <<
1269         /Event/Export
1270         /OCGs\c_space_t1 \pdf_object_ref:n { __hyp/OCG/refarray }
1271         /Category[/Print]
1272     >>
1273     ]
1274 }
1275 \pdfmanagement_add:nne { Catalog / OCProperties }{ D }{ \pdf_object_ref:n { __hyp/OCG
1276 \cs_gset:Npn \__hyp_ocg_init: {}
1277 }

```

(End of definition for __hyp_ocg_init:.)

We use like with colors a hook, this allows ocgx to replace it. The implementation is rather simple and uses a box.

```

1278 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1279 {
1280     \hook_gput_code:nnn
1281     {pdfannot/link/#2/begin}
1282     {hyp/ocg}
1283     {
1284         \bool_if:cT { l_hyp_annot_ocgcolor#1_bool }
1285         {
1286             \__hyp_ocg_init:
1287             \group_begin:
1288             \hbox_set:Nw \l__hyp_tmpa_box
1289         }
1290     }
1291     \hook_gput_code:nnn
1292     {pdfannot/link/#2/end}
1293     {hyp/ocg}
1294     {
1295         \bool_if:cT { l_hyp_annot_ocgcolor#1_bool }
1296         {
1297             \hbox_set_end:
1298             \mbox
1299             {
1300                 \pdf_bdcobject:nn {OC}{__hyp/OCG/Print}
1301                 \hbox_overlap_right:n { \box_use:N \l__hyp_tmpa_box }
1302                 \pdf_emc:
1303                 \pdf_bdcobject:nn {OC}{__hyp/OCG/View}
1304                 \group_begin:
1305                 \color_select:n { hyp/color/#1 }
1306                 \box_use_drop:N \l__hyp_tmpa_box
1307                 \group_end:
1308                 \pdf_emc:
1309             }
1310             \group_end:

```

```

1311     }
1312   }
1313 }

```

`ocgcolorlinks` (*setup key*) These are the keys for ocgcolors. We try to disable it for pdf version below 1.5

```

ocgcolorlink (setup key) 1314 \bool_lazy_or:nnTF
ocgcolorurl (setup key) 1315 { \pdf_version_compare_p:Nn > {1.4} }
ocgcolorfile (setup key) 1316 { \str_if_eq_p:ee{\pdf_version_major:}{-1} }
ocgcolormenu (setup key) 1317 {
ocgcolorrun (setup key) 1318   \keys_define:nn { hyp }
1319   {
1320     ,_ocgcolorlinks .meta:n =
1321     {
1322       ocgcolorlink=#1,
1323       ocgcolorurl=#1,
1324       ocgcolorfile=#1,
1325       ocgcolorrun=#1,
1326       ocgcolormenu=#1
1327     }
1328     ,_ocgcolorlinks .default:n = true
1329   }
1330 }
1331 {
1332   \keys_define:nn { hyp }
1333   {
1334     ,_ocgcolorlinks .code:n =
1335     {
1336       \msg_warning:nnee
1337       { hyp }
1338       { ignore-deprecated-or-unknown-option-in-pdf-version }
1339       { ocgcolorlinks } { \pdf_version_major:.\pdf_version_minor: }
1340     }
1341   }
1342 }
1343
1344 \keys_define:nn { hyp }
1345 {
1346   ,ocgcolorlinks .choice:
1347   ,ocgcolorlinks / true .meta:n =
1348   {
1349     pdfborder      = {0~0~0},
1350     pdfborderstyle = {},
1351     colorlinks     = false,
1352     _ocgcolorlinks = true
1353   }
1354   ,ocgcolorlinks / false .meta:n =
1355   {
1356     _ocgcolorlinks = false
1357   }
1358   ,ocgcolorlinks .default:n = {true}
1359 }
1360
1361 \seq_map_inline:Nn \c__hyp_annot_types_seq
1362 {

```



```

1363 \bool_lazy_or:nnTF
1364 { \pdf_version_compare_p:Nn > {1.4} }
1365 { \str_if_eq_p:ee{\pdf_version_major:}{-1} }
1366 {
1367   \keys_define:nn { hyp }
1368   {
1369     ,ocgcolor#1 .bool_set:c = { l_hyp_annot_ocgcolor#1_bool }
1370   }
1371 }
1372 {
1373   \keys_define:nn { hyp }
1374   {
1375     ,ocgcolor#1 .code:n=
1376     {
1377       \msg_warning:nnee
1378       { hyp }
1379       { ignore-deprecated-or-unknown-option-in-pdf-version }
1380       { ocgcolor#1 }
1381       { \pdf_version_major:.\pdf_version_minor: }
1382     }
1383   }
1384 }
1385 }

```

11.5 Highlighting

This keys set what happens if you click on a link

```

1386 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1387 {
1388   \keys_define:nn { hyp }
1389   {
1390     ,#1highlight .choices:nn =
1391     { /I, /N, /O, /P }
1392     {
1393       \pdfannot_dict_put:nnn
1394       {link/#2}
1395       { H }
1396       { ##1 }
1397     }
1398   }
1399   ,#1highlight / .code:n =
1400   {
1401     \pdfannot_dict_remove:nn
1402     {link/#2}
1403     { H }
1404   }
1405 }
1406 ,#1highlight / unknown .code:n =
1407 {
1408   \msg_warning:nnee { hyp } { unknown-choice+empty }
1409   { #1highlight }
1410   { /I~(inverse), /N~(no effect), /O~(outline), /P~(inset) }
1411   { \exp_not:n {##1} }
1412 }

```

```

1413     }
1414 }
1415
1416
1417 \keys_define:nn { hyp }
1418 {
1419   ,pdfhighlight .choices:nn =
1420   { /I, /N, /O, /P}
1421   {
1422     \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1423     {
1424       \pdfannot_dict_put:nnn
1425       {link/###2}
1426       { H }
1427       { #1 }
1428     }
1429   }
1430   ,pdfhighlight / .code:n =
1431   {
1432     \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
1433     {
1434       \pdfannot_dict_remove:nn
1435       {link/##2}
1436       { H }
1437     }
1438   }
1439   ,pdfhighlight .initial:n = {/I},
1440   ,pdfhighlight / unknown .code:n =
1441   {
1442     \msg_warning:nneee { hyp } { unknown-choice+empty }
1443     { pdfhighlight }
1444     { /I~(inverse), /N~(no effect), /O~(outline), /P~(inset) }
1445     { \exp_not:n {#1} }
1446   }
1447 }

```

11.6 Hiding links

This key disable all appearance keys. The link themselves are still there.

```

hidelinks (setup key)
hidelink (setup key) 1448 \keys_define:nn { hyp }
hideurl (setup key) 1449 {
hidefile (setup key) 1450   hidelinks .meta:n =
hiderun (setup key) 1451   {
hidemenu (setup key) 1452     ,colorlinks      = false
1453     ,ocgcolorlinks = false
1454     ,pdfborder      = { 0~0~0 }
1455     ,pdfborderstyle=
1456   }
1457 }
1458
1459 \seq_map_inline:Nn \c__hyp_annot_types_seq
1460 {

```

```

1461 \keys_define:nn { hyp }
1462 {
1463   hide#1 .meta:n =
1464   {
1465     ,color#1      = false
1466     ,ocgcolor#1   = false
1467     ,#1border     = { 0~0~0 }
1468     ,#1borderstyle =
1469   }
1470 }
1471 }

```

11.7 color schemes and settings

This define the key for the color schemes and sets the default colors.

`colorscheme` (*setup key*)

```

1472 \keys_define:nn { hyp }
1473 {
1474   colorscheme .code:n =
1475   {
1476     \prop_map_inline:cn { c__hyp_colorscheme_#1_prop }
1477     {
1478       \keys_set:nn { hyp }
1479       {
1480         ##1 = ##2
1481       }
1482     }
1483   }
1484 }
1485 \keys_set:nn { hyp } {colorscheme=phetype}

```

12 Keys

12.1 Ignored keys

The following are ignored (with or without warnings)

`unicode` (*setup key*)

`pdfencoding` (*setup key*)

`pdfversion` (*setup key*)

```

1486 \keys_define:nn { hyp }
1487 {
1488   ,unicode      .code:n = {}
1489   ,pdfencoding .code:n = {}
1490   ,pdfversion .code:n =
1491   {
1492     \msg_warning:nn { hyp } { pdfversion-disabled }
1493   }
1494 }
1495 %

```

12.2 Various keys for the pdf and linking behaviour

This keys are typically set only once.

```

verbose (setup key)
debug (setup key) 1496 \keys_define:nn { hyp }
draft (setup key) 1497 {
final (setup key) 1498   ,verbose .legacy_if_set:n = {Hy@verbose}
1499   ,debug .legacy_if_set:n = {Hy@verbose}
1500 }
1501 \keys_define:nn { hyp }
1502 {
1503   ,draft .code:n =
1504   {
1505     \Hy@drafttrue
1506     \PassOptionsToPackage{draft}{bookmark}
1507   }
1508   ,final .code:n =
1509   {
1510     \Hy@finaltrue
1511     \PassOptionsToPackage{final}{bookmark}
1512   }
1513 }

extension (setup key)
hypertextnames (setup key) 1514 \keys_define:nn { hyp }
naturalnames (setup key) 1515 {
pageanchor (setup key) 1516   ,extension .tl_set:N = \XR@ext
linktoc (setup key) 1517   ,extension .initial:n= pdf
linktocpage (setup key) 1518   ,hypertextnames .legacy_if_set:n = {Hy@hypertextnames}
plainpages (setup key) 1519   ,linkfileprefix .tl_set:N = \Hy@linkfileprefix
localanchorname (setup key) 1520   ,localanchorname .legacy_if_set:n = {Hy@localanchorname}
linkfileprefix (setup key) 1521   ,naturalnames .legacy_if_set:n = {Hy@naturalnames}
1522   ,pageanchor .legacy_if_set:n = {Hy@pageanchor}
1523   ,plainpages .legacy_if_set:n = {Hy@plainpages}
1524 }
1525
1526 \keys_define:nn { hyp }
1527 {
1528   ,linktoc .choices:nn = { none, section, all, page }
1529   {
1530     \cs_set_eq:Nc \Hy@linktoc { Hy@linktoc@#1 }
1531   }
1532   ,linktoc / unknown .code:n =
1533   {
1534     \msg_warning:nnee { hyp } { unknown-choice }
1535     { linktoc }
1536     { none, section, all, page }
1537     { \exp_not:n {#1} }
1538   }
1539   ,linktocpage .choice:
1540   ,linktocpage / true .meta:n = {linktoc=page}
1541   ,linktocpage / false .meta:n = {linktoc=section}
1542   ,linktocpage .default:n = true

```

```

1543 }
1544
link (setup key) This booleans allow to disable the link types.
url (setup key) 1545 \prop_map_inline:Nn \c__hyp_map_hyp_annot_prop
file (setup key) 1546 {
menu (setup key) 1547 \keys_define:nn { hyp }
run (setup key) 1548 {
1549 ,#1 .bool_set:c = {l__hyp_annot_#2_bool}
1550 }
1551 }

1552 \keys_define:nn { hyp }
1553 {
1554 ,baseurl .code:n =
1555 {
1556 \__hyp_text_pdfstring:ooN { #1 } {\l__hyp_text_enc_uri_print_tl} \l__hyp_tmpa_tl
1557 \tl_if_empty:NTF \l__hyp_tmpa_tl
1558 {
1559 \pdfmanagement_remove:nn {Catalog} { URI }
1560 }
1561 {
1562 \pdfmanagement_add:nne {Catalog} { URI }{ <</Base \l__hyp_tmpa_tl>> }
1563 }
1564 \__hyp_store_metadata:nn {baseurl}{#1}
1565 }
1566 %only false does something ...
1567 ,bookmarks .choice:
1568 ,bookmarks / false .code:n = {\RemoveFromHook {begindocument/before}[hyperref/bookmark]}
1569 ,bookmarks / true .code:n = {}
1570 ,bookmarks .default:n = {true}
1571 ,bookmarksnumbered .legacy_if_set:n = {Hy@bookmarksnumbered}
1572 ,bookmarksopen .legacy_if_set:n = {Hy@bookmarksopen}
1573 ,bookmarksopenlevel .tl_set:N = \@bookmarksopenlevel
1574 ,bookmarkstype .tl_set:N = \Hy@bookmarkstype
1575 ,pdfcenterwindow .choice:
1576 ,pdfcenterwindow / false .code:n =
1577 {
1578 \pdfmanagement_remove:nn {Catalog / ViewerPreferences }{ CenterWindow }
1579 }
1580 ,pdfcenterwindow / true .code:n =
1581 {
1582 \pdfmanagement_add:nnn {Catalog / ViewerPreferences } { CenterWindow }{ true }
1583 }
1584 ,pdfcenterwindow / .code:n =
1585 {
1586 \pdfmanagement_remove:nn {Catalog / ViewerPreferences }{ CenterWindow }
1587 }
1588 ,pdfcenterwindow / unknown .code:n =
1589 {
1590 \msg_warning:nnee { hyp } { no-bool }
1591 { pdfcenterwindow }
1592 { \exp_not:n {#1} }
1593 }

```

```

1594 ,pdfcenterwindow .default:n = true
1595 ,pdfdirection .choice:
1596 ,pdfdirection / L2R .code:n =
1597 {
1598   \pdfmanagement_add:nnn {Catalog / ViewerPreferences } { Direction }{ /L2R }
1599 }
1600 ,pdfdirection / R2L .code:n =
1601 {
1602   \pdfmanagement_add:nnn {Catalog / ViewerPreferences } { Direction }{ /R2L }
1603 }
1604 ,pdfdirection / .code:n =
1605 {
1606   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { Direction }
1607 }
1608 ,pdfdirection / unknown .code:n =
1609 {
1610   \msg_warning:nnee { hyp } { unknown-choice+empty }
1611   { pdfdirection }
1612   { L2R , R2L }
1613   { \exp_not:n {#1} }
1614 }
1615 ,pdfdisplaydoctitle .choice:
1616 ,pdfdisplaydoctitle / false .code:n =
1617 {
1618   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { DisplayDocTitle }
1619 }
1620 ,pdfdisplaydoctitle / true .code:n =
1621 {
1622   \pdfmanagement_add:nnn {Catalog / ViewerPreferences } { DisplayDocTitle } { true }
1623 }
1624 ,pdfdisplaydoctitle .default:n = true
1625 ,pdfduplex .choices:nn =
1626 {Simplex, DuplexFlipShortEdge, DuplexFlipLongEdge}
1627 {
1628   \pdf_version_compare:NnTF > {1.6}
1629   {
1630     \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
1631     { PrintDuplex } { /#1 }
1632   }
1633   {
1634     \msg_warning:nnee
1635     {hyp}
1636     {ignore-deprecated-or-unknown-option-in-pdf-version}
1637     {pdfduplex}
1638     {\pdf_version:}
1639   }
1640 }%
1641 ,pdfduplex / .code:n =
1642 {
1643   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { PrintDuplex }
1644 }
1645 ,pdfduplex / unknown .code:n =
1646 {
1647   \msg_warning:nnee { hyp } { unknown-choice+empty }

```

```

1648     { pdfduplex }
1649     { Simplex, DuplexFlipShortEdge, DuplexFlipLongEdge }
1650     { \exp_not:n {#1} }
1651   }
1652 ,pdffitwindow .choice:
1653 ,pdffitwindow / false .code:n =
1654   {
1655     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { FitWindow }
1656   }
1657 ,pdffitwindow / true .code:n =
1658   {
1659     \pdfmanagement_add:nnn {Catalog / ViewerPreferences} { FitWindow } { true }
1660   }
1661 ,pdffitwindow / .code:n =
1662   {
1663     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { FitWindow }
1664   }
1665 ,pdffitwindow .default:n = true
1666 ,pdffitwindow / unknown .code:n =
1667   {
1668     \msg_warning:nnee { hyp } { no-bool }
1669     { pdffitwindow }
1670     { \exp_not:n {#1} }
1671   }
1672 ,pdflinkmargin .code:n = { \pdfannot_link_margin:n { #1 } }
1673 ,pdflinkmargin .initial:n = {1pt}
1674 ,pdfmenubar .choice:
1675 ,pdfmenubar / true .code:n =
1676   {
1677     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { HideMenubar }
1678   }
1679 ,pdfmenubar / false .code:n =
1680   {
1681     \pdfmanagement_add:nn {Catalog / ViewerPreferences}
1682     { HideMenubar } { true }
1683   }
1684 ,pdfmenubar / .code:n =
1685   {
1686     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { HideMenubar }
1687   }
1688 ,pdfmenubar .default:n = true
1689 ,pdfmenubar / unknown .code:n =
1690   {
1691     \msg_warning:nnee { hyp } { no-bool }
1692     { pdfmenubar }
1693     { \exp_not:n {#1} }
1694   }
1695 ,pdfnewwindow .choice:
1696 ,pdfnewwindow / true .code:n =
1697   {
1698     \pdfdict_put:nnn {l_hyp/annot/A/GoToR}{/NewWindow}{true}
1699     \pdfdict_put:nnn {l_hyp/annot/A/Launch}{/NewWindow}{true}
1700   }
1701 ,pdfnewwindow / false .code:n =

```

```

1702     {
1703     \pdfdict_put:nnn {l_hyp/annot/A/GoToR}{/NewWindow}{false}
1704     \pdfdict_put:nnn {l_hyp/annot/A/Launch}{/NewWindow}{false}
1705     }
1706 ,pdfnewwindow / .code:n =
1707     {
1708     \pdfdict_remove:nn {l_hyp/annot/A/GoToR}{/NewWindow}
1709     \pdfdict_remove:nn {l_hyp/annot/A/Launch}{/NewWindow}
1710     }
1711 ,pdfnonfullscreenpagemode .choices:nn =
1712 { UseNone, UseOutlines, UseThumbs, FullScreen, UseOC } %pdf 1.5
1713 {
1714 \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1715 { NonFullScreenPageMode } {/#1}
1716 }
1717 ,pdfnonfullscreenpagemode / UseAttachments .code:n =
1718 {
1719 \pdf_version_compare:NnTF < {1.6}
1720 {
1721 %message
1722 }
1723 {
1724 \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1725 {NonFullScreenPageMode}{/UseAttachments}
1726 }
1727 }
1728 ,pdfnonfullscreenpagemode / .code:n =
1729 {
1730 \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { NonFullScreenPageMode }
1731 }
1732 ,pdfnonfullscreenpagemode / unknown .code:n =
1733 {
1734 \msg_warning:nnee { hyp } { unknown-choice+empty }
1735 { pdfnonfullscreenpagemode }
1736 { UseNone, UseOutlines, UseThumbs, FullScreen, UseOC, UseAttachments (PDF 1.6) }
1737 { \exp_not:n {#1} }
1738 }
1739 ,pdfnumcopies .code:n =
1740 {
1741 \pdf_version_compare:NnTF > {1.6}
1742 {
1743 \tl_if_empty:nTF {#1}
1744 {
1745 \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { NumCopies }
1746 }
1747 {
1748 \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1749 {NumCopies}{#1}
1750 }
1751 }
1752 {
1753 \msg_warning:nnee
1754 {hyp}
1755 {ignore-deprecated-or-unknown-option-in-pdf-version}

```



```

1756         {pdfnumcopies}
1757         {\pdf_version:}
1758     }
1759 }
1760 ,pdfpagelayout .choices:nn =
1761 { SinglePage, OneColumn, TwoColumnLeft, TwoColumnRight, TwoPageLeft, TwoPageRight}
1762 { \pdfmanagement_add:nne {Catalog} { PageLayout }{ /#1 } }
1763 ,pdfpagelayout / .code:n =
1764 { \pdfmanagement_remove:nn {Catalog} { PageLayout } }
1765 ,pdfpagelayout / unknown .code:n =
1766 {
1767     \msg_warning:nnee { hyp } { unknown-choice+empty }
1768     { pdfpagelayout }
1769     { SinglePage, OneColumn, TwoColumnLeft, TwoColumnRight, TwoPageLeft, TwoPageRight }
1770     { \exp_not:n {#1} }
1771 }
1772 ,pdfpagemode .choices:nn =
1773 { UseNone, UseOutlines, UseThumbs, FullScreen, UseOC } %pdf 1.5
1774 { \pdfmanagement_add:nne {Catalog} { PageMode }{ /#1 } }
1775 ,pdfpagemode / UseAttachments .code:n =
1776 {
1777     \pdf_version_compare:NnTF > {1.5}
1778     {
1779         \pdfmanagement_add:nne {Catalog} { PageMode }{ /UseAttachments }
1780     }
1781     {
1782         \msg_warning:nnee
1783         {hyp}
1784         {ignore-deprecated-or-unknown-value-in-pdf-version}
1785         {UseAttachments}
1786         {\pdf_version:}
1787     }
1788 }
1789 ,pdfpagemode .initial:n = { UseOutlines } %for now ...
1790 ,pdfpagemode / unknown .code:n =
1791 {
1792     \msg_warning:nnee { hyp } { unknown-choice+empty }
1793     { pdfpagemode }
1794     { UseNone, UseOutlines, UseThumbs, FullScreen, UseOC, UseAttachments (PDF 1.6) }
1795     { \exp_not:n {#1} }
1796 }
1797 ,pdfpagescrop .code:n =
1798 {
1799     \tl_if_empty:nTF {#1} %or blank?
1800     {
1801         \pdfmanagement_remove:nn {Pages} { CropBox }
1802     }
1803     {
1804         \pdfmanagement_add:nne {Pages} { CropBox } { [#1] }
1805     }
1806 }
1807 ,pdfpicktraybypdfsize .choice:
1808 ,pdfpicktraybypdfsize / true .code:n =
1809 {

```

```

1810     \pdf_version_compare:NnTF > {1.6}
1811     {
1812         \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
1813         { PickTrayByPDFSize } { true }
1814     }
1815     {
1816         \msg_warning:nnee
1817         {hyp}
1818         {ignore-deprecated-or-unknown-option-in-pdf-version}
1819         {pdfpicktraybypdfsize}
1820         {\pdf_version:}
1821     }
1822 }
1823 ,pdfpicktraybypdfsize / false .code:n =
1824 {
1825     \pdf_version_compare:NnTF > {1.6}
1826     {
1827         \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
1828         { PickTrayByPDFSize } { false }
1829     }
1830     {
1831         \msg_warning:nnee
1832         {hyp}
1833         {ignore-deprecated-or-unknown-option-in-pdf-version}
1834         {pdfpicktraybypdfsize}
1835         {\pdf_version:}
1836     }
1837 }
1838 ,pdfpicktraybypdfsize / .code:n =
1839 {
1840     \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { PickTrayByPDFSize }
1841 }
1842 ,pdfpicktraybypdfsize / unknown .code:n =
1843 {
1844     \msg_warning:nnee { hyp } { no-bool }
1845     { picktraybypdfsize }
1846     { \exp_not:n {#1} }
1847 }
1848 ,pdfprintarea .choices:nn =
1849 { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
1850 {
1851     \pdf_version_compare:NnTF < {2.0}
1852     {
1853         \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1854         { PrintArea } { /#1 }
1855     }
1856     {
1857         \msg_warning:nnee
1858         {hyp}
1859         {ignore-deprecated-or-unknown-option-in-pdf-version}
1860         {pdfprintarea}
1861         {\pdf_version:}
1862     }
1863 }%

```

```

1864 ,pdfprintarea / .code:n =
1865 { \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { PrintArea } }
1866 ,pdfprintarea / unknown .code:n =
1867 {
1868   \msg_warning:nsee { hyp } { unknown-choice+empty }
1869   { pdfprintarea }
1870   { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
1871   { \exp_not:n {#1} }
1872 }
1873 ,pdfprintclip .choices:nn =
1874 { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
1875 {
1876   \pdf_version_compare:NnTF < {2.0}
1877   {
1878     \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1879     { PrintClip } { /#1 }
1880   }
1881   {
1882     \msg_warning:nsee
1883     {hyp}
1884     {ignore-deprecated-or-unknown-option-in-pdf-version}
1885     {pdfprintclip}
1886     {\pdf_version:}
1887   }
1888 }%
1889 ,pdfprintclip / .code:n =
1890 {
1891   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { PrintClip }
1892 }
1893 ,pdfprintclip / unknown .code:n =
1894 {
1895   \msg_warning:nsee
1896   { hyp }
1897   { unknown-choice+empty }
1898   { pdfprintclip }
1899   { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
1900   { \exp_not:n {#1} }
1901 }
1902 ,pdfprintpagerange .code:n =
1903 {
1904   \pdf_version_compare:NnTF > {1.6}
1905   {
1906     \tl_if_empty:nTF { #1}
1907     {
1908       \pdfmanagement_remove:nn {Catalog / ViewerPreferences }
1909       { PrintPageRange }
1910     }
1911     {
1912       \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1913       {PrintPageRange}{[#1]}
1914     }
1915   }
1916   {
1917     \msg_warning:nsee

```

```

1918         {hyp}
1919         {ignore-deprecated-or-unknown-option-in-pdf-version}
1920         {pdfprintpagerange}
1921         {\pdf_version:}
1922     }
1923 }
1924 ,pdfprintscaling .choices:nn =
1925 { None, AppDefault }
1926 {
1927     \pdf_version_compare:NnTF > {1.5}
1928     {
1929         \pdfmanagement_add:nne {Catalog / ViewerPreferences }
1930         { PrintScaling } { /#1 }
1931     }
1932     {
1933         \msg_warning:nnee
1934         {hyp}
1935         {ignore-deprecated-or-unknown-option-in-pdf-version}
1936         {pdfprintscaling}
1937         {\pdf_version:}
1938     }
1939 }%
1940 ,pdfprintscaling / .code:n =
1941 {
1942     \pdfmanagement_remove:nn {Catalog / ViewerPreferences } {PrintScaling }
1943 }
1944 ,pdfprintscaling / unknown .code:n =
1945 {
1946     \msg_warning:nnee { hyp } { unknown-choice+empty }
1947     { pdfprintarea }
1948     { None, AppDefault }
1949     { \exp_not:n {#1} }
1950 }
1951 ,pdfremotestartview .code:n =
1952 {
1953     \tl_set:Ne \l__hyp_tmpa_tl {#1~null~null~null~}
1954     \exp_args:NNV
1955     \regex_extract_once:NnNTF \c__hyp_dest_startview_regex \l__hyp_tmpa_tl \l__hyp_tmpa_
1956     {
1957         \tl_set:Ne \l__hyp_dest_pdfremotestartview_tl {\seq_item:Nn \l__hyp_tmpa_seq {1}}
1958     }
1959     {
1960         \msg_warning:nnnn {hyp}{invalid-destination-value}{#1}{pdfremotestartview}
1961         \tl_set:Nn \l__hyp_dest_pdfremotestartview_tl {Fit}
1962     }
1963 }
1964 ,pdfremotestartview .initial:n = {Fit}
1965 % pdfstartpage is special as it shares code with pdfstartview
1966 ,pdfstartpage .code:n =
1967 {
1968     \tl_gset:Ne \g__hyp_dest_pdfstartpage_tl { #1 }
1969     \bool_if:nTF
1970     { \tl_if_empty_p:N \g__hyp_dest_pdfstartpage_tl || \tl_if_empty_p:N \g__hyp_dest_pd
1971     {

```

```

1972         \pdfmanagement_remove:nn {Catalog} { OpenAction }
1973     }
1974     {
1975         \pdfmanagement_add:nne {Catalog} { OpenAction }
1976         {
1977             [\pdf_pageobject_ref:n {\g__hyp_dest_pdfstartpage_tl}~/\g__hyp_dest_pdfstartv
1978         }
1979     }
1980 }
1981 ,pdfstartpage .initial:n =1
1982 ,pdfstartview .code:n =
1983 {
1984     \tl_set:Ne \l__hyp_tmpa_tl {#1~null~null~null~}
1985     \exp_args:NNV
1986     \regex_extract_once:NnNTF \c__hyp_dest_startview_regex \l__hyp_tmpa_tl \l__hyp_tmpa
1987     {
1988         \tl_gset:Ne \g__hyp_dest_pdfstartview_tl {\seq_item:Nn \l__hyp_tmpa_seq {1}}
1989     }
1990     {
1991         \msg_warning:nmmm {hyp}{invalid-destination-value}{#1}{pdfstartview}
1992         \tl_gset:Nn \g__hyp_dest_pdfstartview_tl {Fit}
1993     }
1994     \bool_if:nTF
1995     { \tl_if_empty_p:N \g__hyp_dest_pdfstartpage_tl || \tl_if_empty_p:N \g__hyp_dest_pd
1996     {
1997         \pdfmanagement_remove:nn {Catalog} { OpenAction }
1998     }
1999     {
2000         \pdfmanagement_add:nne {Catalog} { OpenAction }
2001         {
2002             [\pdf_pageobject_ref:n {\g__hyp_dest_pdfstartpage_tl}~/\g__hyp_dest_pdfstartv
2003         }
2004     }
2005 }
2006 ,pdfstartview .initial:n = Fit
2007 ,pdftoolbar .choice:
2008 ,pdftoolbar / true .code:n =
2009 {
2010     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { HideToolbar }
2011 }
2012 ,pdftoolbar / false .code:n =
2013 {
2014     \pdfmanagement_add:nnn {Catalog / ViewerPreferences}
2015     { HideToolbar } { true }
2016 }
2017 ,pdftoolbar / true .code:n =
2018 {
2019     \pdfmanagement_remove:nn {Catalog / ViewerPreferences} { HideToolbar }
2020 }
2021 ,pdftoolbar .default:n = true
2022 ,pdftoolbar / unknown .code:n =
2023 {
2024     \msg_warning:nnee { hyp } { no-bool }
2025     { pdftoolbar }

```

```

2026     { \exp_not:n {#1} }
2027   }
2028 % pdfview see below.
2029 ,pdfviewarea .choices:nn =
2030 { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
2031 {
2032   \pdf_version_compare:NnTF < {2.0}
2033   {
2034     \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
2035     { ViewArea } { /#1 }
2036   }
2037   {
2038     \msg_warning:nnee
2039     {hyp}
2040     {ignore-deprecated-or-unknown-option-in-pdf-version}
2041     {pdfviewarea}
2042     {\pdf_version:}
2043   }
2044 }%
2045 ,pdfviewarea / .code:n =
2046 {
2047   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { ViewArea }
2048 }
2049 ,pdfviewarea / unknown .code:n =
2050 {
2051   \msg_warning:nneee { hyp } { unknown-choice+empty }
2052   { pdfviewarea }
2053   { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
2054   { \exp_not:n {#1} }
2055 }
2056 ,pdfviewclip .choices:nn =
2057 { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
2058 {
2059   \pdf_version_compare:NnTF < {2.0}
2060   {
2061     \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
2062     { ViewClip } { /#1 }
2063   }
2064   {
2065     \msg_warning:nnee
2066     {hyp}
2067     {ignore-deprecated-or-unknown-option-in-pdf-version}
2068     {pdfviewclip}
2069     {\pdf_version:}
2070   }
2071 }%
2072 ,pdfviewclip / .code:n =
2073 {
2074   \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { ViewClip }
2075 }
2076 ,pdfviewclip / unknown .code:n =
2077 {
2078   \msg_warning:nneee { hyp } { unknown-choice+empty }
2079   { pdfviewclip }

```

```

2080     { MediaBox, CropBox, BleedBox, TrimBox, ArtBox }
2081     { \exp_not:n {#1} }
2082   }
2083   ,pdfwindowui .choice:
2084   ,pdfwindowui / true .code:n =
2085   {
2086     \pdfmanagement_remove:nn {Catalog / ViewerPreferences } { HideWindowUI }
2087   }
2088   ,pdfwindowui / false .code:n =
2089   {
2090     \pdfmanagement_add:nnn {Catalog / ViewerPreferences }
2091     { HideWindowUI } { true }
2092   }
2093   ,pdfwindowui / .code:n =
2094   {
2095     \pdfmanagement_remove:nn {Catalog / ViewerPreferences } {HideWindowUI }
2096   }
2097   ,pdfwindowui / unknown .code:n =
2098   {
2099     \msg_warning:nnee { hyp } { no-bool }
2100     { pdfwindowui }
2101     { \exp_not:n {#1} }
2102   }
2103   ,pdfwindowui .default:n = true
2104 }

```

`pdfview` (*setup key*) Destination keys. `pdfview` is a bit more complicated so extra.

```

2105 \keys_define:nn { hyp }
2106 {
2107   ,pdfview .code:n =
2108   {
2109     \seq_set_split:Nnn \l__hyp_tmpa_seq {-}{#1}
2110     \str_case_e:nnF { \str_lowercase:f{ \seq_item:Nn \l__hyp_tmpa_seq {1} } }
2111     {
2112       { xyz }
2113       {
2114         \int_compare:nNnTF { \seq_count:N \l__hyp_tmpa_seq } > { 1 }
2115         {
2116           \seq_get_right:NN \l__hyp_tmpa_seq \l__hyp_tmpa_tl
2117           \tl_if_eq:NnTF \l__hyp_tmpa_tl {null}
2118           {
2119             \tl_set:Nn \l__hyp_dest_pdfview_tl {xyz}
2120           }
2121           {
2122             \tl_set:Ne \l__hyp_dest_pdfview_tl
2123             {
2124               \fp_eval:n { \l__hyp_tmpa_tl * 100 }
2125             }
2126           }
2127         }
2128         {
2129           \tl_set:Nn \l__hyp_dest_pdfview_tl {xyz}
2130         }
2131       }
2132     }
2133   }

```

```

2132 { fit } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fit} }
2133 { fitb } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fitb} }
2134 { fitbh } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fitbh} }
2135 { fitbv } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fitbv} }
2136 { fith } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fith} }
2137 { fitv } { \tl_set:Nn \l__hyp_dest_pdfview_tl {fitv} }
2138 { fitr }
2139 {
2140   \int_compare:nNnTF {\seq_count:N \l__hyp_tmpa_seq } = {1}
2141   {
2142     \tl_set:Nn \l__hyp_dest_pdfview_tl {fitr}
2143   }
2144   {
2145     %ensure 4 values ...
2146     \tl_set:Nn \l__hyp_dest_pdfview_tl {fitrbox}
2147     \seq_put_right:Nn \l__hyp_tmpa_seq {0}
2148     \seq_put_right:Nn \l__hyp_tmpa_seq {0}
2149     \seq_put_right:Nn \l__hyp_tmpa_seq {0}
2150     \hbox_set_to_wd:Nnn \l__hyp_dest_box
2151     {
2152       \fp_eval:n
2153       {
2154         round
2155         (
2156           abs
2157           (
2158             \seq_item:Nn\l__hyp_tmpa_seq{4}
2159             -
2160             (\seq_item:Nn\l__hyp_tmpa_seq{2})
2161           ),
2162           3
2163         )
2164       }bp
2165     }{}
2166     \box_set_dp:Nn \l__hyp_dest_box
2167     {
2168       \fp_eval:n
2169       {
2170         round(0 - (\seq_item:Nn\l__hyp_tmpa_seq{3}),3)
2171       }bp
2172     }
2173     \box_set_ht:Nn \l__hyp_dest_box
2174     {
2175       \seq_item:Nn\l__hyp_tmpa_seq{5}bp
2176     }
2177   }
2178 }
2179 {
2180   \msg_warning:nmmn {hyp}{invalid-destination-value}{#1}{pdfview}
2181   \tl_set:Nn \l__hyp_dest_pdfview_tl {fit}
2182 }
2183 }
2184 }
2185 ,pdfview .initial:n = {xyz}

```



```
2186 }
```

12.3 “MetaData keys”

The following keys are relevant for the metadata: the info dictionary and the xmp-metadata.

`pdflang` (*setup key*) `pdflang` should be deprecated.

```
2187 \keys_define:nn { hyp }
2188 {
2189   ,pdflang .code:n =
2190   {
2191     \tl_if_empty:nF { #1 }
2192     {
2193       \pdfmanagement_add:nne {Catalog} { Lang } { (#1) }
2194       \AddToDocumentProperties[document]{lang}{#1}
2195     }
2196   }
2197 }
```

12.3.1 “info keys”

`pdfauthor` (*setup key*) The keys store their value also in the metadata container, so that hyperxmp can use them.

`pdftitle` (*setup key*) Creator and Producer can't be removed with the pdfmanagement, but we allow to set an

`pdfcreator` (*setup key*) empty value. If the value begin with an optional argument, we assume a multilanguage

`pdfsubject` (*setup key*) clist and use only the first value.

```
pdfproducer (setup key) 2198 \regex_new:N\l__hyp_optlang_regex
pdfkeywords (setup key) 2199 \regex_set:Nn\l__hyp_optlang_regex {\A\[[A-Za-z-]+\]\(.*)}
2200 \cs_new_protected:Npn \__hyp_setup_info_key:nn #1 #2
2201 {
2202   \keys_define:nn { hyp }
2203   {
2204     pdf#1 .code:n =
2205     {
2206       \tl_if_blank:nTF {##1}
2207       {
2208         \str_case:nnF { #1 }
2209         {
2210           {creator}
2211           {
2212             \msg_info:nnn { hyp }{ empty-info-value } { pdfcreator }
2213             \pdfmanagement_add:nne {Info}{Creator}{()}
2214           }
2215           {producer}
2216           {
2217             \msg_info:nnn { hyp }{ empty-info-value } { pdfproducer }
2218             \pdfmanagement_add:nne {Info}{Producer}{()}
2219           }
2220         }
2221       }
2222       \pdfmanagement_remove:nn {Info}{#2}
2223     }
2224   }
```

```

2225     {
2226         \tl_set:Ne\l__hyp_tmpa_tl {\clist_item:nn{##1}{1}}
2227         \exp_args:NNV
2228         \regex_extract_once:NnN \l__hyp_optlang_regex \l__hyp_tmpa_tl\l__hyp_tmpa_s
2229         \seq_if_empty:NTF\l__hyp_tmpa_seq
2230         {
2231             \__hyp_text_pdfstring_info:nN {##1}\l__hyp_tmpa_str
2232         }
2233         {
2234             \exp_args:Ne
2235             \__hyp_text_pdfstring_info:nN {\seq_item:Nn \l__hyp_tmpa_seq{3}}\l__hyp_t
2236         }
2237         \str_if_eq:VnF\l__hyp_tmpa_str{<FEFF>}
2238         {
2239             \pdfmanagement_add:nne {Info}{#2}{\l__hyp_tmpa_str}
2240         }
2241     }
2242     \__hyp_store_metadata:nN {pdf#1}{##1}
2243 }
2244 }
2245 \keys_define:nN { hyp / info }
2246 {
2247     #2 .code:n =
2248     {
2249         \tl_if_blank:nTF {##1}
2250         {
2251             \pdfmanagement_remove:nN {Info}{#2}
2252         }
2253         {
2254             \__hyp_text_pdfstring_info:nN {##1}\l__hyp_tmpa_str
2255             \str_if_eq:VnF\l__hyp_tmpa_str{<FEFF>}
2256             {
2257                 \pdfmanagement_add:nne {Info}{#2}{\l__hyp_tmpa_str}
2258             }
2259         }
2260         \exp_args:Ne \__hyp_store_metadata:nN {pdf\str_lowercase:n{##1}}{##1}
2261     }
2262     ,unknown .code:n =
2263     {
2264         \__hyp_text_pdfstring_info:nN {##1}\l__hyp_tmpa_str
2265         \str_if_eq:VnF\l__hyp_tmpa_str{<FEFF>}
2266         {
2267             \exp_args:Nno
2268             \pdfmanagement_add:nne {Info}
2269             { \l_keys_key_str } {\l__hyp_tmpa_str}
2270         }
2271     }
2272 }
2273 }
2274 \__hyp_setup_info_key:nN {author} {Author}
2275 \__hyp_setup_info_key:nN {title} {Title}
2276 \__hyp_setup_info_key:nN {producer} {Producer}
2277 \__hyp_setup_info_key:nN {creator} {Creator}
2278 % ignored key: addtopdfcreator

```

```

2279 \_hyp_setup_info_key:nn {subject} {Subject}
2280 \_hyp_setup_info_key:nn {keywords} {Keywords}

```

pdfcreationdate (setup key) These keys are not really needed. We store them too in the container. CreationDate and pdfmoddate (setup key) ModDate should not use the hex encoding.

```

pdfmetadate (setup key) 2281 \cs_new_protected:Npn \_hyp_setup_info_date_key:nn #1 #2
2282 {
2283   \keys_define:nn { hyp }
2284   {
2285     pdf#1 .code:n =
2286     {
2287       \tl_if_blank:nTF {##1}
2288       {
2289         \pdfmanagement_remove:nn {Info}{#2}
2290       }
2291       {
2292         \pdfmanagement_add:nne {Info}{#2}{(##1)}
2293       }
2294       \_hyp_store_metadata:nn {pdf#1}{##1}
2295       \AddToDocumentProperties[document]{#1}{##1}
2296     }
2297   }
2298   \keys_define:nn { hyp / info }
2299   {
2300     #2 .code:n =
2301     {
2302       \tl_if_blank:nTF {##1}
2303       {
2304         \pdfmanagement_remove:nn {Info}{#2}
2305       }
2306       {
2307         \pdfmanagement_add:nne {Info}{#2}{(##1)}
2308       }
2309       \exp_args:Ne \_hyp_store_metadata:nn {pdf\str_lowercase:n{#1}}{##1}
2310     }
2311   }
2312 }
2313
2314 \_hyp_setup_info_date_key:nn {creationdate} {CreationDate}
2315 \_hyp_setup_info_date_key:nn {moddate} {ModDate}
2316 \keys_define:nn { hyp }
2317 {
2318   pdfmetadate .code:n = { \_hyp_store_metadata:nn {pdfmetadate}{#1} }
2319 }

```

pdftrapped (setup key) Trapped is a bit curious, it has an value unknown, and one can't suppress it ...

```

2320 \keys_define:nn { hyp }
2321 {
2322   ,pdftrapped .code:n =
2323   {
2324     \exp_args:Nne
2325     \keys_set:nn { hyp } { _pdftrapped = \str_uppercase:n { #1 } }
2326   }
2327   ,pdftrapped .choices:nn = {TRUE,FALSE,UNKNOWN}

```

```

2328     {
2329       \pdfmanagement_add:nne {Info}{Trapped}
2330       {/
2331         \str_uppercase:f { \str_head:n { #1 } }
2332         \str_lowercase:f { \str_tail:n { #1 } }
2333       }
2334       \__hyp_store_metadata:ne {pdftrapped}
2335       {
2336         \str_uppercase:f { \str_head:n { #1 } }
2337         \str_lowercase:f { \str_tail:n { #1 } }
2338       }
2339     }
2340     ,_pdftrapped / unknown .code:n =
2341     {
2342       \msg_warning:nnee { hyp } { unknown-choice }
2343       { pdftrapped }
2344       { true~(case-insensitive), false~(case-insensitive), unknown~(case-insensitive) }
2345       { \exp_not:n {#1} }
2346     }
2347   }

```

`pdfinfo (setup key)` pdfinfo allows to set the info keys with keyval ...

```

2348 \keys_define:nn { hyp }
2349 {
2350   pdfinfo .code:n =
2351   {
2352     \keys_set:nn { hyp / info } { #1 }
2353   }
2354 }

```

Now we set some default values

```

2355 \keys_set:nn { hyp} {pdfcreator = LaTeX~with~hyperref}
2356 \keys_set:nn { hyp} {pdfauthor = }
2357 \keys_set:nn { hyp} {pdftitle = }
2358 \keys_set:nn { hyp} {pdfsubject = }

```

12.4 hyperxmp keys

hyperxmp defines lots of keys for `\hypersetup`. They now longer work with this driver. So we provide most of them, but they are only stored as metadata:

```

2359 \clist_map_inline:nn
2360 {
2361   ,pdfcopyright
2362   ,pdftype
2363   ,pdflicenseurl
2364   ,pdfauthortitle
2365   ,pdfcaptionwriter
2366   ,pdfmetalang
2367   ,pdfsource
2368   ,pdfdocumentid
2369   ,pdfinstanceid
2370   ,pdfversionid
2371   ,pdfrendition

```

```

2372 ,pdfpublication
2373 ,pdfpubtype
2374 ,pdfbytes
2375 ,pdfnumpages
2376 ,pdfissn
2377 ,pdfeissn
2378 ,pdfisbn
2379 ,pdfbookedition
2380 ,pdfpublisher
2381 ,pdfvolumenum
2382 ,pdfissuenum
2383 ,pdfpagerange
2384 ,pdfdoi
2385 ,pdfurl
2386 ,pdfidentifier
2387 ,pdfsubtitle
2388 ,pdfpubstatus
2389 ,pdfcontactaddress
2390 ,pdfcontactcity
2391 ,pdfcontactregion
2392 ,pdfcontactpostcode
2393 ,pdfcontactcountry
2394 ,pdfcontactphone
2395 ,pdfcontactemail
2396 ,pdfcontacturl
2397 ,pdfdate
2398 }
2399 {
2400   \keys_define:nn { hyp }
2401   {
2402     #1 .code:n= { \__hyp_store_metadata:nn {#1}{##1}}
2403   }
2404 }
2405

```

12.5 Transitions

pdfpageduration sets the duration a page is shown in full screen mode.

```

2406 \keys_define:nn { hyp }
2407 {
2408   pdfpageduration .code:n =
2409   {
2410     \tl_if_blank:nTF { #1 }
2411     {
2412       \pdfmanagement_remove:nn {Page}{Dur}
2413     }
2414     {
2415       \pdfmanagement_add:nnn {Page}{Dur}{#1}
2416     }
2417   }
2418 }

```

Transition settings are used by (some) pdf viewers when presenting a pdf in full screen mode. They are added to the page settings and describe the transition from the previous

page to current page. Transition setting can be set in the preamble for all pages or in the document for the current and the following pages. Due to the asynchronous page breaking one has to be careful to set it on the right page, e.g. only after a `\newpage`. The generic driver uses a different syntax than the other `hyperref` drivers: various transition options can be set by a keyval syntax in the value of `pdfpagetransition`. A typical setting looks e.g. like this

```
\hypersetup{pdfpagetransition={style=Fly,duration=2,direction=90,opaque=false}}
```

The keys allowed in the argument of `pdfpagetransition` are

style	one of Split, Blinds, Box, Wipe, Dissolve, Glitter, R, Fly, Push, Cover, Uncover, Fade
duration	a number, describes the duration of the transition
direction	H (horizontal, only Split, Blinds) V (vertical, only Split, Blinds) 0 (left to right, only Wipe, Glitter, Fly, Cover, Uncover, Push) 90 (bottom to top, only Wipe) 180 (right to left, only Wipe) 270 (top to bottom, only Wipe, Glitter, Fly, Cover, Uncover, Push) 315 (top left to bottom, only Glitter) None (only Fly)
motion	one of I, O, only relevant for Split, Box and Fly
scale	a number, only relevant for Fly style
opaque	true or false, only relevant for Fly style

```
2419 \keys_define:nn { hyp }
2420 {
2421   pdfpagetransition .code:n =
2422   {
2423     \tl_if_blank:nTF {#1}
2424     {
2425       \pdfmanagement_remove:nn {Page}{Trans}
2426     }
2427     {
2428       \group_begin:
2429       \keys_set:nn { hyp / trans }{style=R,#1}
2430       \pdf_object_unnamed_write:ne { dict }
2431       {
2432         \pdfdict_use:n {l__hyp_page/Trans}
2433       }
2434       \pdfmanagement_add:nne {Page}{Trans}{\pdf_object_ref_last:}
2435       \group_end:
2436     }
2437   }
2438 }
2439 \keys_define:nn { hyp / trans }
2440 {
2441   ,style .choices:nn =
2442   {Split,Blinds,Box,Wipe,Dissolve,Glitter,R,Fly,Push,Cover,Uncover,Fade}
2443   { \pdfdict_put:nnn {l__hyp_page/Trans}{ S }{/#1} }
2444   ,style / unknown .code:n =
2445   {
```

```

2446     \msg_warning:nneee { hyp } { unknown-choice }
2447     { trans / style }
2448     { Split,Blinds,Box,Wipe,Dissolve,Glitter,R,Fly,Push,Cover,Uncover,Fade }
2449     { \exp_not:n {#1} }
2450   }
2451 ,duration .code:n =
2452   {
2453     \pdfdict_put:nnn {l__hyp_page/Trans}{ D }{#1}
2454   }
2455 ,direction .choices:nn =
2456   {H,V}
2457   { \pdfdict_put:nnn {l__hyp_page/Trans}{ Dm }{/#1} }
2458 ,direction .choices:nn =
2459   {0,90,180,270,315}
2460   { \pdfdict_put:nnn {l__hyp_page/Trans}{ Di }{ #1 } }
2461 ,direction / None .code:n =
2462   { \pdfdict_put:nnn {l__hyp_page/Trans}{ Di }{ /None } }
2463 ,direction / unknown .code:n =
2464   {
2465     \msg_warning:nneee { hyp } { unknown-choice }
2466     { trans / direction }
2467     {
2468       H~(horizontal,~only~Split,~Blinds),
2469       V~(vertical,~only~Split,~Blinds),
2470       0~(left~to~right,~only~Wipe,~Glitter,~Fly,~Cover,~Uncover,~Push),
2471       90~(bottom~to~top,~only~Wipe),
2472       180~(right~to~left,~only~Wipe),
2473       270~(top~to~bottom,~only~Wipe,~Glitter,~Fly,~Cover,~Uncover,~Push),
2474       315~(top~left~to~bottom,~only~Glitter),
2475       None~(only~Fly)
2476     }
2477     { \exp_not:n {#1} }
2478   }
2479 ,motion .choices:nn =
2480   {I,0}
2481   { \pdfdict_put:nnn {l__hyp_page/Trans}{ M }{/#1} }
2482 ,motion / unknown .code:n =
2483   {
2484     \msg_warning:nneee { hyp } { unknown-choice }
2485     { trans / motion }
2486     { I~(inwards) , 0~(outwards) }
2487     { \exp_not:n {#1} }
2488   }
2489 ,scale .code:n =
2490   { \pdfdict_put:nnn { l__hyp_page/Trans }{ SS }{ #1 } }
2491 ,opaque .choices:nn = {true,false}
2492   { \pdfdict_put:nnn { l__hyp_page/Trans }{ B }{ #1 } }
2493 ,opaque / unknown .code:n =
2494   {
2495     \msg_warning:nneee { hyp } { unknown-choice }
2496     { trans / B }
2497     { true~(opaque~back,~only~Fly), false~(opaque~back,~only~Fly) }
2498     { \exp_not:n {#1} }
2499   }

```

```

2500     % try to set unknown keys as style
2501     ,unknown .code:n =
2502     {
2503         % warning ...
2504         \exp_args:Nne\keys_set:nn {hyp/trans}{ style=\l_keys_key_str }
2505     }
2506 }

```

Finally we process the package option list, to get most keys working

```

2507 \keys_set_known:nv{ hyp }{opt@hyperref.sty}

```

Unfinished Form field code

```

2508 \NewDocumentCommand \MakeFieldObject { m m }
2509 {
2510     \pdfxform_new:nnn { #2 }{ } { #1 }
2511 }
2512
2513
2514 \prop_new:N \g__hyp_AcroForm_CoFields_prop
2515 \prop_new:N \g__hyp_AcroForm_Fields_prop
2516
2517 \let\HyField@afields\@empty
2518 \let\HyField@cofields\@empty
2519 \def\HyField@AfterAuxOpen{\Hy@AtBeginDocument}%
2520
2521 % the value doesn't matter, but with a prop we avoid duplicates and it is
2522 % clearly faster than removing them from a sequence
2523 \def\HyField@AuxAddToFields#1
2524 {
2525     \prop_gput:Nnn \g__hyp_AcroForm_Fields_prop {#1}{F}
2526 }%
2527
2528 %fields with empty key get a value too -- lets hope that
2529 %this give the expected behaviour
2530 \def\HyField@AuxAddToCoFields #1 #2
2531 {
2532     \prop_gput:Nnn \g__hyp_AcroForm_CoFields_prop {a#1}{#2}
2533 }
2534
2535 \Hy@AtBeginDocument
2536 {
2537     \if@filesw
2538         \immediate\write\@mainaux{%
2539             \string\providecommand\string\HyField@AuxAddToFields[1]{}%
2540         }%
2541         \immediate\write\@mainaux{%
2542             \string\providecommand\string\HyField@AuxAddToCoFields[2]{}%
2543         }%
2544     \fi
2545     \let\HyField@AfterAuxOpen\@firstofone
2546 }%
2547
2548 \def\HyField@AddToFields
2549 {
2550     \exp_args:Ne\HyField__hypAddToFields

```



```

2551     {
2552     \pdfannot_box_ref_last:
2553     }
2554 \ifx\Fld@calculate@code\@empty
2555 \else
2556 \begingroup
2557 \Hy@safe@activestruer
2558 \edef\Hy@temp{%
2559 \endgroup
2560 \if@filesw
2561 \write\@mainaux
2562 {
2563 \string\HyField@AuxAddToCoFields
2564 {
2565 \Fld@calculate@sortkey
2566 }
2567 {
2568 \pdfannot_box_ref_last:
2569 }
2570 }
2571 \fi
2572 }%
2573 \Hy@temp
2574 \fi
2575 }%
2576
2577 \def\HyField__hypAddToFields#1{
2578 \HyField@AfterAuxOpen{%
2579 \if@filesw
2580 \write\@mainaux{%
2581 \string\HyField@AuxAddToFields{#1}%
2582 }%
2583 \fi
2584 }%
2585 }%
2586
2587 \ExplSyntaxOff
2588 \ExplSyntaxOn
2589
2590 \def\@Form[#1]
2591 {
2592 \kvsetkeys{Form}{#1}
2593 \pdf@ifdraftmode{}
2594 {
2595 \Hy@FormObjects
2596 \prop_map_inline:Nn \g__hyp_AcroForm_Fields_prop
2597 {
2598 \pdfmanagement_add:nne { Catalog / AcroForm } { Fields }{##1}
2599 %\pdfmanagement_show:n { Catalog / AcroForm }
2600 }
2601 \prop_if_empty:NF \g__hyp_AcroForm_CoFields_prop
2602 {
2603 \prop_map_inline:Nn \g__hyp_AcroForm_CoFields_prop
2604 {

```

```

2605         \seq_put_right:Nn \l__hyp_tmpa_seq {##1}
2606     }
2607     \seq_sort:Nn \l__hyp_tmpa_seq
2608     {
2609         \str_compare:nNnTF {##1} > {##2}
2610         { \sort_return_swapped: }
2611         { \sort_return_same: }
2612     }
2613     \seq_map_inline:Nn \l__hyp_tmpa_seq
2614     {
2615         \pdfmanagement_add:nne { Catalog / AcroForm }
2616         { CO }
2617         {
2618             \prop_item:Nn \g__hyp_AcroForm_CoFields_prop {##1}
2619         }
2620     }
2621 }
2622 \pdfmanagement_add:nne {Catalog / AcroForm/DR/Font }
2623 {ZaDb} {\pdf_object_ref:n {__hyp/Font/ZaDb} }
2624 \pdfmanagement_add:nne {Catalog / AcroForm/DR/Font }
2625 {Helv} {\pdf_object_ref:n {__hyp/Font/Helv} }
2626 \pdfmanagement_add:nne {Catalog /AcroForm}
2627 {DA}{(/Helv~10~Tf~0~g)}
2628 \pdfmeta_standard_verify:nTF {form_no_NeedAppearance}
2629 {
2630     \legacy_if:nT { HyField@NeedAppearances }
2631     {
2632         \pdfmanagement_add:nnn {Catalog / AcroForm }{NeedAppearances}{true}
2633     }
2634 }
2635 {
2636     \pdfmanagement_remove:nn {Catalog / AcroForm }{NeedAppearances}
2637 }
2638 }
2639 }
2640 \ExplSyntaxOff
2641 \let\@endForm\@empty
2642 \let\HyAnn@AbsPageLabel\@empty
2643 \let\Fld@pageobjref\@empty
2644
2645 \ExplSyntaxOn
2646 \newcount\HyAnn@Count
2647 \HyAnn@Count=\z@
2648 \def\HyAnn@AbsPageLabel
2649 {
2650     \global\advance\HyAnn@Count by\@ne
2651     %\zref@labelbyprops{HyAnn@\the\HyAnn@Count}{abspage}%
2652     %\zref@labelbylist {HyAnn@\the\HyAnn@Count} {l3pdf}
2653     %\zref@refused{HyAnn@\the\HyAnn@Count}%
2654     \__hyp_property_record:ee {HyAnn@\the\HyAnn@Count}{abspage}
2655     \property_ref_undefined_warn:ee {HyAnn@\the\HyAnn@Count}{abspage}
2656 }%
2657 \prg_generate_conditional_variant:Nnn \property_if_recorded:nn {ee} {T}
2658 \def\Fld@pageobjref

```

```

2659 {
2660   \property_if_recorded:eeT {HyAnn@the\HyAnn@Count}{abspage}
2661   {
2662     /P~\pdf_pageobject_ref:e
2663     {
2664       \property_ref:ee{HyAnn@the\HyAnn@Count}{abspage}
2665     }
2666   }
2667 }
2668 \ExplSyntaxOff
2669 \ExplSyntaxOn
2670 %% check if the attr should be set through
2671 %% hooks.
2672 %% check if options are missing.
2673 \def\@TextField[#1]#2{% parameters, label
2674   \def\Fld@name{#2}%
2675   \let\Fld@default\@empty
2676   \let\Fld@value\@empty
2677   \def\Fld@width{\DefaultWidthofText}%
2678   \def\Fld@height{%
2679     \ifFld@multiline
2680       \DefaultHeightofTextMultiline
2681     \else
2682       \DefaultHeightofText
2683     \fi
2684   }%
2685   \begingroup
2686     \expandafter\HyField@SetKeys\expandafter{%
2687       \DefaultOptionsofText,#1%
2688     }%
2689     \PDFForm@Name
2690     \HyField@FlagsText
2691     \ifFld@hidden\def\Fld@width{1sp}\fi
2692     \ifx\Fld@value\@empty\def\Fld@value{\Fld@default}\fi
2693     \LayoutTextField{#2}{%
2694       \leavevmode
2695       \HyAnn@AbsPageLabel
2696       \Hy@escapeform\PDFForm@Text
2697       \pdfannot_box:nnnn
2698         {\Fld@width}
2699         {\Fld@height}
2700         {0pt} %is this correct?
2701         {\PDFForm@Text}
2702       \MakeTextField{\Fld@width}{\Fld@height}
2703       \HyField@AddToFields
2704     }%
2705   \endgroup
2706 }
2707 \providecommand\@curropt{}
2708 \def\@ChoiceMenu[#1]#2#3{% parameters, label, choices
2709   \def\Fld@name{#2}
2710   \let\Fld@default\relax
2711   \let\Fld@value\relax
2712   \def\Fld@width{\DefaultWidthofChoiceMenu}

```

```

2713 \def\Fld@height{\DefaultHeightofChoiceMenu}
2714 \begingroup
2715   \Fld@menulength=0 %
2716   \@tempdima\z@
2717   \clist_map_variable:nNn { #3 } \@curropt
2718   %\@for\@curropt:=#3\do
2719   {%
2720     \expandafter\Fld@checkequals\@curropt==\%
2721     \Hy@StepCount\Fld@menulength
2722     \settowidth{\@tempdimb}{\@currDisplay}%
2723     \ifdim\@tempdimb>\@tempdima\@tempdima\@tempdimb\fi
2724   }%
2725   \advance\@tempdima by~15\p@
2726   \begingroup
2727     \HyField@SetKeys{#1}
2728   \edef\x{\endgroup
2729     \noexpand\expandafter
2730     \noexpand\HyField@SetKeys
2731     \noexpand\expandafter{%
2732       \expandafter\noexpand\csgname DefaultOptionsof%
2733       \ifFld@radio
2734         Radio%
2735       \else
2736         \ifFld@combo
2737           \ifFld@popdown
2738             PopdownBox%
2739           \else
2740             ComboBox%
2741           \fi
2742         \else
2743           ListBox%
2744         \fi
2745       \fi
2746     \endcsname
2747   }%
2748   }\x
2749   \HyField@SetKeys{#1}%
2750   \PDFForm@Name
2751   \ifFld@hidden\def\Fld@width{1sp}\fi
2752   \ifx\Fld@value\relax
2753     \let\Fld@value\Fld@default
2754   \fi
2755   \LayoutChoiceField{#2}{%
2756     \ifFld@radio
2757       \HyField@FlagsRadioButton
2758       \__hypRadio{#3}%
2759     \else
2760       \begingroup
2761         \HyField@FlagsChoice
2762         \ifdim\Fld@width<\@tempdima
2763           \ifdim\@tempdima<1cm\@tempdima1cm\fi
2764         \edef\Fld@width{\the\@tempdima}%
2765         \fi
2766         \ifFld@combo

```

```

2767         \else
2768             \@tempdima=\the\Fld@menulength\Fld@charsize
2769             \advance\@tempdima by-\Fld@borderwidth bp %
2770             \advance\@tempdima by-\Fld@borderwidth bp %
2771             \edef\Fld@height{\the\@tempdima}%
2772         \fi
2773         \_\hypListBox{#3}%
2774     \endgroup
2775 \fi
2776 }%
2777 \endgroup
2778 }
2779
2780 \def\_\hypRadio#1{%
2781     \Fld@listcount=0-%
2782     %\show\Fld@default
2783     \EdefEscapeName\Fld@default{\Fld@default}%
2784     \clist_map_variable:nNn { #1 } \@curropt
2785     %\@for\@curropt:=#1\do
2786     {%
2787         \expandafter\Fld@checkequals\@curropt==\%%
2788         \EdefEscapeName\@currValue{\@currValue}%
2789         \Hy@StepCount\Fld@listcount
2790         \@currDisplay\space
2791         \leavevmode
2792         \HyAnn@AbsPageLabel
2793         \Hy@escapeform\PDFForm@Radio
2794         \pdfxform_if_exist:nF { \_\hyp_xform_Ding }
2795         {
2796             \pdfxform_new:nnn { \_\hyp_xform_Ding } {}
2797             {
2798                 \group_begin:
2799                 \fontfamily{pzd}
2800                 \fontencoding{U}
2801                 \fontseries{m}
2802                 \fontshape{n}
2803                 \selectfont
2804                 \char123
2805                 \group_end:
2806             }
2807         }
2808     \pdfannot_box:nnne
2809     {\Fld@width}
2810     {\Fld@height}
2811     {0pt} %is this correct?
2812     {
2813         \PDFForm@Radio
2814         /AP
2815         <<
2816         /N
2817         <<
2818         /\@currValue\c_space_tl \pdfxform_ref:n { \_\hyp_xform_Ding }
2819         %/Off \c_space_tl \pdfxform_ref:n { \_\hyp_xform_DingOff } %hm
2820         >>

```

```

2821         >>
2822     }
2823     {\fbox{ \MakeRadioField{\Fld@width}{\Fld@height}} }
2824     \int_compare:nNnT { \Fld@listcount} = { 1 }
2825     { \HyField@AddToFields }
2826     \c_space_tl % deliberate space between radio buttons
2827         % to do: --> should be configurable
2828 }%
2829 }
2830
2831 \newcount\Fld@listcount
2832 \def\__hypListbox#1
2833 {
2834     \HyField@PDFChoices{#1}
2835     \mode_leave_vertical:
2836     \HyAnn@AbsPageLabel
2837     \Hy@escapeform\PDFForm@List
2838     \pdf_link_user:nnn
2839         {widget} %perhaps we need more types??
2840         {\PDFForm@List}
2841         {\MakeChoiceField{\Fld@width}{\Fld@height}}
2842     \HyField@AddToFields
2843 }
2844
2845
2846 \def\@PushButton[#1]#2{% parameters, label
2847     \def\Fld@name{#2}%
2848     \group_begin:
2849         \exp_args:No\HyField@SetKeys
2850         {
2851             \DefaultOptionsofPushButton,#1
2852         }
2853     \PDFForm@Name
2854     \pdfmeta_standard_verify:nnTF {annot_action_A}{JavaScript}
2855     {
2856         \HyField@FlagsPushButton
2857         \legacy_if:nT {Fld@hidden}
2858         {
2859             \def\Fld@width{1sp}
2860         }
2861         \LayoutPushButtonField
2862         {
2863             \mode_leave_vertical:
2864             \HyAnn@AbsPageLabel
2865             \Hy@escapeform\PDFForm@Push
2866             \hbox_set:Nn \l_tmpa_box { \MakeButtonField {#2}}
2867             \pdfannot_box:nnnn
2868                 {\box_wd:N\l_tmpa_box}
2869                 {\box_ht:N\l_tmpa_box}
2870                 {\box_dp:N\l_tmpa_box} %is this correct?
2871                 {\PDFForm@Push}
2872                 {\box_use:N\l_tmpa_box}
2873             \HyField@AddToFields
2874         }

```

```

2875     }
2876     {
2877     \msg_error:nn { hyp }{ pdfa-no-push-button }
2878     \LayoutPushButtonField
2879     {
2880     \mode_leave_vertical:
2881     \MakeButtonField{#2}
2882     }
2883     }
2884 \group_end:
2885 }
2886
2887 \def\@Submit[#1]#2
2888 {
2889 \def\Fld@width {\DefaultWidthofSubmit}
2890 \def\Fld@height{\DefaultHeightofSubmit}
2891 \group_begin:
2892 \exp_args:No\HyField@SetKeys
2893 {
2894 \DefaultOptionsofSubmit,#1
2895 }
2896 \HyField@FlagsPushButton
2897 \HyField@FlagsSubmit
2898 \legacy_if:nT { Fld@hidden }
2899 {
2900 \def\Fld@width{1sp}
2901 }
2902 \mode_leave_vertical:
2903 \HyAnn@AbsPageLabel
2904 \Hy@escapeform\PDFForm@Submit
2905 \hbox_set:Nn \l_tmpa_box { \MakeButtonField {#2}}
2906 \pdfxform_if_exist:nF
2907 { __hyp_xform_Submit }
2908 {
2909 \pdfxform_new:nnn { __hyp_xform_Submit }{
2910 {
2911 \fbox{\color_select:n{yellow}\textsf{Submit}}
2912 }
2913 \pdfxform_new:nnn { __hyp_xform_SubmitP }{
2914 {
2915 \fbox{\color_select:n{yellow}\textsf{SubmitP}}
2916 }
2917 }
2918 \pdfannot_box:nnnn
2919 {\box_wd:N\l_tmpa_box}
2920 {\box_ht:N\l_tmpa_box}
2921 {\box_dp:N\l_tmpa_box} %is this correct?
2922 {
2923 \PDFForm@Submit
2924 /AP<<
2925 /N~\pdfxform_ref:n {__hyp_xform_Submit}~
2926 /D~\pdfxform_ref:n {__hyp_xform_SubmitP}
2927 >>
2928 }

```

```

2929     \HyField@AddToFields
2930     \box_use:N\l_tmpa_box
2931
2932   \group_end:
2933 }
2934
2935 \def\@Reset[#1]#2
2936 {
2937   \def\Fld@width {\DefaultWidthofReset}
2938   \def\Fld@height{\DefaultHeightofReset}
2939   \group_begin:
2940     \exp_args:No\HyField@SetKeys
2941     {
2942       \DefaultOptionsofReset,#1
2943     }
2944     \mode_leave_vertical:
2945     \pdfmeta_standard_verify:nnTF {annot_action_A}{ResetForm}
2946     {
2947       \HyField@FlagsPushButton
2948       \legacy_if:nT { Fld@hidden }
2949       { \def\Fld@width{1sp} }
2950       \HyAnn@AbsPageLabel
2951       \Hy@escapeform\PDFForm@Reset
2952       \hbox_set:Nn \l_tmpa_box { \MakeButtonField {#2}}
2953       \pdfannot_box:nnnn
2954       {\box_wd:N\l_tmpa_box}
2955       {\box_ht:N\l_tmpa_box}
2956       {\box_dp:N\l_tmpa_box} %is this correct?
2957       { \PDFForm@Reset }
2958       \HyField@AddToFields
2959       \box_use:N \l_tmpa_box
2960     }
2961     {
2962       \msg_error:nn { hyp }{ pdfa-no-reset-button }
2963       \MakeButtonField{#2}
2964     }
2965   \group_end:
2966 }
2967
2968 \def\@CheckBox[#1]#2
2969 {% parameters, label
2970   \def\Fld@name{#2}
2971   \def\Fld@default{0}
2972   \group_begin:
2973     \def\Fld@width {\DefaultWidthofCheckBox}
2974     \def\Fld@height{\DefaultHeightofCheckBox}
2975     \exp_args:No\HyField@SetKeys
2976     {
2977       \DefaultOptionsofCheckBox,#1
2978     }
2979     \PDFForm@Name
2980     \HyField@FlagsCheckBox
2981     \legacy_if:nT { Fld@hidden }
2982     {

```



```

2983     \def\Fld@width{1sp}
2984   }
2985   \LayoutCheckField{#2}
2986   {
2987     \mode_leave_vertical:
2988     \HyAnn@AbsPageLabel
2989     \Hy@escapeform\PDFForm@Check
2990     \pdfxform_if_exist:nF { __hyp_xform_CheckMarkYes }
2991     {
2992       \pdfxform_new:nnn
2993       {__hyp_xform_CheckMarkYes}{-}
2994       {
2995         \group_begin:
2996         \fontfamily{pzd}
2997         \fontencoding{U}
2998         \fontseries{m}
2999         \fontshape{n}
3000         \selectfont
3001         \char51
3002         \group_end:
3003       }
3004       \pdfxform_new:nnn
3005       {__hyp_xform_CheckMarkOff}{-}
3006       {
3007         \group_begin:
3008         \fontfamily{pzd}
3009         \fontencoding{U}
3010         \fontseries{m}
3011         \fontshape{n}
3012         \selectfont
3013         \phantom{\char51} %perhaps xetex needs some small glyph ..
3014         \group_end:
3015       }
3016     }
3017     \pdfannot_box:nmm
3018     {\Fld@width}
3019     {\Fld@height}
3020     {Opt} %is this correct?
3021     {\PDFForm@Check}
3022     \HyField@AddToFields %check if this works with xelatex ...
3023   }
3024   \group_end:
3025 }
3026 \ExplSyntaxOff
3027
3028 %hm. Should a luatex driver use type1 fonts in fields????
3029 \ExplSyntaxOn
3030 \def\Hy@FormObjects
3031 {
3032   \pdf_object_new:n {__hyp/Encoding/pdfdoc }
3033   \pdf_object_new:n {__hyp/Font/ZaDb }
3034   \pdf_object_new:n {__hyp/Font/Helv }
3035   \pdf_object_write:nne {__hyp/Encoding/pdfdoc } { dict }
3036   {

```

```

3037 /Type/Encoding
3038 /Differences[
3039     24/breve/caron/circumflex/dotaccent/hungarumlaut/ogonek
3040     /ring/tilde
3041     \c_space_tl
3042     39/quotesingle
3043     \c_space_tl
3044     96/grave %
3045     \iow_newline:
3046     128/bullet/dagger/daggerdbl/ellipsis/emdash/endash/florin
3047     /fraction/guilsinglleft/guilsinglright/minus/perthousand
3048     /quotedblbase/quotedblleft/quotedblright/quoteleft
3049     /quoteright/quotesinglbase/trademark/fi/fl/Lslash/OE
3050     /Scaron/Ydieresis/Zcaron/dotlessi/lslash/oe/scaron/zcaron
3051     \iow_newline:
3052     164/currency
3053     \c_space_tl
3054     166/brokenbar
3055     \c_space_tl
3056     168/dieresis/copyright/ordfeminine
3057     \c_space_tl
3058     172/logicalnot/.notdef/registered/macron/degree/plusminus
3059     /twosuperior/threesuperior/acute/mu
3060     \c_space_tl
3061     183/periodcentered/cedilla/onesuperior/ordmasculine
3062     \c_space_tl
3063     188/onequarter/onehalf/threequarters
3064     \iow_newline:
3065     192/Agrave/Aacute/Acircumflex/Atilde/Adieresis/Aring/AE
3066     /Cedilla/Egrave/Eacute/Ecircumflex/Edieresis/Igrave
3067     /Iacute/Icircumflex/Idieresis/Eth/Ntilde/Ograve/Oacute
3068     /Ocircumflex/Otilde/Odieresis/multiply/Oslash/Ugrave
3069     /Uacute/Ucircumflex/Udieresis/Yacute/Thorn/germandbls
3070     /agrave/aacute/acircumflex/atilde/adieresis/aring/ae
3071     /cedilla/egrave/eacute/ecircumflex/edieresis/igrave
3072     /iacute/icircumflex/idieresis/eth/ntilde/ograde/oacute
3073     /ocircumflex/otilde/odieresis/divide/oslash/ugrave
3074     /uacute/ucircumflex/udieresis/yacute/thorn/ydieresis
3075 ]
3076 }
3077 \pdf_object_write:nnn {__hyp/Font/ZaDb } { dict }
3078 {
3079     /Type/Font
3080     /Subtype/Type1
3081     /Name/ZaDb
3082     /BaseFont/ZapfDingbats
3083 }
3084 \pdf_object_write:nne {__hyp/Font/Helv } { dict }
3085 {
3086     /Type/Font
3087     /Subtype/Type1
3088     /Name/Helv
3089     /BaseFont/Helvetica
3090     /Encoding~\pdf_object_ref:n { __hyp/Encoding/pdfdoc }

```

```

3091     }
3092     \global\let\Hy@FormObjects\relax
3093   }
3094   \ExplSyntaxOff
3095   \providecommand*{\Fld@pageobjref}{}
3096   \ifcsname pdf@escapestring\endcsname
3097     \def\Hy@escapeform#1{%
3098       \ifHy@pdfescapeform
3099         \let\Hy@escapestring\pdfescapestring
3100       \else
3101         \let\Hy@escapestring\@firstofone
3102       \fi
3103     }%
3104     \Hy@escapeform{}%
3105   \else
3106     \let\Hy@escapestring\@firstofone
3107     \def\Hy@escapeform#1{%
3108       \ifHy@pdfescapeform
3109         \def\Hy@escapestring##1{%
3110           \noexpand\Hy@escapestring{\noexpand##1}%
3111         }%
3112         \edef\Hy@temp{#1}%
3113         \expandafter\Hy__hypescapeform\Hy@temp\Hy@escapestring}\@nil
3114         \def\Hy@escapestring##1{%
3115           \@ifundefined{Hy@esc@\string##1}{%
3116             ##1%
3117             \ThisShouldNotHappen
3118           }{%
3119             \csname Hy@esc@\string##1\endcsname
3120           }%
3121         }%
3122       \else
3123         \let\Hy@escapestring\@firstofone
3124       \fi
3125     }%
3126     \def\Hy__hypescapeform#1\Hy@escapestring#2#3\@nil{%
3127       \ifx\#3\%
3128         \else
3129           \expandafter
3130           \Hy@pstringdef\csname Hy@esc@\string#2\endcsname{#2}% probably string-hex
3131           \Hy@ReturnAfterFi{%
3132             \Hy__hypescapeform#3\@nil
3133           }%
3134         \fi
3135       }%
3136     \fi
3137     \def\PDFForm@Name{%
3138       \PDFForm__hypName\Fld@name
3139       \ifx\Fld@altname\relax
3140         \else
3141           \PDFForm__hypName\Fld@altname
3142         \fi
3143       \ifx\Fld@mappingname\relax
3144         \else

```

```

3145     \PDFForm__hypName\Fld@mappingname
3146     \fi
3147   }
3148   \def\PDFForm__hypName#1{%
3149     \beginngroup
3150     \ifnum\Hy@pdfversion<5 % implementation note 117, PDF spec 1.7
3151       \ifHy@unicode
3152         \Hy@unicodedefalse
3153       \fi
3154     \fi
3155     \pdfstringdef\Hy@gtemp#1%
3156   \endgroup
3157   \let#1\Hy@gtemp
3158 }
3159 \def\Fld@X@additionalactions{%
3160   \ifx\Fld@keystroke@code\@empty
3161   \else
3162     /K<</S/JavaScript/JS(\Hy@escapestring{\Fld@keystroke@code})>>%
3163   \fi
3164   \ifx\Fld@format@code\@empty
3165   \else
3166     /F<</S/JavaScript/JS(\Hy@escapestring{\Fld@format@code})>>%
3167   \fi
3168   \ifx\Fld@validate@code\@empty
3169   \else
3170     /V<</S/JavaScript/JS(\Hy@escapestring{\Fld@validate@code})>>%
3171   \fi
3172   \ifx\Fld@calculate@code\@empty
3173   \else
3174     /C<</S/JavaScript/JS(\Hy@escapestring{\Fld@calculate@code})>>%
3175   \fi
3176   \ifx\Fld@onfocus@code\@empty
3177   \else
3178     /Fo<</S/JavaScript/JS(\Hy@escapestring{\Fld@onfocus@code})>>%
3179   \fi
3180   \ifx\Fld@onblur@code\@empty
3181   \else
3182     /Bl<</S/JavaScript/JS(\Hy@escapestring{\Fld@onblur@code})>>%
3183   \fi
3184   \ifx\Fld@onmousedown@code\@empty
3185   \else
3186     /D<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmousedown@code})>>%
3187   \fi
3188   \ifx\Fld@onmouseup@code\@empty
3189   \else
3190     /U<</S/JavaScript/JS(\Hy@escapestring{\Fld@onmouseup@code})>>%
3191   \fi
3192   \ifx\Fld@onenter@code\@empty
3193   \else
3194     /E<</S/JavaScript/JS(\Hy@escapestring{\Fld@onenter@code})>>%
3195   \fi
3196   \ifx\Fld@onexit@code\@empty
3197   \else
3198     /X<</S/JavaScript/JS(\Hy@escapestring{\Fld@onexit@code})>>%

```

```

3199  \fi
3200  }
3201  \ExplSyntaxOn
3202  \def\Fld@additionalactions
3203  {%
3204  \exp_args:Ne\str_if_eq:nnF {\Fld@X@additionalactions}{}
3205  {
3206  \pdfmeta_standard_verify:nT {annot_widget_no_AA}
3207  {/AA<<\Fld@X@additionalactions>>}
3208  }
3209  }
3210  \ExplSyntaxOff
3211  \def\Fld@annotnames{%
3212  /T(\Fld@name)%
3213  \ifx\Fld@altname\relax
3214  \else
3215  /TU(\Fld@altname)%
3216  \fi
3217  \ifx\Fld@mappingname\relax
3218  \else
3219  /TM(\Fld@mappingname)%
3220  \fi
3221  }
3222  \ExplSyntaxOn
3223  \def\PDFForm@Check
3224  {
3225  /Subtype/Widget
3226  ~\Fld@annotflags
3227  ~\Fld@pageobjref
3228  ~\Fld@annotnames
3229  /FT/Btn
3230  \Fld@flags
3231  /Q~\Fld@align
3232  /BS<</W~\Fld@borderwidth /S/\Fld@borderstyle>>
3233  /AP
3234  <<
3235  /N
3236  <<
3237  /Yes~\pdfxform_ref:n{__hyp_xform_CheckMarkYes}
3238  /Off~\pdfxform_ref:n{__hyp_xform_CheckMarkOff}
3239  >>
3240  >>
3241  /MK<<
3242  \int_compare:nNnF {\Fld@rotation}={0}
3243  {
3244  /R~\Fld@rotation
3245  }
3246  \tl_if_empty:NF\Fld@bordercolor
3247  {
3248  /BC[\Fld@bordercolor]
3249  }
3250  \tl_if_empty:NF\Fld@bcolor
3251  {
3252  /BG[\Fld@bcolor]

```

```

3253     }
3254     /CA(\Hy@escapestring{\Fld@cbsymbol})%
3255 >>
3256 /DA
3257 (
3258     /ZaDb~\strip@pt\Fld@charsize\c_space_tl Tf
3259     \tl_if_empty:NF \Fld@color
3260     {
3261         \c_space_tl \Fld@color
3262     }
3263 )
3264 /H/P
3265 \legacy_if:nTF {Fld@checked}
3266 {
3267     /V/Yes /AS/Yes
3268 }
3269 {
3270     /V/Off /AS/Off
3271 }
3272 \Fld@additionalactions
3273 }
3274 \ExplSyntaxOff
3275 \ExplSyntaxOn
3276 \def\PDFForm@Push
3277 {
3278     /Subtype/Widget
3279     ~\Fld@annotflags
3280     ~\Fld@pageobjref
3281     ~\Fld@annotnames
3282     /FT/Btn
3283     ~\Fld@flags
3284     /H/P
3285     /BS<<W~\Fld@borderwidth/S/\Fld@borderstyle>>
3286     \bool_if:nT
3287     {
3288         !\int_compare_p:nNn {\Fld@rotation} = {0}
3289         ||
3290         \tl_if_exist_p:N \Fld@bordercolor
3291     }
3292     {
3293         /MK
3294         <<
3295             \int_compare:nNnF {\Fld@rotation} = {0}
3296             {
3297                 /R~\Fld@rotation
3298             }
3299             \tl_if_exist:NT \Fld@bordercolor
3300             {
3301                 /BC[\Fld@bordercolor]
3302             }
3303         >>
3304     }
3305     /A<</S/JavaScript/JS(\Hy@escapestring{\Fld@onclick@code})>>
3306     \Fld@additionalactions

```

```

3307     }
3308
3309 \ExplSyntaxOff
3310 \def\PDFForm@List{%
3311   /Subtype/Widget%
3312   \Fld@annotflags
3313   \Fld@pageobjref
3314   \Fld@annotnames
3315   /FT/Ch%
3316   \Fld@flags
3317   /Q \Fld@align
3318   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
3319   \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
3320     \ifx\Fld@bordercolor\relax\else 1\fi
3321     \ifx\Fld@bcolor\relax \else 1\fi
3322     \space
3323 \else
3324   /MK<<%
3325     \ifnum\Fld@rotation=\z@
3326     \else
3327       /R \Fld@rotation
3328       \fi
3329     \ifx\Fld@bordercolor\relax
3330     \else
3331       /BC[\Fld@bordercolor]%
3332       \fi
3333     \ifx\Fld@bcolor\relax
3334     \else
3335       /BG[\Fld@bcolor]%
3336       \fi
3337     >>%
3338   \fi
3339 /DA(/Helv \strip@pt\Fld@charsize\space Tf%
3340   \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
3341 \Fld@choices
3342 \Fld@additionalactions
3343 }
3344 \ExplSyntaxOn
3345 \def\PDFForm@Radio
3346 {
3347   /Subtype/Widget
3348   ~\Fld@annotflags
3349   ~\Fld@pageobjref
3350   ~\Fld@annotnames
3351   /FT/Btn
3352   \Fld@flags
3353   /H/P
3354   /BS<</W~\Fld@borderwidth/S/\Fld@borderstyle>>
3355   /MK<<
3356   \ifnum\Fld@rotation=\z@
3357   \else
3358     /R~\Fld@rotation
3359   \fi
3360   \ifx\Fld@bordercolor\relax

```

```

3361     \else
3362         /BC[\Fld@bordercolor]%
3363     \fi
3364     \ifx\Fld@bcolor\relax
3365     \else
3366         /BG[\Fld@bcolor]%
3367     \fi
3368     /CA(\Hy\escapestring{\Fld@radiosymbol})%
3369     >>
3370     /DA(/ZaDb~\strip@pt\Fld@charsize\space Tf%
3371         \ifx\Fld@color\@empty\else\space\Fld@color\fi)%
3372     \ifx\Fld@default\@empty
3373         /V/Off%
3374         /DV/Off%
3375     \else
3376         /V/\Fld@default
3377         /DV/\Fld@default
3378     \fi
3379     \Fld@additionalactions
3380 }
3381 \ExplSyntaxOff
3382 \ExplSyntaxOn
3383 % Does an appearance dict make sense here?
3384 \def\PDFForm@Text
3385 {
3386     /Subtype/Widget
3387     ~\Fld@annotflags
3388     ~\Fld@pageobjref
3389     ~\Fld@annotnames
3390     /FT/Tx
3391     ~\Fld@flags
3392     /Q~\Fld@align
3393     /BS<</W~\Fld@borderwidth\c_space_tl /S /\Fld@borderstyle>>
3394     \bool_if:nT
3395     {
3396         !\int_compare_p:nNn {\Fld@rotation} = {0}
3397         ||
3398         \tl_if_exist_p:N \Fld@bordercolor
3399         ||
3400         \tl_if_exist_p:N \Fld@bcolor
3401     }
3402     {
3403         /MK
3404         <<
3405             \int_compare:nNnF {\Fld@rotation} = {0}
3406             {
3407                 /R~\Fld@rotation
3408             }
3409             \tl_if_exist:NT \Fld@bordercolor
3410             {
3411                 /BC[\Fld@bordercolor]
3412             }
3413             \tl_if_exist:NT \Fld@bcolor
3414             {

```



```

3415         /BG[\Fld@bcolor]
3416     }
3417     >>
3418 }
3419 /DA
3420 (
3421     /Helv~\strip@pt\Fld@charsize\c_space_tl Tf
3422     \tl_if_empty:NF {\c_space_tl\Fld@color}
3423 )
3424 /DV(\Hy@escapestring{\Fld@default})
3425 /V(\Hy@escapestring{\Fld@value})
3426 ~\Fld@additionalactions
3427 \int_compare:nNnT { \Fld@maxlen}>{0}
3428 {
3429     /MaxLen~\Fld@maxlen
3430 }
3431 }
3432 \ExplSyntaxOff
3433
3434 \def\PDFForm@Submit{%
3435     /Subtype/Widget%
3436     \Fld@annotflags
3437     \Fld@pageobjref
3438     \Fld@annotnames
3439     /FT/Btn%
3440     \Fld@flags
3441     /H/P%
3442     /BS<<W \Fld@borderwidth/S/\Fld@borderstyle>>%
3443     \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
3444         \ifx\Fld@bordercolor\relax\else 1\fi
3445         \space
3446     \else
3447         /MK<<%
3448         \ifnum\Fld@rotation=\z@
3449         \else
3450             /R \Fld@rotation
3451         \fi
3452         \ifx\Fld@bordercolor\relax
3453         \else
3454             /BC[\Fld@bordercolor]%
3455         \fi
3456     >>%
3457     \fi
3458     /A<<%
3459     /S/SubmitForm%
3460     /F<<%
3461     /FS/URL%
3462     /F(\Hy@escapestring{\Form@action})%
3463     >>%
3464     \Fld@submitflags
3465     >>%
3466     \Fld@additionalactions
3467 }
3468 \ExplSyntaxOn

```

```

3469 \def\PDFForm@Reset{%
3470   /Subtype/Widget%
3471   \Fld@annotflags
3472   \Fld@pageobjref
3473   \Fld@annotnames
3474   /FT/Btn%
3475   \Fld@flags
3476   /H/P%
3477   /DA(/Helv~\strip@pt\Fld@charsize\space Tf~0~0~1~rg)%
3478   \ifcase0\ifnum\Fld@rotation=\z@ \else 1\fi
3479     \ifx\Fld@bordercolor\relax\else 1\fi
3480     \space
3481   \else
3482     /MK<<%
3483       \ifnum\Fld@rotation=\z@
3484       \else
3485         /R~\Fld@rotation
3486       \fi
3487       \ifx\Fld@bordercolor\relax
3488       \else
3489         /BC[\Fld@bordercolor]%
3490       \fi
3491     >>%
3492   \fi
3493   /BS<</W \Fld@borderwidth/S/\Fld@borderstyle>>%
3494   /A<</S/ResetForm>>%
3495   \Fld@additionalactions
3496 }%
3497
3498
3499 %these patterns are used in hyperref checks.
3500 %it is unclear if they are really useful and if a backend support is
3501 %needed.
3502 \str_case:VnF \c_sys_backend_str
3503 {
3504   { pdfmode }
3505   {
3506     \def\HyPat@ObjRef
3507     {
3508       [0-9]*[1-9][0-9]*~0~R
3509     }
3510   }
3511   { dvipdfmx }
3512   {
3513     \def\HyPat@ObjRef
3514     {
3515       @[\^~]+
3516     }
3517   }
3518   { xdvipdfmx }
3519   {
3520     \def\HyPat@ObjRef
3521     {
3522       @[\^~]+

```

```

3523     }
3524   }
3525 }
3526 { %also set in hyperref sty, so probably not needed.
3527   \def\HyPat@ObjRef/{.+}
3528 }
3529
3530
3531 \ExplSyntaxOff
3532 % UF: removed Hy@writebookmark
3533 %   \Hy@currentbookmarklevel{0}
3534 %   \Hy@numberline
3535 %   \__hypwritetorep
3536 %   counter{bookmark@seq@number}
3537 % removed \HyPsd@SanitizeForOutFile, not needed
3538 % removed \currentpdfbookmark, defined by bookmark,
3539 % should use \newcommand there
3540 % removed \subpdfbookmark, defined by bookmark,
3541 % should use \newcommand there
3542 % removed \belowpdfbookmark, defined by bookmark,
3543 % should use \newcommand there
3544 % removed \pdfbookmark, defined by bookmark,
3545 % \BOOKMARK
3546 % \@BOOKMARK
3547 %% \RequirePackage{rerunfilecheck}[2009/12/10]
3548 %% removed \Hy@OutlineRerunCheck, unneeded with bookmark
3549 %% removed \ReadBookmarks / unneeded with bookmark.
3550 %% removed \Hy@OutlineName
3551 %% removed \check@bm@number
3552 %% removed \calc@bm@number
3553
3554 \ifHy@implicit
3555 \else
3556   \expandafter\endinput
3557 \fi
3558 \newlength\Hy@SectionHShift
3559 \def\Hy@SectionAnchorHref#1{%
3560   \ifx\protect\@typeset@protect
3561     \Hy__hypSectionAnchor{#1}%
3562   \fi
3563 }
3564 \DeclareRobustCommand*\Hy__hypSectionAnchor}[1]{%
3565   \leavevmode
3566   \hbox to 0pt{%
3567     \kern-\Hy@SectionHShift
3568     \Hy@raisedlink{%
3569       \hyper@anchorstart{#1}\hyper@anchorend
3570     }%
3571     \hss
3572   }%
3573 }
3574 \@ifundefined{hyper@nopatch@sectioning}
3575 {
3576 \let\H@old@ssect\@ssect

```

```

3577 \def\@ssect#1#2#3#4#5{%
3578   \Hy@MakeCurrentHrefAuto{section*}%
3579   \setlength{\Hy@SectionHShift}{#1}%
3580   \begingroup
3581     \toks@{\H@old@ssect{#1}{#2}{#3}{#4}}%
3582     \toks\tw@\expandafter{%
3583       \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
3584       #5%
3585     }%
3586   \edef\x{\endgroup
3587     \the\toks@\the\toks\tw@}%
3588   }\x
3589 }
3590 \let\H@old@schapter\@schapter
3591 \def\@schapter#1{%
3592   \begingroup
3593     \let\@mkboth\@gobbletwo
3594     \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
3595     \Hy@raisedlink{%
3596       \hyper@anchorstart{\@currentHref}\hyper@anchorend
3597     }%
3598   \endgroup
3599   \H@old@schapter{#1}%
3600 }
3601 \@ifundefined{@chapter}{-}{%
3602   \let\Hy@org@chapter\@chapter
3603   \def\@chapter{%
3604     \def\Hy@next{%
3605       \Hy@MakeCurrentHrefAuto{\Hy@chapapp*}%
3606       \Hy@raisedlink{%
3607         \hyper@anchorstart{\@currentHref}\hyper@anchorend
3608       }%
3609     }%
3610     \ifnum\c@secnumdepth>\m@ne
3611       \@ifundefined{if@mainmatter}{%
3612         \iftrue{\csname if@mainmatter\endcsname}%
3613         \let\Hy@next\relax
3614       }%
3615     \fi
3616     \Hy@next
3617     \Hy@org@chapter
3618   }%
3619 }
3620 \let\H@old@part\@part
3621 \begingroup\expandafter\expandafter\expandafter\endgroup
3622 \expandafter\ifx\csname chapter\endcsname\relax
3623   \let\Hy@secnum@part\z@
3624 \else
3625   \let\Hy@secnum@part\m@ne
3626 \fi
3627 \def\@part{%
3628   \ifnum\Hy@secnum@part>\c@secnumdepth
3629     \phantomsection
3630   \fi

```

```

3631 \H@old@part
3632 }
3633 \let\H@old@spart\@spart
3634 \def\@spart#1{%
3635 \Hy@MakeCurrentHrefAuto{part*}%
3636 \Hy@raisedlink{%
3637 \hyper@anchorstart{\@currentHref}\hyper@anchorend
3638 }%
3639 \H@old@spart{#1}%
3640 }
3641 \let\H@old@sect\@sect
3642 \def\@sect#1#2#3#4#5#6[#7]#8{%
3643 \ifnum #2>\c@secnumdepth
3644 \expandafter\@firstoftwo
3645 \else
3646 \expandafter\@secondoftwo
3647 \fi
3648 {%
3649 \Hy@MakeCurrentHrefAuto{section*}%
3650 \setlength{\Hy@SectionHShift}{#3}%
3651 \begingroup
3652 \toks@{\H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}[[#7]]}%
3653 \toks\tw@\expandafter{%
3654 \expandafter\Hy@SectionAnchorHref\expandafter{\@currentHref}%
3655 #8%
3656 }%
3657 \edef\x{\endgroup
3658 \the\toks@\the\toks\tw@}%
3659 }\x
3660 }{%
3661 \H@old@sect{#1}{#2}{#3}{#4}{#5}{#6}[[#7]]{#8}%
3662 }%
3663 }
3664 }{}
3665 \expandafter\def\csname Parent-4\endcsname{}
3666 \expandafter\def\csname Parent-3\endcsname{}
3667 \expandafter\def\csname Parent-2\endcsname{}
3668 \expandafter\def\csname Parent-1\endcsname{}
3669 \expandafter\def\csname Parent0\endcsname{}
3670 \expandafter\def\csname Parent1\endcsname{}
3671 \expandafter\def\csname Parent2\endcsname{}
3672 \expandafter\def\csname Parent3\endcsname{}
3673 \expandafter\def\csname Parent4\endcsname{}
3674 %%
3675 %% End of file 'hgeneric-testphase.def'.
3676 </package>

3677 <*colorscheme>
3678 % collected from https://tex.stackexchange.com/questions/525261/better-default-colors-for-hy
3679 % cite color ignored, as it doesn't fit ... should be done by cite packages ?
3680 % linkcolor=
3681 %,filecolor=
3682 %,urlcolor=
3683 %,menucolor=
3684 %,runcolor=

```

```

3685 %,linkbordercolor=
3686 %,filebordercolor=
3687 %,urlbordercolor=
3688 %,menubordercolor=
3689 %,runbordercolor=
3690
3691 \prop_const_from_keyval:cn { c__hyp_colorscheme_primary-colors_prop }
3692 {
3693   linkcolor      = [rgb]{1,0,0}, %red
3694   filecolor      = [rgb]{0,1,1}, %cyan
3695   urlcolor       = [rgb]{1,0,1}, %magenta
3696   menucolor      = [rgb]{1, 0, 0}, %red
3697   runcolor       = [rgb]{0,1,1}, %cyan
3698   %-----
3699   linkbordercolor = [rgb]{1, 0 ,0 },
3700   filebordercolor = [rgb]{0, .5, .5},
3701   urlbordercolor  = [rgb]{0, 1, 1},
3702   menubordercolor = [rgb]{1, 0, 0},
3703   runbordercolor  = [rgb]{0, .7, .7}
3704 }
3705
3706 \prop_const_from_keyval:Nn \c__hyp_colorscheme_daleif_prop
3707 {
3708   linkcolor      = [rgb]{0,0.2,0.6},
3709   filecolor      = [rgb]{0.8,0,0.8},
3710   urlcolor       = [rgb]{0.8,0,0.8},
3711   menucolor      = [rgb]{0,0.2,0.6},
3712   runcolor       = [rgb]{0.8,0,0.8},
3713   %-----      %-----
3714   linkbordercolor = [rgb]{0,0.2,0.6},
3715   filebordercolor = [rgb]{0.8,0,0.8},
3716   urlbordercolor  = [rgb]{0.8,0,0.8},
3717   menubordercolor = [rgb]{0,0.2,0.6},
3718   runbordercolor  = [rgb]{0.8,0,0.8}
3719 }
3720
3721 \prop_const_from_keyval:Nn \c__hyp_colorscheme_julian_prop
3722 { %two colors: intern/extern
3723   linkcolor      = [rgb]{0.79216, 0, 0.12549},
3724   filecolor      = [rgb]{0.01961, 0.44314, 0.6902},
3725   urlcolor       = [rgb]{0.01961, 0.44314, 0.6902},
3726   menucolor      = [rgb]{0.79216, 0, 0.12549 },
3727   runcolor       = [rgb]{0.01961, 0.44314, 0.6902 },
3728   %-----      %-----
3729   linkbordercolor = [rgb]{0.79216, 0, 0.12549},
3730   filebordercolor = [rgb]{0.01961, 0.44314, 0.6902},
3731   urlbordercolor  = [rgb]{0.01961, 0.44314, 0.6902},
3732   menubordercolor = [rgb]{0.79216, 0, 0.12549 },
3733   runbordercolor  = [rgb]{0.01961, 0.44314, 0.6902 }
3734 }
3735
3736 \prop_const_from_keyval:Nn \c__hyp_colorscheme_tivv_prop
3737 { %all darkgray
3738   linkcolor      = [rgb]{0.4 ,0.4 ,0.4 },

```

```

3739   filecolor      = [rgb]{0.4 ,0.4 ,0.4 },
3740   urlcolor       = [rgb]{0.4 ,0.4 ,0.4 },
3741   menucolor      = [rgb]{0.4 ,0.4 ,0.4 },
3742   runcolor       = [rgb]{0.4 ,0.4 ,0.4 },
3743 %----- %-----
3744   linkbordercolor = [rgb]{0.4 ,0.4 ,0.4 },
3745   filebordercolor = [rgb]{0.4 ,0.4 ,0.4 },
3746   urlbordercolor  = [rgb]{0.4 ,0.4 ,0.4 },
3747   menubordercolor = [rgb]{0.4 ,0.4 ,0.4 },
3748   runbordercolor  = [rgb]{0.4 ,0.4 ,0.4 }
3749 }
3750
3751 \prop_const_from_keyval:Nn \c__hyp_colorscheme_szabolcsA_prop
3752 { %dvipsnam.def
3753   linkcolor      = [rgb]{0.06, 0.46, 1}, %NavyBlue
3754   filecolor      = [rgb]{1, 0, 0}, %Red
3755   urlcolor       = [rgb]{0.06, 0.46, 1}, %NavyBlue
3756   menucolor      = [rgb]{1, 0, 0}, %Red
3757   runcolor       = [rgb]{1, 0, 0}, %Red
3758 %----- %-----
3759   linkbordercolor = [rgb]{0.06, 0.46, 1}, %NavyBlue
3760   filebordercolor = [rgb]{1, 0, 0}, %Red
3761   urlbordercolor  = [rgb]{0.06, 0.46, 1}, %NavyBlue
3762   menubordercolor = [rgb]{1, 0, 0}, %Red
3763   runbordercolor  = [rgb]{1, 0, 0} %Red
3764 }
3765
3766 \prop_const_from_keyval:Nn \c__hyp_colorscheme_szabolcsB_prop
3767 { %dvipsnam.def
3768   linkcolor      = [rgb]{0.72, 0, 0}, %BrickRed
3769   filecolor      = [rgb]{0, 1, 0}, %Green
3770   urlcolor       = [rgb]{0.64, 0.08, 0.98}, %Mulberry
3771   menucolor      = [rgb]{0.06, 0.46, 1}, %NavyBlue
3772   runcolor       = [rgb]{0.64, 0.08, 0.98}, %Mulberry
3773 %----- %-----
3774   linkbordercolor = [rgb]{0.72, 0, 0}, %BrickRed
3775   filebordercolor = [rgb]{0, 1, 0}, %Green
3776   urlbordercolor  = [rgb]{0.64, 0.08, 0.98}, %Mulberry
3777   menubordercolor = [rgb]{0.06, 0.46, 1}, %NavyBlue
3778   runbordercolor  = [rgb]{0.64, 0.08, 0.98} %Mulberry
3779 }
3780
3781
3782 \prop_const_from_keyval:Nn \c__hyp_colorscheme_phelype_prop
3783 {
3784   linkcolor      = [rgb]{0.50196, 0, 0.02353},
3785   filecolor      = [rgb]{0.07451, 0.09412, 0.46667},
3786   urlcolor       = [rgb]{0.54118, 0, 0.52941},
3787   menucolor      = [rgb]{0.44706, 0.45882, 0},
3788   runcolor       = [rgb]{0.07451, 0.46667, 0.46275},
3789 %----- %-----
3790   linkbordercolor = [rgb]{0.701176, 0.4, 0.414118},
3791   filebordercolor = [rgb]{0.444706, 0.456472, 0.680002},
3792   urlbordercolor  = [rgb]{0.724708, 0.4, 0.717646},

```

```

3793     menubordercolor = [rgb]{0.668236, 0.675292, 0.4},
3794     runbordercolor  = [rgb]{0.444706, 0.680002, 0.67765}
3795   }
3796
3797 \prop_const_from_keyval:Nn \c__hyp_colorscheme_henryford_prop
3798 {
3799     linkcolor        = [rgb]{0,0,0},
3800     filecolor        = [rgb]{0,0,0},
3801     urlcolor         = [rgb]{0,0,0},
3802     menucolor        = [rgb]{0,0,0},
3803     runcolor         = [rgb]{0,0,0},
3804     %----- %-----
3805     linkbordercolor = [rgb]{0,0,0},
3806     filebordercolor = [rgb]{0,0,0},
3807     urlbordercolor  = [rgb]{0,0,0},
3808     menubordercolor = [rgb]{0,0,0},
3809     runbordercolor  = [rgb]{0,0,0}
3810 }
3811 </colorscheme>

```


Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
<code>\#</code>	280, 782
<code>\\$</code>	279
<code>\%</code>	783
<code>\-</code>	2199
<code>\.</code>	543, 547, 549
@curropt commands:	
<code>\@curropt:</code>	2718, 2785
<code>\[</code>	2199
<code>\]</code> ...	20, 21, 31, 32, 33, 41, 45, 55, 75, 82, 89, 96, 103, 118, 123, 124, 132, 133, 142, 143, 144, 145, 146, 153, 161, 281, 282, 932, 2720, 2787, 3127
<code>_</code>	541, 543, 547, 549
<code>\]</code>	2199
A	
<code>\A</code>	541, 2199
<code>\Acrobatmenu</code>	18, 174
<code>\addcontentsline</code>	13
<code>\AddToDocumentProperties</code> ..	389, 2194, 2295
<code>\AddToHook</code>	427, 440
<code>\AddToHookNext</code>	199
<code>\advance</code>	2650, 2725, 2769, 2770
<code>allcolors</code> (hypersetup key) ..	<u>1060</u>
<code>\author</code>	2
B	
<code>\b</code>	545
<code>\begingroup</code>	210, 278, 376, 2556, 2685, 2714, 2726, 2760, 3149, 3580, 3592, 3621, 3651
<code>\belowpdfbookmark</code>	3542
<code>\bgroup</code>	275, 376
<code>\BOOKMARK</code>	3545
<code>bookmarkstype</code> (hypersetup key) ..	13
bool commands:	
<code>\bool_if:NTF</code>	268, 297, 356, 700, 726, 745, 765, 776, 813, 878, 943, 1021, 1031, 1284, 1295
<code>\bool_if:nTF</code>	893, 1969, 1994, 3286, 3394
<code>\bool_lazy_and:nnTF</code>	424
<code>\bool_lazy_or:nnTF</code>	1314, 1363
<code>\bool_new:N</code> ...	204, 205, 527, 531, 535
<code>\bool_set_true:N</code>	536
<code>bordercolormodel</code> (hypersetup key) ..	13, <u>1081</u>
box commands:	
<code>\box_dp:N</code>	637, 2870, 2921, 2956
<code>\box_ht:N</code>	636, 2869, 2920, 2955
<code>\box_new:N</code>	457, 538
<code>\box_set_dp:Nn</code>	2166
<code>\box_set_ht:Nn</code>	2173
<code>\box_use:N</code> ...	1301, 2872, 2930, 2959
<code>\box_use_drop:N</code>	1306
<code>\box_wd:N</code>	635, 2868, 2919, 2954
<code>\l_tmpa_box</code> ...	2866, 2868, 2869, 2870, 2872, 2905, 2919, 2920, 2921, 2930, 2952, 2954, 2955, 2956, 2959
C	
<code>\catcode</code>	279, 280
<code>\char</code>	2804, 3001, 3013
<code>\chardef</code>	159
<code>\cite</code>	33
clist commands:	
<code>\clist_item:nn</code>	2226
<code>\clist_map_function:nN</code>	125, 134
<code>\clist_map_inline:nn</code>	2359
<code>\clist_map_variable:nNn</code> ..	2717, 2784
color commands:	
<code>\color_export:nnN</code> ..	40, 432, 980, 1102
<code>\color_select:n</code>	988, 1024, 1305, 2911, 2915
<code>\color_select:nn</code>	994
<code>\color_set:nn</code>	2, 394, 1005
<code>\color_set:nnn</code>	2, 393, 1011
color names:	
<code>hyp/annot/file</code>	<u>524</u>
<code>hyp/annot/link</code>	<u>524</u>
<code>hyp/annot/menu</code>	<u>524</u>
<code>hyp/annot/run</code>	<u>524</u>
<code>hyp/annot/url</code>	<u>524</u>
<code>colorfile</code> (hypersetup key)	<u>1060</u>
<code>colorlink</code> (hypersetup key)	<u>1060</u>
<code>colorlinks</code> (hypersetup key)	<u>1037</u>
<code>colormenu</code> (hypersetup key)	<u>1060</u>
<code>colorrund</code> (hypersetup key)	<u>1060</u>
<code>colorscheme</code> (hypersetup key)	1, <u>1472</u>
<code>colorurl</code> (hypersetup key)	<u>1060</u>
cs commands:	
<code>\cs_generate_variant:Nn</code> ..	156, 157, 158, 391, 456, 579, 810, 980, 997, 1014
<code>\cs_gset:Npn</code>	1276
<code>\cs_gset_eq:NN</code>	410, 421
<code>\cs_if_exist:NTF</code>	13
<code>\cs_if_exist_p:N</code>	425

<code>\l__hyp_annot_Named_bool</code>	943	<code>__hyp_href_pdf_aux:nn</code>	320, 323
<code>\c__hyp_annot_types_seq</code>		<code>\l__hyp_href_pdf_destination_tl</code> .	
.	469, 525, 529, 1060, 1361, 1459	207, 218, 257, 325
<code>\l__hyp_annot_URI_bool</code>	765	<code>\l__hyp_href_pdf_page_tl</code> 208, 226, 843	
<code>\g__hyp_bordercolormodel_str</code> . . .		<code>__hyp_href_run_aux:nn</code>	337, 340
.	434, 524, 1085, 1104	<code>\l__hyp_href_run_parameter_tl</code> . . .	
<code>__hyp_check_link_nesting:TF</code>	209, 230, 342
.	609, 617,	<code>__hyp_href_url_aux:n</code>	363, 366
.	619, 703, 729, 747, 768, 816, 881, 946	<code>__hyp_href_url_aux:nn</code>	304, 306
<code>__hyp_citebordercolor_hook_-</code>		<code>\l__hyp_href_url_encode_bool</code> . . .	
<code>init:</code>	399, 412, 421	204, 215, 253, 268, 297, 356
<code>__hyp_citecolor_hook_init:</code>		<code>__hyp_href_url_format:</code>	
.	397, 401, 410	210, 216, 258, 369
<code>__hyp_clist_display:n</code>	118, 125, 134	<code>\l__hyp_href_url_ismap_bool</code>	
<code>__hyp_color_select:n</code> 40, 981, 981, 997		205, 229, 776
<code>__hyp_color_select_aux:wn</code>		<code>\l__hyp_href_url_protocol_tl</code>	
.	981, 985, 992	206, 217, 256, 308, 370
<code>__hyp_color_set:nn</code>	40, 41, 397,	<code>__hyp_if_outer_link:</code>	603
.	399, 431, 998, 998, 1014, 1065, 1101	<code>__hyp_if_outer_link:TF</code>	619
<code>__hyp_color_set_aux:nwn</code>		<code>\l__hyp_link_Contents_tl</code>	
.	998, 1002, 1009	26, 35, 36, 504, 512, 519, 710, 781
<code>\c__hyp_colorscheme_daleif_prop</code> 3706		<code>__hyp_link_goto_begin:nw</code>	
<code>\c__hyp_colorscheme_henryford_-</code>		671, 712, 735
<code>prop</code>	3797	<code>__hyp_link_goto_end:</code>	693, 713, 749
<code>\c__hyp_colorscheme_julian_prop</code> 3721		<code>\g__hyp_linknestlevel_int</code>	
<code>\c__hyp_colorscheme_phelype_prop</code>		602, 605, 702, 720, 728, 756,
.	3782	767, 801, 815, 868, 880, 926, 945, 975
<code>\c__hyp_colorscheme_szabolcsA_-</code>		<code>g__hyp_linknestlevel_int</code>	602
<code>prop</code>	3751	<code>\c__hyp_map_annot_hyp_prop</code>	469
<code>\c__hyp_colorscheme_szabolcsB_-</code>		<code>\c__hyp_map_hyp_annot_prop</code>	
<code>prop</code>	3766	469, 1015,
<code>\c__hyp_colorscheme_tivv_prop</code>	3736	1088, 1128, 1155, 1163, 1174, 1201,
<code>\l__hyp_dest_box</code>	32,	1209, 1278, 1386, 1422, 1432, 1545
.	538, 635, 636, 637, 2150, 2166, 2173	<code>__hyp_ocg_init:</code> 1220, 1220, 1276, 1286	
<code>\l__hyp_dest_name_tmpa_tl</code>	462,	<code>\l__hyp_optlang_regex</code> 2198, 2199, 2228	
.	674, 675, 681, 685, 687, 690, 836, 849	<code>l__hyp_page/Trans</code>	552
<code>\l__hyp_dest_pdfremotestartview_-</code>		<code>__hyp_PageLabels_gpush:</code> 586, 586, 599	
<code>tl</code>	488, 844, 1957, 1961	<code>\l__hyp_para_tmpa_tl</code> 465, 892, 895, 906	
<code>\g__hyp_dest_pdfstartpage_tl</code> . . .		<code>\l__hyp_para_tmpa_tl_uuu\l__hyp_-</code>	
.	488, 1968, 1970, 1977, 1995, 2002	<code>text_tmpa_str_uuu\g__hyp_text_-</code>	
<code>\g__hyp_dest_pdfstartview_tl</code> . . .		<code>tmpa_str</code>	462
.	488, 1970, 1977, 1988, 1992, 1995, 2002	<code>__hyp_property_record:nn</code>	
<code>\l__hyp_dest_pdfview_tl</code>	449, 450, 456, 2654
.	523, 653, 662,	<code>__hyp_secondoftwoewithopt:wnn</code> . . .	
.	2119, 2122, 2129, 2132, 2133, 2134,	382, 383, 384, 385
.	2135, 2136, 2137, 2142, 2146, 2182	<code>__hyp_setup_info_date_key:nn</code> . . .	
<code>\c__hyp_dest_startview_regex</code>	2281, 2314, 2315
.	539, 1955, 1986	<code>__hyp_setup_info_key:nn</code>	2200,
<code>\c__hyp_dest_undefined_tl</code>	2274, 2275, 2276, 2277, 2279, 2280
.	468, 680, 681	<code>__hyp_store_metadata:nn</code>	
<code>__hyp_destination:nn</code>	386, 391, 1564, 2242,
.	32, 622, 622, 653, 662	2260, 2294, 2309, 2318, 2334, 2402
<code>\l__hyp_filename_tmpa_tl</code>	462,	<code>__hyp_text_cleanup:N</code>	559, 559, 573
.	819, 821, 826, 827, 832, 887, 888, 906		

\l__hyp_text_enc_dest_print_tl ..	491, 835	colorlink	1060
\l__hyp_text_enc_dest_tl	32, 491, 629, 686	colorlinks	1037
\l__hyp_text_enc_file_print_tl ..	491, 886	colormenu	1060
\l__hyp_text_enc_info_print_tl ..	491, 511, 518, 584	colorrun	1060
\l__hyp_text_enc_para_print_tl ..	491, 891	colorscheme	1, 1472
\l__hyp_text_enc_uri_print_tl ...	270, 273, 299, 302, 358, 361, 491, 773, 1556	colorurl	1060
__hyp_text_pdfstring:nnN	509, 516, 567, 567, 579, 581, 584, 627, 684, 771, 833, 884, 889, 1556	debug	1496
__hyp_text_pdfstring_info:nN ...	582, 582, 2231, 2235, 2254, 2264	destlabel	13
__hyp_text_purify:nN . 555, 555, 572		draft	1496
__hyp_text_string_from_unicode:nN	563, 563, 574	extension	13, 1514
\g__hyp_text_tmpa_str . 467, 575, 577		file	10, 1545
\l__hyp_text_tmpa_str	466, 572, 573, 574, 575	fileborderstyle	14, 1174
\l__hyp_tmpa_box 457, 1288, 1301, 1306		filecolor	1060
\l__hyp_tmpa_int	457	final	1496
\l__hyp_tmpa_seq	457, 1955, 1957, 1986, 1988, 2109, 2110, 2114, 2116, 2140, 2147, 2148, 2149, 2158, 2160, 2170, 2175, 2228, 2229, 2235, 2605, 2607, 2613	hidefile	1448
\l__hyp_tmpa_str	457, 2231, 2235, 2237, 2239, 2254, 2255, 2257, 2264, 2265, 2269	hidelink	1448
\l__hyp_tmpa_tl	457, 630, 634, 642, 1105, 1109, 1556, 1557, 1562, 1953, 1955, 1984, 1986, 2116, 2117, 2124, 2226, 2228	hidelinks	1448
\l__hyp_uri_tmpa_tl ... 462, 774, 775		hidemenu	1448
hyp/anchor	648	hiderun	1448
hyp/annot/file (color name)	524	hideurl	1448
hyp/annot/link (color name)	524	hypertexnames	1514
hyp/annot/menu (color name)	524	link	10, 1545
hyp/annot/run (color name)	524	linkborder	14
hyp/annot/url (color name)	524	linkborderstyle	14, 1174
hyp/text/pdfstring	554	linkcolor	1060
\hypercalcbp	12, 18, 162	linkfileprefix	1514
\HyperDestNameFilter	13, 628, 685	linktoc	1514
\hypersetup 1, 2, 5, 9, 10, 13, 19, 68, 101, 181		linktocpage	1514
\hypersetup keys:		localanchorname	1514
allcolors	1060	menu	10, 1545
bookmarkstyle	13	menuborder	14
bordercolormodel	13, 1081	menuborderstyle	14, 1174
colorfile	1060	menucolor	1060
		naturalnames	1514
		nested-links	10
		nesting	14
		ocgcolorfile	1314
		ocgcolorlink	1314
		ocgcolorlinks	1314
		ocgcolormenu	1314
		ocgcolorrun	1314
		ocgcolorurl	1314
		pageanchor	1514
		pdfauthor	2198
		pdfborder	14
		pdfborderstyle	14, 1174
		pdfcreationdate	14, 2281
		pdfcreator	2198
		pdfencoding	1486
		pdfinfo	2348
		pdfkeywords	2198
		pdflang	14, 2187
		pdflinkmargin	14
		pdfmetadate	14, 2281

pdfmoddate	14, 2281	
pdfproducer	2198	
pdfremotestartview	12	
pdfstartview	12	
pdfsubject	2198	
pdftitle	2198	
pdftrapped	2320	
pdfversion	1486	
pdfview	12, 2105	
plainpages	1514	
run	10, 1545	
runborder	14	
runborderstyle	14, 1174	
runcolor	1060	
unicode	1486	
url	10, 1545	
urlborder	14	
urlborderstyle	14, 1174	
urlcolor	1060	
verbose	1496	
hypertextnames (hypersetup key)	1514	
hypListBox internal commands:		
_hypListBox	2773, 2832	
hypRadio internal commands:		
_hypRadio	2758, 2780	
hypwritetorep internal commands:		
_hypwritetorep	3535	
I		
\ifcase	3319, 3443, 3478	
\ifcsname	3096	
\ifdim	2723, 2762, 2763	
\ifnum	3150, 3319, 3325, 3356, 3443, 3448, 3478, 3483, 3610, 3628, 3643	
\iftrue	3612	
\ifx	2554, 2692, 2752, 3127, 3139, 3143, 3160, 3164, 3168, 3172, 3176, 3180, 3184, 3188, 3192, 3196, 3213, 3217, 3320, 3321, 3329, 3333, 3340, 3360, 3364, 3371, 3372, 3444, 3452, 3479, 3487, 3560, 3622	
\immediate	2538, 2541	
int commands:		
\int_compare:nNnTF	605, 2114, 2140, 2824, 3242, 3295, 3405, 3427	
\int_compare_p:nNn	3288, 3396	
\int_eval:n	842	
\int_gdecr:N	720, 756, 801, 868, 926, 975	
\int_gincr:N	702, 728, 767, 815, 880, 945	
\int_max:nn	843	
\int_new:N	460, 602	
iow commands:		
\iow_newline:	3045, 3051, 3064	
K		
\kern	3567	
keys commands:		
\keys_define:nn	187, 195, 213, 251, 395, 613, 1037, 1062, 1069, 1081, 1090, 1115, 1130, 1149, 1176, 1195, 1318, 1332, 1344, 1367, 1373, 1388, 1417, 1448, 1461, 1472, 1486, 1496, 1501, 1514, 1526, 1547, 1552, 2105, 2187, 2202, 2245, 2283, 2298, 2316, 2320, 2348, 2400, 2406, 2419, 2439	
\l_keys_key_str	192, 2269, 2504	
\keys_set:nn	184, 221, 240, 267, 296, 319, 336, 355, 405, 416, 1478, 1485, 2325, 2352, 2355, 2356, 2357, 2358, 2429, 2504	
\keys_set_known:nn	2507	
\kvsetkeys	183, 2592	
L		
\label	9, 13	
\LayoutCheckField	2985	
\LayoutChoiceField	2755	
\LayoutPushButtonField	2861, 2878	
\LayoutTextField	2693	
\leavevmode	2694, 2791, 3565	
legacy commands:		
\legacy_if:nTF	169, 438, 445, 594, 2630, 2857, 2898, 2948, 2981, 3265	
\let	383, 384, 385, 722, 791, 803, 859, 870, 919, 928, 977, 2517, 2518, 2545, 2641, 2642, 2643, 2675, 2676, 2710, 2711, 2753, 3092, 3099, 3101, 3106, 3123, 3157, 3576, 3590, 3593, 3602, 3613, 3620, 3623, 3625, 3633, 3641	
link (hypersetup key)	10, 1545	
linkborder (hypersetup key)	14	
linkborderstyle (hypersetup key)	14, 1174	
linkcolor (hypersetup key)	1060	
linkfileprefix (hypersetup key)	1514	
linktoc (hypersetup key)	1514	
linktocpage (hypersetup key)	1514	
localanchorname (hypersetup key)	1514	
\long	7	
M		
\MakeButtonField	2866, 2881, 2905, 2952, 2963	
\MakeChoiceField	2841	
\MakeFieldObject	2508	
\MakeRadioField	2823	
\MakeTextField	2702	
\mbox	1298	

menu (hypersetup key)	10 , 1545	\pdf_destination:nn	27 , 156 , 641
menuborder (hypersetup key)	14	\pdf_destination:nnnn	634
menuborderstyle (hypersetup key)	14 , 1174	\pdf_emc:	1302 , 1308
menucolor (hypersetup key)	1060	\pdf_link_user:nnn	2838
mode commands:		\pdf_name_from_unicode_e:n	
\mode_if_horizontal:TF	624 , 646	246 , 823 , 953
\mode_leave_vertical:	264 , 293 ,	\pdf_object_if_exist:nTF	821
316 , 333 , 352 , 673 , 785 , 851 , 908 ,		\pdf_object_new:n	1222 ,
951 , 2835 , 2863 , 2880 , 2902 , 2944 , 2987		1223 , 1224 , 1225 , 3032 , 3033 , 3034	
msg commands:		\pdf_object_ref:n	157 , 832 ,
\msg_error:nn	426 , 2877 , 2962	1228 , 1230 , 1252 , 1253 , 1256 , 1260 ,	
\msg_info:nnn	2212 , 2217	1265 , 1270 , 1275 , 2623 , 2625 , 3090	
\msg_line_context:	83	\pdf_object_ref_last:	853 , 2434
\g_msg_module_name_prop	12	\pdf_object_unnamed_write:nn	
\msg_new:nnn	51 , 58 , 63 , 67 , 71 , 78 ,	852 , 2430
85 , 92 , 99 , 106 , 112 , 119 , 128 , 138 , 149		\pdf_object_write:nnn	1226 ,
\msg_new:nnnn	15 , 26 , 37	1232 , 1242 , 1254 , 3035 , 3077 , 3084	
\msg_warning:nn	171 , 1492	\pdf_pageobject_ref:n	
\msg_warning:nnn	180 , 677 , 969	158 , 1977 , 2002 , 2662
\msg_warning:nnnn		\pdf_string_from_unicode:nnN	565
.	1336 , 1377 , 1590 , 1634 ,	\pdf_version:	
.	1668 , 1691 , 1753 , 1782 , 1816 , 1831 ,	1638 , 1757 , 1786 , 1820 , 1835 ,
.	1844 , 1857 , 1882 , 1917 , 1933 , 1960 ,	1861 , 1886 , 1921 , 1937 , 2042 , 2069
.	1991 , 2024 , 2038 , 2065 , 2099 , 2181	\pdf_version_compare:NnTF	
\msg_warning:nnnnn	191 ,	1628 , 1719 , 1741 , 1777 , 1810 , 1825 ,
.	1408 , 1442 , 1534 , 1610 , 1647 , 1734 ,	1851 , 1876 , 1904 , 1927 , 2032 , 2059
.	1767 , 1792 , 1868 , 1895 , 1946 , 2051 ,	\pdf_version_compare_p:Nn	
.	2078 , 2342 , 2446 , 2465 , 2484 , 2495	897 , 1315 , 1364
		\pdf_version_major:	
		168 , 1316 , 1339 , 1365 , 1381
		\pdf_version_minor:	167 , 1339 , 1381
		pdfannot commands:	
		\pdfannot_box:nnnn	
		2697 , 2808 , 2867 , 2918 , 2953 , 3017
		\pdfannot_box_ref_last:	2552 , 2568
		\pdfannot_dict_put:nnn	
		709 , 781 , 786 , 853 , 909 , 954 , 1106 ,
		1141 , 1165 , 1187 , 1211 , 1393 , 1424
		\pdfannot_dict_remove:nn	1096 ,
		1136 , 1157 , 1182 , 1203 , 1401 , 1434
		\pdfannot_link:nnn	787 , 854 , 910 , 955
		\pdfannot_link_goto_begin:nw	690
		\pdfannot_link_goto_end:	695
		\pdfannot_link_margin:n	8 , 1672
		\c_pdfannot_link_types_seq	533
		pdfauthor (hypersetup key)	2198
		\pdfbookmark	3544
		pdfborder (hypersetup key)	14
		pdfborderstyle (hypersetup key)	14 , 1174
		pdfcreationdate (hypersetup key)	14 , 2281
		pdfcreator (hypersetup key)	2198
		\pdfdest	11
		pdfdict commands:	
		\pdfdict_new:n	552 , 759 , 806 , 872 , 937
N			
naturalnames (hypersetup key)	1514		
nested-links (hypersetup key)	10		
nesting (hypersetup key)	14		
\newcommand	165 , 3539 , 3541 , 3543		
\newcount	2646 , 2831		
\NewDocumentCommand	2508		
\NewExpandableDocumentCommand	382		
\newlength	3558		
\noexpand	2729 , 2730 , 2731 , 2732 , 3110		
\nolinkurl	4		
O			
ocgcolorfile (hypersetup key)	1314		
ocgcolorlink (hypersetup key)	1314		
ocgcolorlinks (hypersetup key)	1314		
ocgcolormenu (hypersetup key)	1314		
ocgcolorrun (hypersetup key)	1314		
ocgcolorurl (hypersetup key)	1314		
P			
pageanchor (hypersetup key)	1514		
\paperwidth	3		
\PassOptionsToPackage	447 , 1506 , 1511		
pdf commands:			
\pdf_bdcobject:nn	1300 , 1303		

<code>\pdfdict_put:nnn</code>	<code>pdftitle</code> (hypersetup key)	2198
..... 238, 245, 553, 760, 761, 775,	<code>pdftrapped</code> (hypersetup key)	2320
778, 807, 808, 823, 829, 839, 849,	<code>pdfversion</code> (hypersetup key)	1486
873, 874, 888, 903, 938, 939, 952,	<code>pdfview</code> (hypersetup key)	12 , 2105
1698, 1699, 1703, 1704, 2443, 2453,	pdfxform commands:	
2457, 2460, 2462, 2481, 2490, 2492	<code>\pdfxform_if_exist:nTF</code>	
<code>\pdfdict_remove:nn</code> 235, 900, 1708, 1709 2794, 2906, 2990	
<code>\pdfdict_use:n</code>	<code>\pdfxform_new:nnn</code>	
... 786, 852, 909, 915, 954, 959, 2432	.. 2510, 2796, 2909, 2913, 2992, 3004	
<code>pdfencoding</code> (hypersetup key)	<code>\pdfxform_ref:n</code>	
1486	.. 2818, 2819, 2925, 2926, 3237, 3238	
<code>\pdfescapestring</code>	<code>\phantom</code>	3013
3099	<code>\phantomsection</code>	13 , 19 , 3629
pdffile commands:	<code>plainpages</code> (hypersetup key)	1514
<code>\pdffile_embed_file:nnn</code>	prg commands:	
810, 824	<code>\prg_do_nothing:</code>	410 , 421
PDFForm internal commands:	<code>\prg_generate_conditional_</code>	
<code>\PDFForm_hypName</code>	variant:Nnn	2657
..... 3138, 3141, 3145, 3148	<code>\prg_new_conditional:Npnn</code>	603
<code>pdfinfo</code> (hypersetup key)	<code>\prg_return_false:</code>	606
2348	<code>\prg_return_true:</code>	607
<code>pdfkeywords</code> (hypersetup key)	prop commands:	
2198	<code>\prop_const_from_keyval:Nn</code>	
<code>pdflang</code> (hypersetup key) 471, 479, 3691, 3706,	
14 , 2187	3721, 3736, 3751, 3766, 3782, 3797	
<code>pdflinkmargin</code> (hypersetup key)	<code>\prop_gput:Nnn</code>	12 , 2525 , 2532
14	<code>\prop_if_empty:NTF</code>	2601
pdfmanagement commands:	<code>\prop_item:Nn</code>	2618
<code>\pdfmanagement_add:nn</code>	<code>\prop_map_inline:Nn</code>	
1681 1015, 1088, 1128, 1155,	
<code>\pdfmanagement_add:nnn</code>	1163, 1174, 1201, 1209, 1278, 1386,	
..... 588, 1252, 1253, 1275, 1562,	1422, 1432, 1476, 1545, 2596, 2603	
1582, 1598, 1602, 1622, 1630, 1659,	<code>\prop_new:N</code>	2514 , 2515
1714, 1724, 1748, 1762, 1774, 1779,	property commands:	
1804, 1812, 1827, 1853, 1878, 1912,	<code>\property_if_recorded:nn</code>	2657
1929, 1975, 2000, 2014, 2034, 2061,	<code>\property_if_recorded:nnTF</code> ...	2660
2090, 2193, 2213, 2218, 2239, 2257,	<code>\property_record:nn</code>	453
2268, 2292, 2307, 2329, 2415, 2434,	<code>\property_ref:nn</code>	2664
2598, 2615, 2622, 2624, 2626, 2632	<code>\property_ref_undefined_warn:nn</code>	2655
<code>\pdfmanagement_if_active:p</code> ...	<code>\protect</code>	722 ,
425	791, 803, 859, 870, 919, 928, 977, 3560	
<code>\pdfmanagement_remove:nn</code>	<code>\providecommand</code>	
..... 1559, 1578, 1586, 1606, 163, 164, 2539, 2542, 2707, 3095	
1618, 1643, 1655, 1663, 1677, 1686,	<code>\ProvidesFile</code>	3
1730, 1745, 1764, 1801, 1840, 1865,		
1891, 1908, 1942, 1972, 1997, 2010,		
2019, 2047, 2074, 2086, 2095, 2222,		
2251, 2289, 2304, 2412, 2425, 2636		
<code>\pdfmanagement_show:n</code>		
2599		
pdfmeta commands:		
<code>\pdfmeta_standard_verify:nnTF</code> ...		
..... 949, 2854, 2945		
<code>\pdfmeta_standard_verify:nTF</code> ...		
..... 2628, 3206		
<code>pdfmetadate</code> (hypersetup key)		
14 , 2281		
<code>pdfmoddate</code> (hypersetup key)		
14 , 2281		
<code>pdfproducer</code> (hypersetup key)		
2198		
<code>pdfremotestartview</code> (hypersetup key) ..		
12		
<code>pdfstartview</code> (hypersetup key)		
12		
<code>\pdfstringdef</code>		
8, 9, 23, 28, 3155		
<code>\pdfstringdefDisableCommands</code>		
..... 383, 384, 385		
<code>pdfsubject</code> (hypersetup key)		
2198		

R

<code>\ReadBookmarks</code>	3549
<code>\refstepcounter</code>	12
regex commands:	
<code>\regex_const:Nn</code>	539
<code>\regex_extract_once:NnN</code>	2228
<code>\regex_extract_once:NnNTF</code>	1955 , 1986
<code>\regex_new:N</code>	2198
<code>\regex_set:Nn</code>	2199

\@nil	3113, 3126, 3132	\Fld@height	2678, 2699, 2702, 2713, 2771, 2810, 2823, 2841, 2890, 2938, 2974, 3019
\@part	3620, 3627	\Fld@keystroke@code	3160, 3162
\@pdfauthor	23	\Fld@listcount	2781, 2789, 2824, 2831
\@pdfborder	163	\Fld@mappingname	3143, 3145, 3217, 3219
\@pdfborderstyle	164	\Fld@maxlen	3427, 3429
\@savsf	624, 646	\Fld@menulength	2715, 2721, 2768
\@schapter	3590, 3591	\Fld@name	2674, 2709, 2847, 2970, 3138, 3212
\@secondoftwo	3646	\Fld@onblur@code	3180, 3182
\@sect	3641, 3642	\Fld@onclick@code	3305
\@spart	3633, 3634	\Fld@onenter@code	3192, 3194
\@ssect	3576, 3577	\Fld@onexit@code	3196, 3198
\@tempdima	2716, 2723, 2725, 2762, 2763, 2764, 2768, 2769, 2770, 2771	\Fld@onfocus@code	3176, 3178
\@tempdimb	2722, 2723	\Fld@onmousedown@code	3184, 3186
\@typeset@protect	3560	\Fld@onmouseup@code	3188, 3190
\BKM@color	435	\Fld@pageobjref	2643, 2658, 3095, 3227, 3280, 3313, 3349, 3388, 3437, 3472
\c@secnumdepth	3610, 3628, 3643	\Fld@radiosymbol	3368
\calc@bm@number	3552	\Fld@rotation	3242, 3244, 3288, 3295, 3297, 3319, 3325, 3327, 3356, 3358, 3396, 3405, 3407, 3443, 3448, 3450, 3478, 3483, 3485
\check@bm@number	3551	\Fld@submitflags	3464
\define@key	429	\Fld@validate@code	3168, 3170
\Fld@additionalactions	3202, 3272, 3306, 3342, 3379, 3426, 3466, 3495	\Fld@value	2676, 2692, 2711, 2752, 2753, 3425
\Fld@align	3231, 3317, 3392	\Fld@width	2677, 2691, 2698, 2702, 2712, 2751, 2762, 2764, 2809, 2823, 2841, 2859, 2889, 2900, 2937, 2949, 2973, 2983, 3018
\Fld@altname	3139, 3141, 3213, 3215	\Fld@X@additionalactions	3159, 3204, 3207
\Fld@annotflags	3226, 3279, 3312, 3348, 3387, 3436, 3471	\Form@action	3462
\Fld@annotnames	3211, 3228, 3281, 3314, 3350, 3389, 3438, 3473	\H@old@part	3620, 3631
\Fld@bcolor	3250, 3252, 3333, 3335, 3364, 3366, 3400, 3413, 3415	\H@old@schapter	3590, 3599
\fld@bcolor	3321	\H@old@sect	3641, 3652, 3661
\Fld@bordercolor	3246, 3248, 3290, 3299, 3301, 3320, 3329, 3331, 3360, 3362, 3398, 3409, 3411, 3444, 3452, 3454, 3479, 3487, 3489	\H@old@spart	3633, 3639
\Fld@borderstyle	3232, 3285, 3318, 3354, 3393, 3442, 3493	\H@old@ssect	3576, 3581
\Fld@borderwidth	2769, 2770, 3232, 3285, 3318, 3354, 3393, 3442, 3493	\href@	275, 281
\Fld@calculate@code	2554, 3172, 3174	\href@split	281, 282
\Fld@calculate@sortkey	2565	\Hy@abspage	598
\Fld@cbsymbol	3254	\Hy@activeanchorfalse	669
\Fld@charsize	2768, 3258, 3339, 3370, 3421, 3477	\Hy@activeanchortrue	660
\Fld@checkequals	2720, 2787	\Hy@AtBeginDocument	2519, 2535
\Fld@choices	3341	\Hy@bookmarkstype	1574
\Fld@color	3259, 3261, 3340, 3371, 3422	\Hy@chapapp	3594, 3605
\Fld@default	2675, 2692, 2710, 2753, 2782, 2783, 2971, 3372, 3376, 3377, 3424	\Hy@colorlink	34
\Fld@flags	3230, 3283, 3316, 3352, 3391, 3440, 3475	\Hy@currentbookmarklevel	3533
\Fld@format@code	3164, 3166	\Hy@DisableOption	173
		\Hy@drafttrue	1505

\Hy@escapeform	2696, 2793, 2837, 2865, 2904, 2951, 2989, 3097, 3104, 3107	\HyField@AddToFields .	2548, 2703, 2825, 2842, 2873, 2929, 2958, 3022
\Hy@escapestring	3099, 3101, 3106, 3109, 3110, 3113, 3114, 3123, 3126, 3162, 3166, 3170, 3174, 3178, 3182, 3186, 3190, 3194, 3198, 3254, 3305, 3368, 3424, 3425, 3462	\HyField@afields	2517
\Hy@finaltrue	1510	\HyField@AfterAuxOpen	2519, 2545, 2578
\Hy@FormObjects	2595, 3030, 3092	\HyField@AuxAddToCoFields	2530, 2542, 2563
\Hy@gttemp	3155, 3157	\HyField@AuxAddToFields	2523, 2539, 2581
\Hy@href	275	\HyField@cofields	2518
\Hy@href@nextactionraw	239	\HyField@FlagsCheckBox	2980
\Hy@href@page	227	\HyField@FlagsChoice	2761
\Hy@linkfileprefix	1519	\HyField@FlagsPushButton	2856, 2896, 2947
\Hy@linktoc	1530	\HyField@FlagsRadioButton	2757
\Hy@MakeCurrentHref	200	\HyField@FlagsSubmit	2897
\Hy@MakeCurrentHrefAuto	3578, 3594, 3605, 3635, 3649	\HyField@FlagsText	2690
\Hy@next	3604, 3613, 3616	\HyField@PDFChoices	2834
\Hy@numberline	166, 3534	\HyField@SetKeys	2686, 2727, 2730, 2749, 2849, 2892, 2940, 2975
\Hy@org@chapter	3602, 3617	\HyPat@ObjRef .	3506, 3513, 3520, 3527
\Hy@OutlineName	3550	\hyper@@link	283
\Hy@OutlineRerunCheck	3548	\hyper@anchor	648
\Hy@pdfmajorversion	168	\hyper@anchorend	648, 3569, 3596, 3607, 3637
\Hy@pdfminorversion	167	\hyper@anchorstart	648, 3569, 3596, 3607, 3637
\Hy@pdfstringtrue	29, 570	\hyper@link	34, 698
\Hy@pdfversion	3150	\hyper@linkend	34, 743
\Hy@pstringdef	580, 3130	\hyper@linkfile	325, 811
\Hy@PutCatalog	586	\hyper@linklaunch ..	38, 342, 876, 935
\Hy@raisedlink	3568, 3595, 3606, 3636	\hyper@linknamed	39, 176, 941
\Hy@RestoreLastskip	645	\hyper@linkstart	34, 724
\Hy@ReturnAfterFi	7, 3131	\hyper@linkurl	308, 369, 763
\Hy@safe@activestru	784, 2557	\hyper@normalise	275, 304, 320, 337, 363, 376
\Hy@SaveLastskip	625	\HyPL@Labels	588, 598
\Hy@secnum@part	3623, 3625, 3628	\HyPL@storePageLabel	586
\Hy@SectionAnchorHref	3559, 3583, 3654	\HyPsd@SanitizeForOutFile	3537
\Hy@SectionHShift	3558, 3567, 3579, 3650	\if@filesw	2537, 2560, 2579
\Hy@StepCount	2721, 2789	\ifFld@combo	2736, 2766
\Hy@temp	2558, 2573, 3112, 3113	\ifFld@hidden	2691, 2751
\Hy@unicodefalse	3152	\ifFld@multiline	2679
\Hy@VerboseAnchor	626	\ifFld@popdown	2737
\Hy@VerboseLinkStart	705, 731	\ifFld@radio	2733, 2756
\Hy@VerboseLinkStop	715, 751, 794, 861, 921, 965	\ifHy@implicit	3554
\Hy@VersionChecked	159	\ifHy@pdfescapeform	3098, 3108
\Hy@WrapperDef	622	\ifHy@unicode	3151
\Hy@xspace@end	712, 793, 860, 920, 964	\kv@set@family@handler	179
\HyAnn@AbsPageLabel	2642, 2648, 2695, 2792, 2836, 2864, 2903, 2950, 2988	\m@ne	3610, 3625
\HyAnn@Count	2646, 2647, 2650, 2651, 2652, 2653, 2654, 2655, 2660, 2664	\OBJ@OCG@view	165
		\p@	2725
		\pdf@ifdraftmode	2593
		\PDF@SetupDoc	160
		\PDFForm@Check	2989, 3021, 3223

