

mirna102xgaincdf

February 11, 2020

`i2xy`

Convert (x,y)-coordinates to single-number indices and back.

Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

Usage

```
i2xy(i)
xy2i(x,y)
```

Arguments

| | |
|----------------|--|
| <code>x</code> | numeric. x-coordinate (from 1 to 230) |
| <code>y</code> | numeric. y-coordinate (from 1 to 230) |
| <code>i</code> | numeric. single-number index (from 1 to 52900) |

Details

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

See Also

[mirna102xgaincdf](#)

Examples

```
xy2i(5,5)
i      = 1:(230*230)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

| | |
|------------------|-------------------------|
| mirna102xgaincdf | <i>mirna102xgaincdf</i> |
|------------------|-------------------------|

Description

environment describing the CDF file

| | |
|------------------|-------------------------|
| mirna102xgaindim | <i>mirna102xgaindim</i> |
|------------------|-------------------------|

Description

environment describing the CDF dimensions

Index

*Topic **datasets**

i2xy, [1](#)

mirna102xgaincdf, [2](#)

mirna102xgaindim, [2](#)

i2xy, [1](#)

mirna102xgaincdf, [1](#), [2](#)

mirna102xgaindim, [2](#)

xy2i (i2xy), [1](#)