

# Package ‘celda’

October 14, 2021

**Title** Cellular Latent Dirichlet Allocation

**Version** 1.8.1

**Description** Celda is a suite of Bayesian hierarchical models for clustering single-cell RNA-sequencing (scRNA-seq) data. It is able to perform “bi-clustering” and simultaneously cluster genes into gene modules and cells into cell subpopulations. It also contains DecontX, a novel Bayesian method to computationally estimate and remove RNA contamination in individual cells without empty droplet information. A variety of scRNA-seq data visualization functions is also included.

**Depends** R (>= 4.0)

**VignetteBuilder** knitr

**Imports** plyr, foreach, ggplot2, RColorBrewer, grid, scales, gtable, grDevices, graphics, matrixStats, doParallel, digest, methods, reshape2, S4Vectors, data.table, Rcpp, RcppEigen, uwot, enrichR, SummarizedExperiment, MCMCprecision, ggrepel, Rtsne, withr, scater (>= 1.14.4), scran, SingleCellExperiment, dbscan, DelayedArray, stringr, Matrix, ComplexHeatmap, multipanelfigure, circlize

**Suggests** testthat, knitr, roxygen2, rmarkdown, biomaRt, covr, BiocManager, BiocStyle, M3DExampleData, TENxPBMCDData, singleCellTK

**LinkingTo** Rcpp, RcppEigen

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.1

**BugReports** <https://github.com/campbio/celda/issues>

**biocViews** SingleCell, GeneExpression, Clustering, Sequencing, Bayesian

**NeedsCompilation** yes

**git\_url** <https://git.bioconductor.org/packages/celda>

**git\_branch** RELEASE\_3\_13

**git\_last\_commit** f4cf6f05

**git\_last\_commit\_date** 2021-05-27

**Date/Publication** 2021-10-14

**Author** Joshua Campbell [aut, cre],  
 Sean Corbett [aut],  
 Yusuke Koga [aut],  
 Shiyi Yang [aut],  
 Eric Reed [aut],  
 Zhe Wang [aut]

**Maintainer** Joshua Campbell <camp@bu.edu>

## R topics documented:

appendCeldaList . . . . .	4
availableModels . . . . .	4
bestLogLikelihood . . . . .	5
celda . . . . .	5
celdaCGGridSearchRes . . . . .	6
celdaCGMod . . . . .	6
celdaCGSim . . . . .	7
celdaClusters . . . . .	7
celdaCMod . . . . .	8
celdaCSim . . . . .	9
celdaGMod . . . . .	9
celdaGridSearch . . . . .	9
celdaGSim . . . . .	12
celdaHeatmap . . . . .	12
celdaModel . . . . .	13
celdaModules . . . . .	14
celdaPerplexity . . . . .	15
celdaPerplexity,celdaList-method . . . . .	15
celdaProbabilityMap . . . . .	16
celdatosce . . . . .	18
celdaTsne . . . . .	19
celdaUmap . . . . .	21
celda_C . . . . .	24
celda_CG . . . . .	27
celda_G . . . . .	31
clusterProbability . . . . .	33
compareCountMatrix . . . . .	35
contaminationSim . . . . .	36
countChecksum . . . . .	36
countChecksum,celdaList-method . . . . .	37
decontX . . . . .	37
decontXcounts . . . . .	41
distinctColors . . . . .	41

eigenMatMultInt . . . . .	42
eigenMatMultNumeric . . . . .	43
factorizeMatrix . . . . .	43
fastNormProp . . . . .	45
fastNormPropLog . . . . .	45
fastNormPropSqrt . . . . .	46
featureModuleLookup . . . . .	46
featureModuleTable . . . . .	47
geneSetEnrich . . . . .	48
logLikelihood . . . . .	50
logLikelihoodHistory . . . . .	51
matrixNames . . . . .	51
moduleHeatmap . . . . .	52
nonzero . . . . .	56
normalizeCounts . . . . .	56
params . . . . .	57
perplexity . . . . .	58
plotCeldaViolin . . . . .	59
plotDecontXContamination . . . . .	61
plotDecontXMarkerExpression . . . . .	62
plotDecontXMarkerPercentage . . . . .	63
plotDimReduceCluster . . . . .	65
plotDimReduceFeature . . . . .	67
plotDimReduceGrid . . . . .	70
plotDimReduceModule . . . . .	73
plotGridSearchPerplexity . . . . .	76
plotHeatmap . . . . .	77
plotRPC . . . . .	79
recodeClusterY . . . . .	80
recodeClusterZ . . . . .	81
recursiveSplitCell . . . . .	82
recursiveSplitModule . . . . .	85
reorderCelda . . . . .	89
reportceldaCG . . . . .	90
resamplePerplexity . . . . .	93
resList . . . . .	94
retrieveFeatureIndex . . . . .	95
runParams . . . . .	96
sampleCells . . . . .	97
sampleLabel . . . . .	97
sceCeldaC . . . . .	98
sceCeldaCG . . . . .	99
sceCeldaCGGridSearch . . . . .	100
sceCeldaG . . . . .	100
selectBestModel . . . . .	101
selectFeatures . . . . .	102
semiPheatmap . . . . .	103
simulateCells . . . . .	108

simulateContamination . . . . .	110
splitModule . . . . .	111
subsetCeldaList . . . . .	112
topRank . . . . .	113

## Index 114

appendCeldaList      *Append two celdaList objects*

### Description

Returns a single celdaList representing the combination of two provided celdaList objects.

### Usage

```
appendCeldaList(list1, list2)
```

### Arguments

list1                  A celda\_list object  
list2                  A celda\_list object to be joined with list\_1

### Value

A celdaList object. This object contains all resList entries and runParam records from both lists.

### Examples

```
data(celdaCGGridSearchRes)
appendedList <- appendCeldaList(
  celdaCGGridSearchRes,
  celdaCGGridSearchRes
)
```

availableModels      *available models*

### Description

available models

### Usage

```
availableModels
```

### Format

An object of class character of length 3.

---

bestLogLikelihood	<i>Get the log-likelihood</i>
-------------------	-------------------------------

---

**Description**

Retrieves the final log-likelihood from all iterations of Gibbs sampling used to generate a celdaModel.

**Usage**

```
bestLogLikelihood(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
bestLogLikelihood(x, altExpName = "featureSubset")

## S4 method for signature 'celdaModel'
bestLogLikelihood(x)
```

**Arguments**

x	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> , or a celda model object.
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

**Value**

Numeric. The log-likelihood at the final step of Gibbs sampling used to generate the model.

**Examples**

```
data(sceCeldaCG)
bestLogLikelihood(sceCeldaCG)
data(celdaCGMod)
bestLogLikelihood(celdaCGMod)
```

---

celda	<i>Celda models</i>
-------	---------------------

---

**Description**

List of available Celda models with corresponding descriptions.

**Usage**

```
celda()
```

**Value**

None

**Examples**

```
celda()
```

---

celdaCGGridSearchRes    *celdaCGGridSearchRes*

---

**Description**

Example results of old celdaGridSearch on celdaCGSim

**Usage**

```
celdaCGGridSearchRes
```

**Format**

An object as returned from old celdaGridSearch()

---

celdaCGMod                    *celdaCGmod*

---

**Description**

celda\_CG model object generated from celdaCGSim using old celda\_CG function.

**Usage**

```
celdaCGMod
```

**Format**

A celda\_CG object

---

celdaCGSim	<i>celdaCGSim</i>
------------	-------------------

---

**Description**

An deprecated example of simulated count matrix from the celda\_CG model.

**Usage**

```
celdaCGSim
```

**Format**

A list of counts and properties as returned from old simulateCells().

---

celdaClusters	<i>Get or set the cell cluster labels from a celda <a href="#">SingleCellExperiment</a> object or celda model object.</i>
---------------	---------------------------------------------------------------------------------------------------------------------------

---

**Description**

Return or set the cell cluster labels determined by [celda\\_C](#) or [celda\\_CG](#) models.

**Usage**

```
celdaClusters(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
celdaClusters(x, altExpName = "featureSubset")

## S4 method for signature 'celdaModel'
celdaClusters(x)

celdaClusters(x, altExpName = "featureSubset") <- value

## S4 replacement method for signature 'SingleCellExperiment'
celdaClusters(x, altExpName = "featureSubset") <- value
```

**Arguments**

x	Can be one of <ul style="list-style-type: none"> <li>A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a>, or <a href="#">celda_CG</a>, with the matrix located in the useAssay assay slot. The a <code>altExp</code> slot with name <code>altExpName</code> will be used. Rows represent features and columns represent cells.</li> </ul>
---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Celda model object.
- altExpName      The name for the [altExp](#) slot to use. Default "featureSubset".
- value            Character vector of cell cluster labels for replacements. Works only if x is a [SingleCellExperiment](#) object.

### Value

One of

- Character vector if x is a [SingleCellExperiment](#) object. Contains cell cluster labels for each cell in x.
- List if x is a celda model object. Contains cell cluster labels (for celda\_C and celdaCG Models) and/or feature module labels (for celda\_G and celdaCG Models).

### Examples

```
data(sceCeldaCG)
celdaClusters(sceCeldaCG)
data(celdaCGMod)
celdaClusters(celdaCGMod)
```

---

celdaCMod

*celdaCMod*

---

### Description

Old celda\_C results generated from celdaCSim

### Usage

```
celdaCMod
```

### Format

A celda\_C object

---

celdaCSim

*celdaCSim*


---

**Description**

An old example simulated count matrix from the celda\_C model.

**Usage**

```
celdaCSim
```

**Format**

A list of counts and properties as returned from old simulateCells().

---

celdaGMod

*celdaGMod*


---

**Description**

Old celda\_G results generated from celdaGsim

**Usage**

```
celdaGMod
```

**Format**

A celda\_G object

---

celdaGridSearch

*Run Celda in parallel with multiple parameters*


---

**Description**

Run Celda with different combinations of parameters and multiple chains in parallel. The variable [availableModels](#) contains the potential models that can be utilized. Different parameters to be tested should be stored in a list and passed to the argument `paramsTest`. Fixed parameters to be used in all models, such as `sampleLabel`, can be passed as a list to the argument `paramsFixed`. When `verbose = TRUE`, output from each chain will be sent to a log file but not be displayed in `stdout`.

**Usage**

```
celdaGridSearch(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  model,  
  paramsTest,  
  paramsFixed = NULL,  
  maxIter = 200,  
  nchains = 3,  
  cores = 1,  
  bestOnly = TRUE,  
  seed = 12345,  
  perplexity = TRUE,  
  verbose = TRUE,  
  logfilePrefix = "Celda"  
)  
  
## S4 method for signature 'SingleCellExperiment'  
celdaGridSearch(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  model,  
  paramsTest,  
  paramsFixed = NULL,  
  maxIter = 200,  
  nchains = 3,  
  cores = 1,  
  bestOnly = TRUE,  
  seed = 12345,  
  perplexity = TRUE,  
  verbose = TRUE,  
  logfilePrefix = "Celda"  
)  
  
## S4 method for signature 'matrix'  
celdaGridSearch(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  model,  
  paramsTest,  
  paramsFixed = NULL,  
  maxIter = 200,  
  nchains = 3,  
  cores = 1,  
  bestOnly = TRUE,
```

```

    seed = 12345,
    perplexity = TRUE,
    verbose = TRUE,
    logfilePrefix = "Celda"
  )

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
useAssay	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
model	Celda model. Options available in <a href="#">availableModels</a> .
paramsTest	List. A list denoting the combinations of parameters to run in a celda model. For example, <code>list(K = seq(5, 10), L = seq(15, 20))</code> will run all combinations of K from 5 to 10 and L from 15 to 20 in model <a href="#">celda_CG</a> .
paramsFixed	List. A list denoting additional parameters to use in each celda model. Default NULL.
maxIter	Integer. Maximum number of iterations of sampling to perform. Default 200.
nchains	Integer. Number of random cluster initializations. Default 3.
cores	Integer. The number of cores to use for parallel estimation of chains. Default 1.
bestOnly	Logical. Whether to return only the chain with the highest log likelihood per combination of parameters or return all chains. Default TRUE.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. Seed values <code>seq(seed, (seed + nchains - 1))</code> will be supplied to each chain in nchains. If NULL, no calls to <a href="#">with_seed</a> are made.
perplexity	Logical. Whether to calculate perplexity for each model. If FALSE, then perplexity can be calculated later with <a href="#">resamplePerplexity</a> . Default TRUE.
verbose	Logical. Whether to print log messages during celda chain execution. Default TRUE.
logfilePrefix	Character. Prefix for log files from worker threads and main process. Default "Celda".

### Value

A [SingleCellExperiment](#) object. Function parameter settings and celda model results are stored in the [metadata](#) "celda\_grid\_search" slot.

### See Also

[celda\\_G](#) for feature clustering, [celda\\_C](#) for clustering of cells, and [celda\\_CG](#) for simultaneous clustering of features and cells. [subsetCeldaList](#) can subset the `celdaList` object. [selectBestModel](#) can get the best model for each combination of parameters.

**Examples**

```

data(celdaCGSim)
## Run various combinations of parameters with 'celdaGridSearch'
celdaCGGridSearchRes <- celdaGridSearch(celdaCGSim$counts,
  model = "celda_CG",
  paramsTest = list(K = seq(4, 6), L = seq(9, 11)),
  paramsFixed = list(sampleLabel = celdaCGSim$sampleLabel),
  bestOnly = TRUE,
  nchains = 1,
  cores = 1)

```

---

celdaGSim

*celdaGSim*


---

**Description**

An old example simulated count matrix from the celda\_G model.

**Usage**

```
celdaGSim
```

**Format**

A list of counts and properties as returned from old simulateCells()

---

celdaHeatmap

*Plot celda Heatmap*


---

**Description**

Render a stylable heatmap of count data based on celda clustering results.

**Usage**

```

celdaHeatmap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  featureIx = NULL,
  nfeatures = 25,
  ...
)

## S4 method for signature 'SingleCellExperiment'

```

```

celdaHeatmap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  featureIx = NULL,
  nfeatures = 25,
  ...
)

```

### Arguments

sce	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> .
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
featureIx	Integer vector. Select features for display in heatmap. If NULL, no subsetting will be performed. Default NULL. <b>Only used for sce containing <a href="#">celda_C</a> model result returned by <a href="#">celda_C</a>.</b>
nfeatures	Integer. Maximum number of features to select for each gene module. Default 25. <b>Only used for sce containing <a href="#">celda_CG</a> or <a href="#">celda_G</a> model results returned by <a href="#">celda_CG</a> or <a href="#">celda_G</a>.</b>
...	Additional parameters passed to <a href="#">plotHeatmap</a> .

### Value

list A list containing dendrogram information and the heatmap grob

### See Also

'[celdaTsne\(\)](#)' for generating 2-dimensional tSNE coordinates

### Examples

```

data(sceCeldaCG)
celdaHeatmap(sceCeldaCG)

```

---

celdaModel

*Get celda model from a celda [SingleCellExperiment](#) object*

---

### Description

Return the celda model for sce returned by [celda\\_C](#), [celda\\_G](#) or [celda\\_CG](#).

### Usage

```

celdaModel(sce, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
celdaModel(sce, altExpName = "featureSubset")

```

**Arguments**

sce                    A [SingleCellExperiment](#) object returned by [celda\\_C](#), [celda\\_G](#), or [celda\\_CG](#).  
altExpName            The name for the [altExp](#) slot to use. Default "featureSubset".

**Value**

Character. The celda model. Can be one of "celda\_C", "celda\_G", or "celda\_CG".

**Examples**

```
data(sceCeldaCG)
celdaModel(sceCeldaCG)
```

---

celdaModules	<i>Get or set the feature module labels from a celda <a href="#">SingleCellExperiment</a> object.</i>
--------------	-------------------------------------------------------------------------------------------------------

---

**Description**

Return or set the feature module cluster labels determined by [celda\\_G](#) or [celda\\_CG](#) models.

**Usage**

```
celdaModules(sce, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
celdaModules(sce, altExpName = "featureSubset")

celdaModules(sce, altExpName = "featureSubset") <- value

## S4 replacement method for signature 'SingleCellExperiment'
celdaModules(sce, altExpName = "featureSubset") <- value
```

**Arguments**

sce                    A [SingleCellExperiment](#) object returned by [celda\\_G](#), or [celda\\_CG](#), with the matrix located in the useAssay assay slot. Rows represent features and columns represent cells.  
altExpName            The name for the [altExp](#) slot to use. Default "featureSubset".  
value                  Character vector of feature module labels for replacements. Works only if x is a [SingleCellExperiment](#) object.

**Value**

Character vector. Contains feature module labels for each feature in x.

**Examples**

```
data(sceCeldaCG)
celdaModules(sceCeldaCG)
```

---

celdaPerplexity      *Get perplexity for every model in a celdaList*

---

**Description**

Returns perplexity for each model in a celdaList as calculated by ‘perplexity()’.

**Usage**

```
celdaPerplexity(celdaList)
```

**Arguments**

celdaList      An object of class celdaList.

**Value**

List. Contains one celdaModel object for each of the parameters specified in the ‘runParams()’ of the provided celda list.

**Examples**

```
data(celdaCGGridSearchRes)
celdaCGGridModelPerplexities <- celdaPerplexity(celdaCGGridSearchRes)
```

---

celdaPerplexity, celdaList-method  
*Get perplexity for every model in a celdaList*

---

**Description**

Returns perplexity for each model in a celdaList as calculated by ‘perplexity()’.

**Usage**

```
## S4 method for signature 'celdaList'
celdaPerplexity(celdaList)
```

**Arguments**

celdaList      An object of class celdaList.

**Value**

List. Contains one celdaModel object for each of the parameters specified in the 'runParams()' of the provided celda list.

**Examples**

```
data(celdaCGGridSearchRes)
celdaCGGridModelPerplexities <- celdaPerplexity(celdaCGGridSearchRes)
```

---

celdaProbabilityMap     *Probability map for a celda model*

---

**Description**

Renders probability and relative expression heatmaps to visualize the relationship between features and cell populations (or cell populations and samples).

**Usage**

```
celdaProbabilityMap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  level = c("cellPopulation", "sample"),
  ncols = 100,
  col2 = circlize::colorRamp2(c(-2, 0, 2), c("#1E90FF", "#FFFFFF", "#CD2626")),
  title1 = "Absolute probability",
  title2 = "Relative expression",
  showColumnNames = TRUE,
  showRowNames = TRUE,
  rowNamesgp = grid::gpar(fontsize = 8),
  colNamesgp = grid::gpar(fontsize = 12),
  clusterRows = FALSE,
  clusterColumns = FALSE,
  showHeatmapLegend = TRUE,
  heatmapLegendParam = list(title = NULL, legend_height = grid::unit(6, "cm")),
  ...
)

## S4 method for signature 'SingleCellExperiment'
celdaProbabilityMap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  level = c("cellPopulation", "sample"),
  ncols = 100,
  col2 = circlize::colorRamp2(c(-2, 0, 2), c("#1E90FF", "#FFFFFF", "#CD2626")),
```

```

title1 = "Absolute probability",
title2 = "Relative expression",
showColumnNames = TRUE,
showRowNames = TRUE,
rowNamesgp = grid::gpar(fontsize = 8),
colNamesgp = grid::gpar(fontsize = 12),
clusterRows = FALSE,
clusterColumns = FALSE,
showHeatmapLegend = TRUE,
heatmapLegendParam = list(title = NULL, legend_height = grid::unit(6, "cm")),
...
)

```

### Arguments

sce	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> .
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
level	Character. One of "cellPopulation" or "Sample". "cellPopulation" will display the absolute probabilities and relative normalized expression of each module in each cell population. level = "cellPopulation" <b>only works for celda_CG sce objects</b> . "sample" will display the absolute probabilities and relative normalized abundance of each cell population in each sample. Default "cellPopulation".
ncols	The number of colors (>1) to be in the color palette of the absolute probability heatmap.
col2	Passed to col argument of <a href="#">Heatmap</a> . Set color boundaries and colors for the relative expression heatmap.
title1	Passed to column_title argument of <a href="#">Heatmap</a> . Figure title for the absolute probability heatmap.
title2	Passed to column_title argument of <a href="#">Heatmap</a> . Figure title for the relative expression heatmap.
showColumnNames	Passed to show_column_names argument of <a href="#">Heatmap</a> . Show column names.
showRowNames	Passed to show_row_names argument of <a href="#">Heatmap</a> . Show row names.
rowNamesgp	Passed to row_names_gp argument of <a href="#">Heatmap</a> . Set row name font.
colNamesgp	Passed to column_names_gp argument of <a href="#">Heatmap</a> . Set column name font.
clusterRows	Passed to cluster_rows argument of <a href="#">Heatmap</a> . Cluster rows.
clusterColumns	Passed to cluster_columns argument of <a href="#">Heatmap</a> . Cluster columns.
showHeatmapLegend	Passed to show_heatmap_legend argument of <a href="#">Heatmap</a> . Show heatmap legend.
heatmapLegendParam	Passed to heatmap_legend_param argument of <a href="#">Heatmap</a> . Heatmap legend parameters.
...	Additional parameters passed to <a href="#">Heatmap</a> .

**Value**

A [HeatmapList](#) object containing 2 [Heatmap-class](#) objects

**See Also**

[celda\\_C](#) for clustering cells. [celda\\_CG](#) for clustering features and cells

**Examples**

```
data(sceCeldaCG)
celdaProbabilityMap(sceCeldaCG)
```

---

celdatosce

*Convert old celda model object to SCE object*

---

**Description**

Convert a old celda model object (celda\_C, celda\_G, or celda\_CG object) to a [SingleCellExperiment](#) object containing celda model information in metadata slot. Counts matrix is stored in the "counts" assay slot in assays.

**Usage**

```
celdatosce(
  celdaModel,
  counts,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'celda_C'
celdatosce(
  celdaModel,
  counts,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'celda_G'
celdatosce(
  celdaModel,
  counts,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'celda_CG'
```

```

celdatosce(
  celdaModel,
  counts,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'celdaList'
celdatosce(
  celdaModel,
  counts,
  useAssay = "counts",
  altExpName = "featureSubset"
)

```

### Arguments

<code>celdaModel</code>	A <code>celdaModel</code> or <code>celdaList</code> object generated using older versions of <code>celda</code> .
<code>counts</code>	A numeric <a href="#">matrix</a> of counts used to generate <code>celdaModel</code> . Dimensions and MD5 checksum will be checked by <a href="#">compareCountMatrix</a> .
<code>useAssay</code>	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
<code>altExpName</code>	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

### Value

A [SingleCellExperiment](#) object. Function parameter settings are stored in the `metadata` "celda\_parameters" slot. Columns `celda_sample_label` and `celda_cell_cluster` in `colData` contain sample labels and `celda` cell population clusters. Column `celda_feature_module` in `rowData` contain feature modules.

### Examples

```

data(celdaCMod, celdaCSim)
sce <- celdatosce(celdaCMod, celdaCSim$counts)
data(celdaGMod, celdaGSim)
sce <- celdatosce(celdaGMod, celdaGSim$counts)
data(celdaCGMod, celdaCGSim)
sce <- celdatosce(celdaCGMod, celdaCGSim$counts)
data(celdaCGGridSearchRes, celdaCGSim)
sce <- celdatosce(celdaCGGridSearchRes, celdaCGSim$counts)

```

---

<code>celdaTsne</code>	<i>t-Distributed Stochastic Neighbor Embedding (t-SNE) dimension reduction for celda sce object</i>
------------------------	-----------------------------------------------------------------------------------------------------

---

## Description

Embeds cells in two dimensions using [Rtsne](#) based on a celda model. For `celda_C` sce objects, PCA on the normalized counts is used to reduce the number of features before applying t-SNE. For `celda_CG` and `celda_G` sce objects, tSNE is run on module probabilities to reduce the number of features instead of using PCA. Module probabilities are square-root transformed before applying tSNE.

## Usage

```
celdaTsne(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  maxCells = NULL,
  minClusterSize = 100,
  initialDims = 20,
  modules = NULL,
  perplexity = 20,
  maxIter = 2500,
  normalize = "proportion",
  scaleFactor = NULL,
  transformationFun = sqrt,
  seed = 12345
)

## S4 method for signature 'SingleCellExperiment'
celdaTsne(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  maxCells = NULL,
  minClusterSize = 100,
  initialDims = 20,
  modules = NULL,
  perplexity = 20,
  maxIter = 2500,
  normalize = "proportion",
  scaleFactor = NULL,
  transformationFun = sqrt,
  seed = 12345
)
```

## Arguments

<code>sce</code>	A <a href="#">SingleCellExperiment</a> object returned by <code>celda_C</code> , <code>celda_G</code> , or <code>celda_CG</code> .
<code>useAssay</code>	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
<code>altExpName</code>	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

maxCells	Integer. Maximum number of cells to plot. Cells will be randomly subsampled if <code>ncol(counts) &gt; maxCells</code> . Larger numbers of cells requires more memory. If NULL, no subsampling will be performed. Default NULL.
minClusterSize	Integer. Do not subsample cell clusters below this threshold. Default 100.
initialDims	Integer. PCA will be used to reduce the dimensionality of the dataset. The top 'initialDims' principal components will be used for tSNE. Default 20.
modules	Integer vector. Determines which feature modules to use for tSNE. If NULL, all modules will be used. Default NULL.
perplexity	Numeric. Perplexity parameter for tSNE. Default 20.
maxIter	Integer. Maximum number of iterations in tSNE generation. Default 2500.
normalize	Character. Passed to <code>normalizeCounts</code> in normalization step. Divides counts by the library sizes for each cell. One of 'proportion', 'cpm', 'median', or 'mean'. 'proportion' uses the total counts for each cell as the library size. 'cpm' divides the library size of each cell by one million to produce counts per million. 'median' divides the library size of each cell by the median library size across all cells. 'mean' divides the library size of each cell by the mean library size across all cells.
scaleFactor	Numeric. Sets the scale factor for cell-level normalization. This scale factor is multiplied to each cell after the library size of each cell had been adjusted in <code>normalize</code> . Default NULL which means no scale factor is applied.
transformationFun	Function. Applies a transformation such as 'sqrt', 'log', 'log2', 'log10', or 'log1p'. If NULL, no transformation will be applied. Occurs after applying normalization and scale factor. Default NULL.
seed	Integer. Passed to <code>with_seed</code> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <code>with_seed</code> are made.

**Value**

sce with t-SNE coordinates (columns "celda\_tSNE1" & "celda\_tSNE2") added to `reducedDim(sce, "celda_tSNE")`.

**Examples**

```
data(sceCeldaCG)
tsneRes <- celdaTsne(sceCeldaCG)
```

---

celdaUmap	<i>Uniform Manifold Approximation and Projection (UMAP) dimension reduction for celda sce object</i>
-----------	------------------------------------------------------------------------------------------------------

---

**Description**

Embeds cells in two dimensions using `umap` based on a celda model. For `celda_C` sce objects, PCA on the normalized counts is used to reduce the number of features before applying UMAP. For `celda_CG` sce object, UMAP is run on module probabilities to reduce the number of features instead of using PCA. Module probabilities are square-root transformed before applying UMAP.

**Usage**

```

celdaUmap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  maxCells = NULL,
  minClusterSize = 100,
  modules = NULL,
  seed = 12345,
  nNeighbors = 30,
  minDist = 0.75,
  spread = 1,
  pca = TRUE,
  initialDims = 50,
  normalize = "proportion",
  scaleFactor = NULL,
  transformationFun = sqrt,
  cores = 1,
  ...
)

## S4 method for signature 'SingleCellExperiment'
celdaUmap(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  maxCells = NULL,
  minClusterSize = 100,
  modules = NULL,
  seed = 12345,
  nNeighbors = 30,
  minDist = 0.75,
  spread = 1,
  pca = TRUE,
  initialDims = 50,
  normalize = "proportion",
  scaleFactor = NULL,
  transformationFun = sqrt,
  cores = 1,
  ...
)

```

**Arguments**

sce	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> .
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

maxCells	Integer. Maximum number of cells to plot. Cells will be randomly subsampled if <code>nCol(sce) &gt; maxCells</code> . Larger numbers of cells requires more memory. If NULL, no subsampling will be performed. Default NULL.
minClusterSize	Integer. Do not subsample cell clusters below this threshold. Default 100.
modules	Integer vector. Determines which features modules to use for UMAP. If NULL, all modules will be used. Default NULL.
seed	Integer. Passed to <code>with_seed</code> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <code>with_seed</code> are made.
nNeighbors	The size of local neighborhood used for manifold approximation. Larger values result in more global views of the manifold, while smaller values result in more local data being preserved. Default 30. See <a href="#">umap</a> for more information.
minDist	The effective minimum distance between embedded points. Smaller values will result in a more clustered/clumped embedding where nearby points on the manifold are drawn closer together, while larger values will result on a more even dispersal of points. Default 0.75. See <a href="#">umap</a> for more information.
spread	The effective scale of embedded points. In combination with <code>min_dist</code> , this determines how clustered/clumped the embedded points are. Default 1. See <a href="#">umap</a> for more information.
pca	Logical. Whether to perform dimensionality reduction with PCA before UMAP. Only works for <code>celda_C</code> sce objects.
initialDims	Integer. Number of dimensions from PCA to use as input in UMAP. Default 50. Only works for <code>celda_C</code> sce objects.
normalize	Character. Passed to <code>normalizeCounts</code> in normalization step. Divides counts by the library sizes for each cell. One of <code>'proportion'</code> , <code>'cpm'</code> , <code>'median'</code> , or <code>'mean'</code> . <code>'proportion'</code> uses the total counts for each cell as the library size. <code>'cpm'</code> divides the library size of each cell by one million to produce counts per million. <code>'median'</code> divides the library size of each cell by the median library size across all cells. <code>'mean'</code> divides the library size of each cell by the mean library size across all cells.
scaleFactor	Numeric. Sets the scale factor for cell-level normalization. This scale factor is multiplied to each cell after the library size of each cell had been adjusted in <code>normalize</code> . Default NULL which means no scale factor is applied.
transformationFun	Function. Applies a transformation such as <code>'sqrt'</code> , <code>'log'</code> , <code>'log2'</code> , <code>'log10'</code> , or <code>'log1p'</code> . If NULL, no transformation will be applied. Occurs after applying normalization and scale factor. Default NULL.
cores	Number of threads to use. Default 1.
...	Additional parameters to pass to <a href="#">umap</a> .

**Value**

sce with UMAP coordinates (columns `"celda_UMAP1"` & `"celda_UMAP2"`) added to `reducedDim(sce, "celda_UMAP")`.

**Examples**

```
data(sceCeldaCG)
umapRes <- celdaUmap(sceCeldaCG)
```

---

celda\_C

*Cell clustering with Celda*


---

**Description**

Clusters the columns of a count matrix containing single-cell data into K subpopulations. The useAssay `assay` slot in altExpName `altExp` slot will be used if it exists. Otherwise, the useAssay `assay` slot in `x` will be used if `x` is a [SingleCellExperiment](#) object.

**Usage**

```
celda_C(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  K,
  alpha = 1,
  beta = 1,
  algorithm = c("EM", "Gibbs"),
  stopIter = 10,
  maxIter = 200,
  splitOnIter = 10,
  splitOnLast = TRUE,
  seed = 12345,
  nchains = 3,
  zInitialize = c("split", "random", "predefined"),
  countChecksum = NULL,
  zInit = NULL,
  logfile = NULL,
  verbose = TRUE
)

## S4 method for signature 'SingleCellExperiment'
celda_C(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  K,
  alpha = 1,
  beta = 1,
  algorithm = c("EM", "Gibbs"),
```

```

    stopIter = 10,
    maxIter = 200,
    splitOnIter = 10,
    splitOnLast = TRUE,
    seed = 12345,
    nchains = 3,
    zInitialize = c("split", "random", "predefined"),
    countChecksum = NULL,
    zInit = NULL,
    logfile = NULL,
    verbose = TRUE
)

## S4 method for signature 'matrix'
celda_C(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  K,
  alpha = 1,
  beta = 1,
  algorithm = c("EM", "Gibbs"),
  stopIter = 10,
  maxIter = 200,
  splitOnIter = 10,
  splitOnLast = TRUE,
  seed = 12345,
  nchains = 3,
  zInitialize = c("split", "random", "predefined"),
  countChecksum = NULL,
  zInit = NULL,
  logfile = NULL,
  verbose = TRUE
)

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay in altExp(x, altExpName). Rows represent features and columns represent cells.
useAssay	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
sampleLabel	Vector or factor. Denotes the sample label for each cell (column) in the count matrix.
K	Integer. Number of cell populations.
alpha	Numeric. Concentration parameter for Theta. Adds a pseudocount to each cell population in each sample. Default 1.

beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature in each cell population. Default 1.
algorithm	String. Algorithm to use for clustering cell subpopulations. One of 'EM' or 'Gibbs'. The EM algorithm is faster, especially for larger numbers of cells. However, more chains may be required to ensure a good solution is found. If 'EM' is selected, then 'stopIter' will be automatically set to 1. Default 'EM'.
stopIter	Integer. Number of iterations without improvement in the log likelihood to stop inference. Default 10.
maxIter	Integer. Maximum number of iterations of Gibbs sampling or EM to perform. Default 200.
splitOnIter	Integer. On every 'splitOnIter' iteration, a heuristic will be applied to determine if a cell population should be reassigned and another cell population should be split into two clusters. To disable splitting, set to -1. Default 10.
splitOnLast	Integer. After 'stopIter' iterations have been performed without improvement, a heuristic will be applied to determine if a cell population should be reassigned and another cell population should be split into two clusters. If a split occurs, then 'stopIter' will be reset. Default TRUE.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.
nchains	Integer. Number of random cluster initializations. Default 3.
zInitialize	Character. One of 'random', 'split', or 'predefined'. With 'random', cells are randomly assigned to a populations. With 'split', cells will be split into sqrt(K) populations and then each population will be subsequently split into another sqrt(K) populations. With 'predefined', values in 'zInit' will be used to initialize 'z'. Default 'split'.
countChecksum	Character. An MD5 checksum for the 'counts' matrix. Default NULL.
zInit	Integer vector. Sets initial starting values of z. 'zInit' is only used when 'zInitialize = 'predefined''. Default NULL.
logfile	Character. Messages will be redirected to a file named 'logfile'. If NULL, messages will be printed to stdout. Default NULL.
verbose	Logical. Whether to print log messages. Default TRUE.

### Value

A [SingleCellExperiment](#) object. Function parameter settings are stored in the [metadata](#) "celda\_parameters" slot. Columns [celda\\_sample\\_label](#) and [celda\\_cell\\_cluster](#) in [colData](#) contain sample labels and celda cell population clusters.

### See Also

[celda\\_G](#) for feature clustering and [celda\\_CG](#) for simultaneous clustering of features and cells. [celdaGridSearch](#) can be used to run multiple values of K and multiple chains in parallel.

**Examples**

```
data(celdaCSim)
sce <- celda_C(celdaCSim$counts,
  K = celdaCSim$K,
  sampleLabel = celdaCSim$sampleLabel,
  nchains = 1)
```

---

celda\_CG

*Cell and feature clustering with Celda*


---

**Description**

Clusters the rows and columns of a count matrix containing single-cell data into L modules and K subpopulations, respectively. The useAssay `assay` slot in `altExpName` `altExp` slot will be used if it exists. Otherwise, the useAssay `assay` slot in `x` will be used if `x` is a `SingleCellExperiment` object.

**Usage**

```
celda_CG(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  K,
  L,
  alpha = 1,
  beta = 1,
  delta = 1,
  gamma = 1,
  algorithm = c("EM", "Gibbs"),
  stopIter = 10,
  maxIter = 200,
  splitOnIter = 10,
  splitOnLast = TRUE,
  seed = 12345,
  nchains = 3,
  zInitialize = c("split", "random", "predefined"),
  yInitialize = c("split", "random", "predefined"),
  countChecksum = NULL,
  zInit = NULL,
  yInit = NULL,
  logfile = NULL,
  verbose = TRUE
)

## S4 method for signature 'SingleCellExperiment'
celda_CG(
```

```
x,  
useAssay = "counts",  
altExpName = "featureSubset",  
sampleLabel = NULL,  
K,  
L,  
alpha = 1,  
beta = 1,  
delta = 1,  
gamma = 1,  
algorithm = c("EM", "Gibbs"),  
stopIter = 10,  
maxIter = 200,  
splitOnIter = 10,  
splitOnLast = TRUE,  
seed = 12345,  
nchains = 3,  
zInitialize = c("split", "random", "predefined"),  
yInitialize = c("split", "random", "predefined"),  
countChecksum = NULL,  
zInit = NULL,  
yInit = NULL,  
logfile = NULL,  
verbose = TRUE  
)  
  
## S4 method for signature 'matrix'  
celda_CG(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  sampleLabel = NULL,  
  K,  
  L,  
  alpha = 1,  
  beta = 1,  
  delta = 1,  
  gamma = 1,  
  algorithm = c("EM", "Gibbs"),  
  stopIter = 10,  
  maxIter = 200,  
  splitOnIter = 10,  
  splitOnLast = TRUE,  
  seed = 12345,  
  nchains = 3,  
  zInitialize = c("split", "random", "predefined"),  
  yInitialize = c("split", "random", "predefined"),  
  countChecksum = NULL,
```

```

    zInit = NULL,
    yInit = NULL,
    logfile = NULL,
    verbose = TRUE
)

```

## Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the <a href="#">assay</a> slot under useAssay in <code>altExp(x, altExpName)</code> . Rows represent features and columns represent cells.
useAssay	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
sampleLabel	Vector or factor. Denotes the sample label for each cell (column) in the count matrix.
K	Integer. Number of cell populations.
L	Integer. Number of feature modules.
alpha	Numeric. Concentration parameter for Theta. Adds a pseudocount to each cell population in each sample. Default 1.
beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature module in each cell population. Default 1.
delta	Numeric. Concentration parameter for Psi. Adds a pseudocount to each feature in each module. Default 1.
gamma	Numeric. Concentration parameter for Eta. Adds a pseudocount to the number of features in each module. Default 1.
algorithm	String. Algorithm to use for clustering cell subpopulations. One of 'EM' or 'Gibbs'. The EM algorithm for cell clustering is faster, especially for larger numbers of cells. However, more chains may be required to ensure a good solution is found. Default 'EM'.
stopIter	Integer. Number of iterations without improvement in the log likelihood to stop inference. Default 10.
maxIter	Integer. Maximum number of iterations of Gibbs sampling to perform. Default 200.
splitOnIter	Integer. On every <code>splitOnIter</code> iteration, a heuristic will be applied to determine if a cell population or feature module should be reassigned and another cell population or feature module should be split into two clusters. To disable splitting, set to -1. Default 10.
splitOnLast	Integer. After <code>stopIter</code> iterations have been performed without improvement, a heuristic will be applied to determine if a cell population or feature module should be reassigned and another cell population or feature module should be split into two clusters. If a split occurs, then 'stopIter' will be reset. Default TRUE.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.

nchains	Integer. Number of random cluster initializations. Default 3.
zInitialize	Character. One of 'random', 'split', or 'predefined'. With 'random', cells are randomly assigned to a populations. With 'split', cells will be split into $\sqrt{K}$ populations and then each population will be subsequently split into another $\sqrt{K}$ populations. With 'predefined', values in <code>zInit</code> will be used to initialize <code>z</code> . Default 'split'.
yInitialize	Character. One of 'random', 'split', or 'predefined'. With 'random', features are randomly assigned to a modules. With 'split', features will be split into $\sqrt{L}$ modules and then each module will be subsequently split into another $\sqrt{L}$ modules. With 'predefined', values in <code>yInit</code> will be used to initialize <code>y</code> . Default 'split'.
countChecksum	Character. An MD5 checksum for the counts matrix. Default NULL.
zInit	Integer vector. Sets initial starting values of <code>z</code> . 'zInit' is only used when 'zInitialize = 'predefined''. Default NULL.
yInit	Integer vector. Sets initial starting values of <code>y</code> . 'yInit' is only be used when 'yInitialize = "predefined"'. Default NULL.
logfile	Character. Messages will be redirected to a file named 'logfile'. If NULL, messages will be printed to stdout. Default NULL.
verbose	Logical. Whether to print log messages. Default TRUE.

### Value

A `SingleCellExperiment` object. Function parameter settings are stored in `metadata` "celda\_parameters" in `altExp` slot. In `altExp` slot, columns `celda_sample_label` and `celda_cell_cluster` in `colData` contain sample labels and celda cell population clusters. Column `celda_feature_module` in `rowData` contains feature modules.

### See Also

`celda_G` for feature clustering and `celda_C` for clustering cells. `celdaGridSearch` can be used to run multiple values of `K/L` and multiple chains in parallel.

### Examples

```
data(celdaCGSim)
sce <- celda_CG(celdaCGSim$counts,
  K = celdaCGSim$K,
  L = celdaCGSim$L,
  sampleLabel = celdaCGSim$sampleLabel,
  nchains = 1)
```

---

`celda_G`*Feature clustering with Celda*

---

**Description**

Clusters the rows of a count matrix containing single-cell data into L modules. The useAssay `assay` slot in altExpName `altExp` slot will be used if it exists. Otherwise, the useAssay `assay` slot in x will be used if x is a [SingleCellExperiment](#) object.

**Usage**

```
celda_G(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  L,  
  beta = 1,  
  delta = 1,  
  gamma = 1,  
  stopIter = 10,  
  maxIter = 200,  
  splitOnIter = 10,  
  splitOnLast = TRUE,  
  seed = 12345,  
  nchains = 3,  
  yInitialize = c("split", "random", "predefined"),  
  countChecksum = NULL,  
  yInit = NULL,  
  logfile = NULL,  
  verbose = TRUE  
)  
  
## S4 method for signature 'SingleCellExperiment'  
celda_G(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  L,  
  beta = 1,  
  delta = 1,  
  gamma = 1,  
  stopIter = 10,  
  maxIter = 200,  
  splitOnIter = 10,  
  splitOnLast = TRUE,  
  seed = 12345,  
  nchains = 3,  

```

```

yInitialize = c("split", "random", "predefined"),
countChecksum = NULL,
yInit = NULL,
logfile = NULL,
verbose = TRUE
)

## S4 method for signature 'matrix'
celda_G(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  L,
  beta = 1,
  delta = 1,
  gamma = 1,
  stopIter = 10,
  maxIter = 200,
  splitOnIter = 10,
  splitOnLast = TRUE,
  seed = 12345,
  nchains = 3,
  yInitialize = c("split", "random", "predefined"),
  countChecksum = NULL,
  yInit = NULL,
  logfile = NULL,
  verbose = TRUE
)

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
useAssay	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
L	Integer. Number of feature modules.
beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature module in each cell. Default 1.
delta	Numeric. Concentration parameter for Psi. Adds a pseudocount to each feature in each module. Default 1.
gamma	Numeric. Concentration parameter for Eta. Adds a pseudocount to the number of features in each module. Default 1.
stopIter	Integer. Number of iterations without improvement in the log likelihood to stop inference. Default 10.
maxIter	Integer. Maximum number of iterations of Gibbs sampling to perform. Default 200.

splitOnIter	Integer. On every 'splitOnIter' iteration, a heuristic will be applied to determine if a feature module should be reassigned and another feature module should be split into two clusters. To disable splitting, set to -1. Default 10.
splitOnLast	Integer. After 'stopIter' iterations have been performed without improvement, a heuristic will be applied to determine if a cell population should be reassigned and another cell population should be split into two clusters. If a split occurs, then 'stopIter' will be reset. Default TRUE.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.
nchains	Integer. Number of random cluster initializations. Default 3.
yInitialize	Character. One of 'random', 'split', or 'predefined'. With 'random', features are randomly assigned to a modules. With 'split', features will be split into sqrt(L) modules and then each module will be subsequently split into another sqrt(L) modules. With 'predefined', values in 'yInit' will be used to initialize 'y'. Default 'split'.
countChecksum	Character. An MD5 checksum for the 'counts' matrix. Default NULL.
yInit	Integer vector. Sets initial starting values of y. 'yInit' can only be used when 'yInitialize = 'predefined''. Default NULL.
logfile	Character. Messages will be redirected to a file named logfile. If NULL, messages will be printed to stdout. Default NULL.
verbose	Logical. Whether to print log messages. Default TRUE.

**Value**

A [SingleCellExperiment](#) object. Function parameter settings are stored in the [metadata](#) "celda\_parameters" slot. Column celda\_feature\_module in [rowData](#) contains feature modules.

**See Also**

[celda\\_C](#) for cell clustering and [celda\\_CG](#) for simultaneous clustering of features and cells. [celda\\_GridSearch](#) can be used to run multiple values of L and multiple chains in parallel.

**Examples**

```
data(celdaGSim)
sce <- celda_G(celdaGSim$counts, L = celdaGSim$L, nchains = 1)
```

---

clusterProbability	<i>Get the conditional probabilities of cell in subpopulations from celda model</i>
--------------------	-------------------------------------------------------------------------------------

---

**Description**

Calculate the conditional probability of each cell belonging to each subpopulation given all other cell cluster assignments and/or each feature belonging to each module given all other feature cluster assignments in a celda model.

**Usage**

```

clusterProbability(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  log = FALSE
)

## S4 method for signature 'SingleCellExperiment'
clusterProbability(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  log = FALSE
)

```

**Arguments**

sce	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> , with the matrix located in the useAssay assay slot. Rows represent features and columns represent cells.
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
log	Logical. If FALSE, then the normalized conditional probabilities will be returned. If TRUE, then the unnormalized log probabilities will be returned. Default FALSE.

**Value**

A list containing a matrix for the conditional cell subpopulation cluster and/or feature module probabilities.

**See Also**

'[celda\\_C\(\)](#)' for clustering cells

**Examples**

```

data(sceCeldaCG)
clusterProb <- clusterProbability(sceCeldaCG, log = TRUE)
data(sceCeldaC)
clusterProb <- clusterProbability(sceCeldaC)

```

---

compareCountMatrix	<i>Check count matrix consistency</i>
--------------------	---------------------------------------

---

### Description

Checks if the counts matrix is the same one used to generate the celda model object by comparing dimensions and MD5 checksum.

### Usage

```
compareCountMatrix(counts, celdaMod, errorOnMismatch = TRUE)

## S4 method for signature 'ANY,celdaModel'
compareCountMatrix(counts, celdaMod, errorOnMismatch = TRUE)

## S4 method for signature 'ANY,celdaList'
compareCountMatrix(counts, celdaMod, errorOnMismatch = TRUE)
```

### Arguments

counts	Integer , Numeric, or Sparse matrix. Rows represent features and columns represent cells.
celdaMod	A celdaModel or celdaList object.
errorOnMismatch	Logical. Whether to throw an error in the event of a mismatch. Default TRUE.

### Value

Returns TRUE if provided count matrix matches the one used in the celda object and/or errorOnMismatch = FALSE, FALSE otherwise.

### Examples

```
data(celdaCGSim, celdaCGMod)
compareCountMatrix(celdaCGSim$counts, celdaCGMod, errorOnMismatch = FALSE)
data(celdaCGSim, celdaCGGridSearchRes)
compareCountMatrix(celdaCGSim$counts, celdaCGGridSearchRes,
  errorOnMismatch = FALSE)
```

---

contaminationSim	<i>contaminationSim</i>
------------------	-------------------------

---

**Description**

A toy contamination data generated by [simulateContamination](#)

**Usage**

```
contaminationSim
```

**Format**

A list

---

countChecksum	<i>Get the MD5 hash of the count matrix from the celdaList</i>
---------------	----------------------------------------------------------------

---

**Description**

Returns the MD5 hash of the count matrix used to generate the celdaList.

**Usage**

```
countChecksum(celdaList)
```

**Arguments**

celdaList      An object of class celdaList.

**Value**

A character string of length 32 containing the MD5 digest of the count matrix.

**Examples**

```
data(celdaCGGridSearchRes)
countChecksum <- countChecksum(celdaCGGridSearchRes)
```

---

 countChecksum,celdaList-method

*Get the MD5 hash of the count matrix from the celdaList*


---

### Description

Returns the MD5 hash of the count matrix used to generate the celdaList.

### Usage

```
## S4 method for signature 'celdaList'
countChecksum(celdaList)
```

### Arguments

celdaList      An object of class celdaList.

### Value

A character string of length 32 containing the MD5 digest of the count matrix.

### Examples

```
data(celdaCGGridSearchRes)
countChecksum <- countChecksum(celdaCGGridSearchRes)
```

---

 decontX

*Contamination estimation with decontX*


---

### Description

Identifies contamination from factors such as ambient RNA in single cell genomic datasets.

### Usage

```
decontX(x, ...)

## S4 method for signature 'SingleCellExperiment'
decontX(
  x,
  assayName = "counts",
  z = NULL,
  batch = NULL,
  background = NULL,
  bgAssayName = NULL,
  maxIter = 500,
```

```

delta = c(10, 10),
estimateDelta = TRUE,
convergence = 0.001,
iterLogLik = 10,
varGenes = 5000,
dbscanEps = 1,
seed = 12345,
logfile = NULL,
verbose = TRUE
)

## S4 method for signature 'ANY'
decontX(
  x,
  z = NULL,
  batch = NULL,
  background = NULL,
  maxIter = 500,
  delta = c(10, 10),
  estimateDelta = TRUE,
  convergence = 0.001,
  iterLogLik = 10,
  varGenes = 5000,
  dbscanEps = 1,
  seed = 12345,
  logfile = NULL,
  verbose = TRUE
)

```

### Arguments

x	A numeric matrix of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under assayName. Cells in each batch will be subsetted and converted to a sparse matrix of class <code>dgMatrix</code> from package <a href="#">Matrix</a> before analysis. This object should only contain filtered cells after cell calling. Empty cell barcodes (low expression droplets before cell calling) are not needed to run <code>DecontX</code> .
...	For the generic, further arguments to pass to each method.
assayName	Character. Name of the assay to use if x is a <a href="#">SingleCellExperiment</a> .
z	Numeric or character vector. Cell cluster labels. If NULL, PCA will be used to reduce the dimensionality of the dataset initially, <code>'umap'</code> from the <code>'uwot'</code> package will be used to further reduce the dataset to 2 dimensions and the <code>'dbscan'</code> function from the <code>'dbscan'</code> package will be used to identify clusters of broad cell types. Default NULL.
batch	Numeric or character vector. Batch labels for cells. If batch labels are supplied, <code>DecontX</code> is run on cells from each batch separately. Cells run in different channels or assays should be considered different batches. Default NULL.

background	A numeric matrix of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under assayName. It should have the same structure as x except it contains the matrix of empty droplets instead of cells. When supplied, empirical distribution of transcripts from these empty droplets will be used as the contamination distribution. Default NULL.
bgAssayName	Character. Name of the assay to use if background is a <a href="#">SingleCellExperiment</a> . Default to same as assayName.
maxIter	Integer. Maximum iterations of the EM algorithm. Default 500.
delta	Numeric Vector of length 2. Concentration parameters for the Dirichlet prior for the contamination in each cell. The first element is the prior for the native counts while the second element is the prior for the contamination counts. These essentially act as pseudocounts for the native and contamination in each cell. If estimateDelta = TRUE, this is only used to produce a random sample of proportions for an initial value of contamination in each cell. Then <a href="#">fit_dirichlet</a> is used to update delta in each iteration. If estimateDelta = FALSE, then delta is fixed with these values for the entire inference procedure. Fixing delta and setting a high number in the second element will force decontX to be more aggressive and estimate higher levels of contamination at the expense of potentially removing native expression. Default c(10, 10).
estimateDelta	Boolean. Whether to update delta at each iteration.
convergence	Numeric. The EM algorithm will be stopped if the maximum difference in the contamination estimates between the previous and current iterations is less than this. Default 0.001.
iterLogLik	Integer. Calculate log likelihood every iterLogLik iteration. Default 10.
varGenes	Integer. The number of variable genes to use in dimensionality reduction before clustering. Variability is calculated using <a href="#">modelGeneVar</a> function from the 'scran' package. Used only when z is not provided. Default 5000.
dbscanEps	Numeric. The clustering resolution parameter used in ' <a href="#">dbscan</a> ' to estimate broad cell clusters. Used only when z is not provided. Default 1.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.
logfile	Character. Messages will be redirected to a file named 'logfile'. If NULL, messages will be printed to stdout. Default NULL.
verbose	Logical. Whether to print log messages. Default TRUE.

## Value

If x is a matrix-like object, a list will be returned with the following items:

- decontXcounts:** The decontaminated matrix. Values obtained from the variational inference procedure may be non-integer. However, integer counts can be obtained by rounding, e.g. `round(decontXcounts)`.
- contamination:** Percentage of contamination in each cell.
- estimates:** List of estimated parameters for each batch. If z was not supplied, then the UMAP coordinates used to generate cell cluster labels will also be stored here.
- z:** Cell population/cluster labels used for analysis.

runParams: List of arguments used in the function call.

If `x` is a [SingleCellExperiment](#), then the decontaminated counts will be stored as an assay and can be accessed with `decontXcounts(x)`. The contamination values and cluster labels will be stored in `colData(x)`. `estimates` and `runParams` will be stored in `metadata(x)$decontX`. The UMAPs used to generate cell cluster labels will be stored in `reducedDims` slot in `x`.

## Author(s)

Shiyi Yang, Yuan Yin, Joshua Campbell

## Examples

```
# Generate matrix with contamination
s <- simulateContamination(seed = 12345)

library(SingleCellExperiment)
sce <- SingleCellExperiment(list(counts = s$observedCounts))
sce <- decontX(sce)

# Plot contamination on UMAP
plotDecontXContamination(sce)

# Plot decontX cluster labels
umap <- reducedDim(sce)
plotDimReduceCluster(x = sce$decontX_clusters,
  dim1 = umap[, 1], dim2 = umap[, 2], )

# Plot percentage of marker genes detected
# in each cell cluster before decontamination
s$markers
plotDecontXMarkerPercentage(sce, markers = s$markers, assayName = "counts")

# Plot percentage of marker genes detected
# in each cell cluster after contamination
plotDecontXMarkerPercentage(sce, markers = s$markers,
  assayName = "decontXcounts")

# Plot percentage of marker genes detected in each cell
# comparing original and decontaminated counts side-by-side
plotDecontXMarkerPercentage(sce, markers = s$markers,
  assayName = c("counts", "decontXcounts"))

# Plot raw counts of individual marker genes before
# and after decontamination
plotDecontXMarkerExpression(sce, unlist(s$markers))
```

---

decontXcounts	<i>Get or set decontaminated counts matrix</i>
---------------	------------------------------------------------

---

### Description

Gets or sets the decontaminated counts matrix from a a [SingleCellExperiment](#) object.

### Usage

```
decontXcounts(object, ...)  
  
decontXcounts(object, ...) <- value  
  
## S4 method for signature 'SingleCellExperiment'  
decontXcounts(object, ...)  
  
## S4 replacement method for signature 'SingleCellExperiment'  
decontXcounts(object, ...) <- value
```

### Arguments

object	A <a href="#">SingleCellExperiment</a> object.
...	For the generic, further arguments to pass to each method.
value	A matrix to save as an assay called decontXcounts

### Value

If getting, the assay from object with the name decontXcounts will be returned. If setting, a [SingleCellExperiment](#) object will be returned with decontXcounts listed in the assay slot.

### See Also

[assay](#) and [assay<-](#)

---

distinctColors	<i>Create a color palette</i>
----------------	-------------------------------

---

### Description

Generate a palette of 'n' distinct colors.

**Usage**

```
distinctColors(
  n,
  hues = c("red", "cyan", "orange", "blue", "yellow", "purple", "green", "magenta"),
  saturationRange = c(0.7, 1),
  valueRange = c(0.7, 1)
)
```

**Arguments**

**n** Integer. Number of colors to generate.

**hues** Character vector. Colors available from 'colors()'. These will be used as the base colors for the clustering scheme in HSV. Different saturations and values will be generated for each hue. Default c("red", "cyan", "orange", "blue", "yellow", "purple", "green", "magenta").

**saturationRange** Numeric vector. A vector of length 2 denoting the saturation for HSV. Values must be in [0,1]. Default: c(0.25, 1).

**valueRange** Numeric vector. A vector of length 2 denoting the range of values for HSV. Values must be in [0,1]. Default: 'c(0.5, 1)'.

**Value**

A vector of distinct colors that have been converted to HEX from HSV.

**Examples**

```
colorPal <- distinctColors(6) # can be used in plotting functions
```

---

eigenMatMultInt      *Fast matrix multiplication for double x int*

---

**Description**

Fast matrix multiplication for double x int

**Usage**

```
eigenMatMultInt(A, B)
```

**Arguments**

**A** a double matrix

**B** an integer matrix

**Value**

An integer matrix representing the product of A and B

---

eigenMatMultNumeric     *Fast matrix multiplication for double x double*

---

**Description**

Fast matrix multiplication for double x double

**Usage**

```
eigenMatMultNumeric(A, B)
```

**Arguments**

A	a double matrix
B	an integer matrix

**Value**

An integer matrix representing the product of A and B

---

factorizeMatrix     *Generate factorized matrices showing each feature's influence on cell / gene clustering*

---

**Description**

Generates factorized matrices showing the contribution of each feature in each cell population or each cell population in each sample.

**Usage**

```
factorizeMatrix(
  x,
  celdaMod,
  useAssay = "counts",
  altExpName = "featureSubset",
  type = c("counts", "proportion", "posterior")
)

## S4 method for signature 'SingleCellExperiment,ANY'
factorizeMatrix(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  type = c("counts", "proportion", "posterior")
)
```

```

)

## S4 method for signature 'ANY,celda_CG'
factorizeMatrix(x, celdaMod, type = c("counts", "proportion", "posterior"))

## S4 method for signature 'ANY,celda_C'
factorizeMatrix(x, celdaMod, type = c("counts", "proportion", "posterior"))

## S4 method for signature 'ANY,celda_G'
factorizeMatrix(x, celdaMod, type = c("counts", "proportion", "posterior"))

```

## Arguments

x	Can be one of <ul style="list-style-type: none"> <li>A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a>, <a href="#">celda_G</a> or <a href="#">celda_CG</a>, with the matrix located in the useAssay assay slot in altExp(x, altExpName). Rows represent features and columns represent cells.</li> <li>Integer counts matrix. Rows represent features and columns represent cells. This matrix should be the same as the one used to generate celdaMod.</li> </ul>
celdaMod	Celda model object. Only works if x is an integer counts matrix.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
type	Character vector. A vector containing one or more of "counts", "proportion", or "posterior". "counts" returns the raw number of counts for each factorized matrix. "proportions" returns the normalized probabilities for each factorized matrix, which are calculated by dividing the raw counts in each factorized matrix by the total counts in each column. "posterior" returns the posterior estimates which include the addition of the Dirichlet concentration parameter (essentially as a pseudocount). Default "counts".

## Value

For celda\_CG model, A list with elements for "counts", "proportions", or "posterior" probabilities. Each element will be a list containing factorized matrices for "module", "cellPopulation", and "sample". Additionally, the contribution of each module in each individual cell will be included in the "cell" element of "counts" and "proportions" elements.

For celda\_C model, a list with elements for "counts", "proportions", or "posterior" probabilities. Each element will be a list containing factorized matrices for "module" and "sample".

For celda\_G model, a list with elements for "counts", "proportions", or "posterior" probabilities. Each element will be a list containing factorized matrices for "module" and "cell".

## Examples

```

data(sceCeldaCG)
factorizedMatrices <- factorizeMatrix(sceCeldaCG, type = "posterior")
data(celdaCGSim, celdaCGMod)

```

```

factorizedMatrices <- factorizeMatrix(
  celdaCGSim$counts,
  celdaCGMod,
  "posterior")
data(celdaCSim, celdaCMod)
factorizedMatrices <- factorizeMatrix(
  celdaCSim$counts,
  celdaCMod, "posterior"
)
data(celdaGSim, celdaGMod)
factorizedMatrices <- factorizeMatrix(
  celdaGSim$counts,
  celdaGMod, "posterior"
)

```

---

fastNormProp

*Fast normalization for numeric matrix*


---

### Description

Fast normalization for numeric matrix

### Usage

```
fastNormProp(R_counts, R_alpha)
```

### Arguments

R\_counts      An integer matrix  
R\_alpha        A double value to be added to the matrix as a pseudocount

### Value

A numeric matrix where the columns have been normalized to proportions

---

fastNormPropLog

*Fast normalization for numeric matrix*


---

### Description

Fast normalization for numeric matrix

### Usage

```
fastNormPropLog(R_counts, R_alpha)
```

**Arguments**

R\_counts      An integer matrix  
 R\_alpha        A double value to be added to the matrix as a pseudocount

**Value**

A numeric matrix where the columns have been normalized to proportions

---

fastNormPropSqrt      *Fast normalization for numeric matrix*

---

**Description**

Fast normalization for numeric matrix

**Usage**

```
fastNormPropSqrt(R_counts, R_alpha)
```

**Arguments**

R\_counts      An integer matrix  
 R\_alpha        A double value to be added to the matrix as a pseudocount

**Value**

A numeric matrix where the columns have been normalized to proportions

---

featureModuleLookup      *Obtain the gene module of a gene of interest*

---

**Description**

This function will output the corresponding feature module for a specified vector of genes from a celda\_CG or celda\_G celdaModel. feature must match the rownames of sce.

**Usage**

```
featureModuleLookup(
  sce,
  feature,
  altExpName = "featureSubset",
  exactMatch = TRUE
)

## S4 method for signature 'SingleCellExperiment'
featureModuleLookup(
  sce,
  feature,
  altExpName = "featureSubset",
  exactMatch = TRUE
)
```

**Arguments**

sce	A <a href="#">SingleCellExperiment</a> object returned by <code>celda_G</code> , or <code>celda_CG</code> , with the matrix located in the useAssay assay slot. Rows represent features and columns represent cells.
feature	Character vector. Identify feature modules for the specified feature names. feature must match the rownames of sce.
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
exactMatch	Logical. Whether to look for exactMatch of the gene name within counts matrix. Default TRUE.

**Value**

List. Each entry corresponds to the feature module determined for the provided features.

**Examples**

```
data(sceCeldaCG)
module <- featureModuleLookup(sce = sceCeldaCG,
  feature = c("Gene_1", "Gene_XXX"))
```

---

featureModuleTable      *Output a feature module table*

---

**Description**

Creates a table that contains the list of features in each feature module.

**Usage**

```
featureModuleTable(
  sce,
  useAssay = "counts",
  altExpName = "featureSubset",
  displayName = NULL,
  outputFile = NULL
)
```

**Arguments**

sce	A <a href="#">SingleCellExperiment</a> object returned by <code>celda_G</code> , or <code>celda_CG</code> , with the matrix located in the <code>useAssay</code> assay slot. Rows represent features and columns represent cells.
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
displayName	Character. The column name of <code>rowData(sce)</code> that specifies the display names for the features. Default NULL, which displays the row names.
outputFile	File name for feature module table. If NULL, file will not be created. Default NULL.

**Value**

Matrix. Contains a list of features per each column (feature module)

**Examples**

```
data(sceCeldaCG)
featureModuleTable(sceCeldaCG)
```

---

geneSetEnrich

*Gene set enrichment*

---

**Description**

Identify and return significantly-enriched terms for each gene module in a Celda object or a [SingleCellExperiment](#) object. Performs gene set enrichment analysis for Celda identified modules using the [enrichr](#).

**Usage**

```
geneSetEnrich(
  x,
  celdaModel,
  useAssay = "counts",
  altExpName = "featureSubset",
```

```

    databases,
    fdr = 0.05
  )

## S4 method for signature 'SingleCellExperiment'
geneSetEnrich(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  databases,
  fdr = 0.05
)

## S4 method for signature 'matrix'
geneSetEnrich(x, celdaModel, databases, fdr = 0.05)

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells. Rownames of the matrix or <a href="#">SingleCellExperiment</a> object should be gene names.
celdaModel	Celda object of class celda_G or celda_CG.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
databases	Character vector. Name of reference database. Available databases can be viewed by <a href="#">listEnrichrDbs</a> .
fdr	False discovery rate (FDR). Numeric. Cutoff value for adjusted p-value, terms with FDR below this value are considered significantly enriched.

### Value

List of length 'L' where each member contains the significantly enriched terms for the corresponding module.

### Author(s)

Ahmed Youssef, Zhe Wang

### Examples

```

library(M3DExampleData)
counts <- M3DExampleData::Mmus_example_list$data
# subset 500 genes for fast clustering
counts <- counts[seq(1501, 2000), ]
# cluster genes into 10 modules for quick demo
sce <- celda_G(x = as.matrix(counts), L = 10, verbose = FALSE)

```

```
gse <- geneSetEnrich(sce,
  databases = c("GO_Biological_Process_2018", "GO_Molecular_Function_2018"))
```

---

logLikelihood	<i>Calculate the Log-likelihood of a celda model</i>
---------------	------------------------------------------------------

---

### Description

Calculate the log-likelihood for cell population and feature module cluster assignments on the count matrix, per celda model.

### Usage

```
logLikelihood(x, celdaMod, useAssay = "counts", altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment,ANY'
logLikelihood(x, useAssay = "counts", altExpName = "featureSubset")

## S4 method for signature 'matrix,celda_C'
logLikelihood(x, celdaMod)

## S4 method for signature 'matrix,celda_G'
logLikelihood(x, celdaMod)

## S4 method for signature 'matrix,celda_CG'
logLikelihood(x, celdaMod)
```

### Arguments

x	A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a> , <a href="#">celda_G</a> , or <a href="#">celda_CG</a> , with the matrix located in the useAssay assay slot. Rows represent features and columns represent cells.
celdaMod	celda model object. Ignored if x is a <a href="#">SingleCellExperiment</a> object.
useAssay	A string specifying which <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

### Value

The log-likelihood of the cluster assignment for the provided [SingleCellExperiment](#).

### See Also

'[celda\\_C\(\)](#)' for clustering cells

### Examples

```
data(sceCeldaC, sceCeldaCG)
loglikC <- logLikelihood(sceCeldaC)
loglikCG <- logLikelihood(sceCeldaCG)
```

---

logLikelihoodHistory *Get log-likelihood history*

---

### Description

Retrieves the complete log-likelihood from all iterations of Gibbs sampling used to generate a celda model.

### Usage

```
logLikelihoodHistory(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
logLikelihoodHistory(x, altExpName = "featureSubset")

## S4 method for signature 'celdaModel'
logLikelihoodHistory(x)
```

### Arguments

x                    A [SingleCellExperiment](#) object returned by [celda\\_C](#), [celda\\_G](#), or [celda\\_CG](#), or a celda model object.

altExpName        The name for the [altExp](#) slot to use. Default "featureSubset".

### Value

Numeric. The log-likelihood at each step of Gibbs sampling used to generate the model.

### Examples

```
data(sceCeldaCG)
logLikelihoodHistory(sceCeldaCG)
data(celdaCGMod)
logLikelihoodHistory(celdaCGMod)
```

---

matrixNames                    *Get feature, cell and sample names from a celdaModel*

---

### Description

Retrieves the row, column, and sample names used to generate a celdaModel.

**Usage**

```
matrixNames(celdaMod)

## S4 method for signature 'celdaModel'
matrixNames(celdaMod)
```

**Arguments**

celdaMod            celdaModel. Options available in ‘celda::availableModels’.

**Value**

List. Contains row, column, and sample character vectors corresponding to the values provided when the celdaModel was generated.

**Examples**

```
data(celdaCGMod)
matrixNames(celdaCGMod)
```

---

moduleHeatmap

*Heatmap for featureModules*

---

**Description**

Renders a heatmap for selected featureModule. Cells are ordered from those with the lowest probability of the module on the left to the highest probability on the right. Features are ordered from those with the highest probability in the module on the top to the lowest probability on the bottom. Use of [save\\_multi\\_panel\\_figure](#) is recommended for outputting figures in various formats.

**Usage**

```
moduleHeatmap(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  featureModule = NULL,
  col = circlize::colorRamp2(c(-2, 0, 2), c("#1E90FF", "#FFFFFF", "#CD2626")),
  topCells = 100,
  topFeatures = NULL,
  normalizedCounts = NA,
  normalize = "proportion",
  transformationFun = sqrt,
  scaleRow = scale,
  showFeatureNames = TRUE,
  displayName = NULL,
  trim = c(-2, 2),
```

```

    rowFontSize = NULL,
    showHeatmapLegend = FALSE,
    showTopAnnotationLegend = FALSE,
    showTopAnnotationName = FALSE,
    topAnnotationHeight = 5,
    showModuleLabel = TRUE,
    moduleLabel = "auto",
    moduleLabelSize = NULL,
    width = "auto",
    height = "auto",
    unit = "mm",
    ncol = NULL,
    useRaster = TRUE,
    ...
)

## S4 method for signature 'SingleCellExperiment'
moduleHeatmap(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  featureModule = NULL,
  col = circlize::colorRamp2(c(-2, 0, 2), c("#1E90FF", "#FFFFFF", "#CD2626")),
  topCells = 100,
  topFeatures = NULL,
  normalizedCounts = NA,
  normalize = "proportion",
  transformationFun = sqrt,
  scaleRow = scale,
  showFeatureNames = TRUE,
  displayName = NULL,
  trim = c(-2, 2),
  rowFontSize = NULL,
  showHeatmapLegend = FALSE,
  showTopAnnotationLegend = FALSE,
  showTopAnnotationName = FALSE,
  topAnnotationHeight = 5,
  showModuleLabel = TRUE,
  moduleLabel = "auto",
  moduleLabelSize = NULL,
  width = "auto",
  height = "auto",
  unit = "mm",
  ncol = NULL,
  useRaster = TRUE,
  ...
)

```

**Arguments**

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells. Celda results must be present under metadata(altExp(x, altExpName)).
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
featureModule	Integer Vector. The featureModule(s) to display. Multiple modules can be included in a vector. Default NULL which plots all module heatmaps.
col	Passed to <a href="#">Heatmap</a> . Set color boundaries and colors.
topCells	Integer. Number of cells with the highest and lowest probabilities for each module to include in the heatmap. For example, if topCells = 50, the 50 cells with the lowest probabilities and the 50 cells with the highest probabilities for each featureModule will be included. If NULL, all cells will be plotted. Default 100.
topFeatures	Integer. Plot 'topFeatures' features with the highest probabilities in the module heatmap for each featureModule. If NULL, plot all features in the module. Default NULL.
normalizedCounts	Integer matrix. Rows represent features and columns represent cells. If you have a normalized matrix result from <a href="#">normalizeCounts</a> , you can pass through the result here to skip the normalization step in this function. Make sure the colnames and rownames match the object in x. This matrix should correspond to one generated from this count matrix assay(altExp(x, altExpName), i = useAssay). If NA, normalization will be carried out in the following form normalizeCounts(assay(altExp(x, altExpName), i = useAssay), normalize = "proportion", transformationFun = sqrt). Use of this parameter is particularly useful for plotting many module heatmaps, where normalizing the counts matrix repeatedly would be too time consuming. Default NA.
normalize	Character. Passed to <a href="#">normalizeCounts</a> if normalizedCounts is NA. Divides counts by the library sizes for each cell. One of 'proportion', 'cpm', 'median', or 'mean'. 'proportion' uses the total counts for each cell as the library size. 'cpm' divides the library size of each cell by one million to produce counts per million. 'median' divides the library size of each cell by the median library size across all cells. 'mean' divides the library size of each cell by the mean library size across all cells. Default "proportion".
transformationFun	Function. Passed to <a href="#">normalizeCounts</a> if normalizedCounts is NA. Applies a transformation such as <a href="#">sqrt</a> , <a href="#">log</a> , <a href="#">log2</a> , <a href="#">log10</a> , or <a href="#">log1p</a> . If NULL, no transformation will be applied. Occurs after normalization. Default <a href="#">sqrt</a> .
scaleRow	Function. Which function to use to scale each individual row. Set to NULL to disable. Occurs after normalization and log transformation. For example, <a href="#">scale</a> will Z-score transform each row. Default <a href="#">scale</a> .
showFeatureNames	Logical. Whether feature names should be displayed. Default TRUE.

displayName	Character. The column name of <code>rowData(altExp(x, altExpName))</code> that specifies the display names for the features. Default NULL, which displays the row names. Only works if <code>showFeatureNames</code> is TRUE and <code>x</code> is a <a href="#">SingleCellExperiment</a> object.
trim	Numeric vector. Vector of length two that specifies the lower and upper bounds for plotting the data. This threshold is applied after row scaling. Set to NULL to disable. Default <code>c(-2, 2)</code> .
rowFontSize	Numeric. Font size for feature names. If NULL, then the size will automatically be determined. Default NULL.
showHeatmapLegend	Passed to <a href="#">Heatmap</a> . Show legend for expression levels.
showTopAnnotationLegend	Passed to <a href="#">HeatmapAnnotation</a> . Show legend for cell annotation.
showTopAnnotationName	Passed to <a href="#">HeatmapAnnotation</a> . Show heatmap top annotation name.
topAnnotationHeight	Passed to <a href="#">HeatmapAnnotation</a> . Column annotation height. <a href="#">rowAnnotation</a> . Show legend for module annotation.
showModuleLabel	Show left side module labels.
moduleLabel	The left side row titles for module heatmap. Must be vector of the same length as <code>featureModule</code> . Default "auto", which automatically pulls module labels from <code>x</code> .
moduleLabelSize	Passed to <a href="#">gpar</a> . The size of text (in points).
width	Passed to <a href="#">multi_panel_figure</a> . The width of the output figure.
height	Passed to <a href="#">multi_panel_figure</a> . The height of the output figure.
unit	Passed to <a href="#">multi_panel_figure</a> . Single character object defining the unit of all dimensions defined.
ncol	Integer. Number of columns of module heatmaps. If NULL, then this will be automatically calculated so that the number of columns and rows will be approximately the same. Default NULL.
useRaster	Boolean. Rasterizing will make the heatmap a single object and reduced the memory of the plot and the size of a file. If NULL, then rasterization will be automatically determined by the underlying <a href="#">Heatmap</a> function. Default TRUE.
...	Additional parameters passed to <a href="#">Heatmap</a> .

**Value**

A [multi\\_panel\\_figure](#) object if plotting more than one module heatmaps. Otherwise a [HeatmapList](#) object is returned.

**Examples**

```
data(sceCeldaCG)
moduleHeatmap(sceCeldaCG, width = 250, height = 250,
  displayName = "rownames")
```

---

nonzero	<i>get row and column indices of none zero elements in the matrix</i>
---------	-----------------------------------------------------------------------

---

**Description**

get row and column indices of none zero elements in the matrix

**Usage**

```
nonzero(R_counts)
```

**Arguments**

R_counts	A matrix
----------	----------

**Value**

An integer matrix where each row is a row, column indices pair

---

normalizeCounts	<i>Normalization of count data</i>
-----------------	------------------------------------

---

**Description**

Performs normalization, transformation, and/or scaling of a counts matrix

**Usage**

```
normalizeCounts(
  counts,
  normalize = c("proportion", "cpm", "median", "mean"),
  scaleFactor = NULL,
  transformationFun = NULL,
  scaleFun = NULL,
  pseudocountNormalize = 0,
  pseudocountTransform = 0
)
```

**Arguments**

counts	Integer, Numeric or Sparse matrix. Rows represent features and columns represent cells.
--------	-----------------------------------------------------------------------------------------

normalize	Character. Divides counts by the library sizes for each cell. One of 'proportion', 'cpm', 'median', or 'mean'. 'proportion' uses the total counts for each cell as the library size. 'cpm' divides the library size of each cell by one million to produce counts per million. 'median' divides the library size of each cell by the median library size across all cells. 'mean' divides the library size of each cell by the mean library size across all cells.
scaleFactor	Numeric. Sets the scale factor for cell-level normalization. This scale factor is multiplied to each cell after the library size of each cell had been adjusted in normalize. Default NULL which means no scale factor is applied.
transformationFun	Function. Applies a transformation such as <a href="#">sqrt</a> , <a href="#">log</a> , <a href="#">log2</a> , <a href="#">log10</a> , or <a href="#">log1p</a> . If NULL, no transformation will be applied. Occurs after normalization. Default NULL.
scaleFun	Function. Scales the rows of the normalized and transformed count matrix. For example, 'scale' can be used to z-score normalize the rows. Default NULL.
pseudocountNormalize	Numeric. Add a pseudocount to counts before normalization. Default 0.
pseudocountTransform	Numeric. Add a pseudocount to normalized counts before applying the transformation function. Adding a pseudocount can be useful before applying a log transformation. Default 0.

**Value**

Numeric Matrix. A normalized matrix.

**Examples**

```
data(celdaCGSim)
normalizedCounts <- normalizeCounts(celdaCGSim$counts, "proportion",
  pseudocountNormalize = 1)
```

---

params

*Get parameter values provided for celdaModel creation*

---

**Description**

Retrieves the K/L, model priors (e.g. alpha, beta), and count matrix checksum parameters provided during the creation of the provided celdaModel.

**Usage**

```
params(celdaMod)

## S4 method for signature 'celdaModel'
params(celdaMod)
```

**Arguments**

celdaMod            celdaModel. Options available in `celda::availableModels`.

**Value**

List. Contains the model-specific parameters for the provided celda model object depending on its class.

**Examples**

```
data(celdaCGMod)
params(celdaCGMod)
```

---

perplexity

*Calculate the perplexity of a celda model*

---

**Description**

Perplexity is a statistical measure of how well a probability model can predict new data. Lower perplexity indicates a better model.

**Usage**

```
perplexity(
  x,
  celdaMod,
  useAssay = "counts",
  altExpName = "featureSubset",
  newCounts = NULL
)

## S4 method for signature 'SingleCellExperiment,ANY'
perplexity(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  newCounts = NULL
)

## S4 method for signature 'ANY,celda_CG'
perplexity(x, celdaMod, newCounts = NULL)

## S4 method for signature 'ANY,celda_C'
perplexity(x, celdaMod, newCounts = NULL)

## S4 method for signature 'ANY,celda_G'
perplexity(x, celdaMod, newCounts = NULL)
```

**Arguments**

x	Can be one of <ul style="list-style-type: none"> <li>• A <code>SingleCellExperiment</code> object returned by <code>celda_C</code>, <code>celda_G</code> or <code>celda_CG</code>, with the matrix located in the <code>useAssay</code> assay slot. Rows represent features and columns represent cells.</li> <li>• Integer counts matrix. Rows represent features and columns represent cells. This matrix should be the same as the one used to generate <code>celdaMod</code>.</li> </ul>
celdaMod	Celda model object. Only works if x is an integer counts matrix.
useAssay	A string specifying which <code>assay</code> slot to use if x is a <code>SingleCellExperiment</code> object. Default "counts".
altExpName	The name for the <code>altExp</code> slot to use. Default "featureSubset".
newCounts	A new counts matrix used to calculate perplexity. If NULL, perplexity will be calculated for the matrix in <code>useAssay</code> slot in x. Default NULL.

**Value**

Numeric. The perplexity for the provided x (and `celdaModel`).

**Examples**

```
data(sceCeldaCG)
perplexity <- perplexity(sceCeldaCG)
data(celdaCGSim, celdaCGMod)
perplexity <- perplexity(celdaCGSim$counts, celdaCGMod)
data(celdaCSim, celdaCMod)
perplexity <- perplexity(celdaCSim$counts, celdaCMod)
data(celdaGSim, celdaGMod)
perplexity <- perplexity(celdaGSim$counts, celdaGMod)
```

---

plotCeldaViolin      *Feature Expression Violin Plot*

---

**Description**

Outputs a violin plot for feature expression data.

**Usage**

```
plotCeldaViolin(
  x,
  celdaMod,
  features,
  displayName = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  exactMatch = TRUE,
```

```

    plotDots = TRUE,
    dotSize = 0.1
  )

  ## S4 method for signature 'SingleCellExperiment'
  plotCeldaViolin(
    x,
    features,
    displayName = NULL,
    useAssay = "counts",
    altExpName = "featureSubset",
    exactMatch = TRUE,
    plotDots = TRUE,
    dotSize = 0.1
  )

  ## S4 method for signature 'ANY'
  plotCeldaViolin(
    x,
    celdaMod,
    features,
    exactMatch = TRUE,
    plotDots = TRUE,
    dotSize = 0.1
  )

```

### Arguments

x	Numeric matrix or a <a href="#">SingleCellExperiment</a> object with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
celdaMod	Celda object of class "celda_G" or "celda_CG". Used only if x is a matrix object.
features	Character vector. Uses these genes for plotting.
displayName	Character. The column name of rowData(x) that specifies the display names for the features. Default NULL, which displays the row names. Only works if x is a <a href="#">SingleCellExperiment</a> object.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
exactMatch	Logical. Whether an exact match or a partial match using <code>grep()</code> is used to look up the feature in the rownames of the counts matrix. Default TRUE.
plotDots	Boolean. If TRUE, the expression of features will be plotted as points in addition to the violin curve. Default TRUE.
dotSize	Numeric. Size of points if plotDots = TRUE. Default 0.1.

### Value

Violin plot for each feature, grouped by celda cluster

## Examples

```
data(sceCeldaCG)
plotCeldaViolin(x = sceCeldaCG, features = "Gene_1")
data(celdaCGSim, celdaCGMod)
plotCeldaViolin(x = celdaCGSim$counts,
  celdaMod = celdaCGMod,
  features = "Gene_1")
```

---

plotDecontXContamination

*Plots contamination on UMAP coordinates*

---

## Description

A scatter plot of the UMAP dimensions generated by DecontX with cells colored by the estimated percentage of contamination.

## Usage

```
plotDecontXContamination(
  x,
  batch = NULL,
  colorScale = c("blue", "green", "yellow", "orange", "red"),
  size = 1
)
```

## Arguments

x	Either a <a href="#">SingleCellExperiment</a> with decontX results stored in <code>metadata(x)\$decontX</code> or the result from running decontX on a count matrix.
batch	Character. Batch of cells to plot. If NULL, then the first batch in the list will be selected. Default NULL.
colorScale	Character vector. Contains the color spectrum to be passed to <code>scale_colour_gradientn</code> from package 'ggplot2'. Default <code>c("blue", "green", "yellow", "orange", "red")</code> .
size	Numeric. Size of points in the scatterplot. Default 1.

## Value

Returns a ggplot object.

## Author(s)

Shiyi Yang, Joshua Campbell

## See Also

See [decontX](#) for a full example of how to estimate and plot contamination.

---

plotDecontXMarkerExpression

*Plots expression of marker genes before and after decontamination*

---

## Description

Generates a violin plot that shows the counts of marker genes in cells across specific clusters or cell types. Can be used to view the expression of marker genes in different cell types before and after decontamination with [decontX](#).

## Usage

```
plotDecontXMarkerExpression(
  x,
  markers,
  groupClusters = NULL,
  assayName = c("counts", "decontXcounts"),
  z = NULL,
  exactMatch = TRUE,
  by = "rownames",
  log1p = FALSE,
  ncol = NULL,
  plotDots = FALSE,
  dotSize = 0.1
)
```

## Arguments

x	Either a <a href="#">SingleCellExperiment</a> or a matrix-like object of counts.
markers	Character Vector or List. A character vector or list of character vectors with the names of the marker genes of interest.
groupClusters	List. A named list that allows cell clusters labels coded in z to be regrouped and renamed on the fly. For example, <code>list(Tcells=c(1,2),Bcells=7)</code> would recode clusters 1 and 2 to "Tcells" and cluster 7 to "Bcells". Note that if this is used, clusters in z not found in groupClusters will be excluded. Default NULL.
assayName	Character vector. Name(s) of the assay(s) to plot if x is a <a href="#">SingleCellExperiment</a> . If more than one assay is listed, then side-by-side violin plots will be generated. Default <code>c("counts", "decontXcounts")</code> .
z	Character, Integer, or Vector. Indicates the cluster labels for each cell. If x is a <a href="#">SingleCellExperiment</a> and z = NULL, then the cluster labels from <a href="#">decontX</a> will be retrieved from the colData of x (i.e. <code>colData(x)\$decontX_clusters</code> ). If z is a single character or integer, then that column will be retrieved from colData of x. (i.e. <code>colData(x)[,z]</code> ). If x is a counts matrix, then z will need to be a vector the same length as the number of columns in x that indicate the cluster to which each cell belongs. Default NULL.

exactMatch	Boolean. Whether to only identify exact matches for the markers or to identify partial matches using <code>grep</code> . See <a href="#">retrieveFeatureIndex</a> for more details. Default TRUE.
by	Character. Where to search for the markers if <code>x</code> is a <a href="#">SingleCellExperiment</a> . See <a href="#">retrieveFeatureIndex</a> for more details. If <code>x</code> is a matrix, then this must be set to "rownames". Default "rownames".
log1p	Boolean. Whether to apply the function <code>log1p</code> to the data before plotting. This function will add a pseudocount of 1 and then log transform the expression values. Default FALSE.
ncol	Integer. Number of columns to make in the plot. Default NULL.
plotDots	Boolean. If TRUE, the expression of features will be plotted as points in addition to the violin curve. Default FALSE.
dotSize	Numeric. Size of points if <code>plotDots = TRUE</code> . Default 0.1.

**Value**

Returns a ggplot object.

**Author(s)**

Shiyi Yang, Joshua Campbell

**See Also**

See [decontX](#) for a full example of how to estimate and plot contamination.

---

plotDecontXMarkerPercentage

*Plots percentage of cells cell types expressing markers*

---

**Description**

Generates a barplot that shows the percentage of cells within clusters or cell types that have detectable levels of given marker genes. Can be used to view the expression of marker genes in different cell types before and after decontamination with [decontX](#).

**Usage**

```
plotDecontXMarkerPercentage(
  x,
  markers,
  groupClusters = NULL,
  assayName = c("counts", "decontXcounts"),
  z = NULL,
  threshold = 1,
  exactMatch = TRUE,
```

```

by = "rownames",
ncol = round(sqrt(length(markers))),
labelBars = TRUE,
labelSize = 3
)

```

## Arguments

x	Either a <a href="#">SingleCellExperiment</a> or a matrix-like object of counts.
markers	List. A named list indicating the marker genes for each cell type of interest. Multiple markers can be supplied for each cell type. For example, <code>list(Tcell_Markers=c("CD3E", "CD3D"))</code> would specify markers for human T-cells and B-cells. A cell will be considered "positive" for a cell type if it has a count greater than <code>threshold</code> for at least one of the marker genes in the list.
groupClusters	List. A named list that allows cell clusters labels coded in <code>z</code> to be regrouped and renamed on the fly. For example, <code>list(Tcells=c(1, 2), Bcells=7)</code> would recode clusters 1 and 2 to "Tcells" and cluster 7 to "Bcells". Note that if this is used, clusters in <code>z</code> not found in <code>groupClusters</code> will be excluded from the barplot. Default NULL.
assayName	Character vector. Name(s) of the assay(s) to plot if <code>x</code> is a <a href="#">SingleCellExperiment</a> . If more than one assay is listed, then side-by-side barplots will be generated. Default <code>c("counts", "decontXcounts")</code> .
z	Character, Integer, or Vector. Indicates the cluster labels for each cell. If <code>x</code> is a <a href="#">SingleCellExperiment</a> and <code>z = NULL</code> , then the cluster labels from <code>decontX</code> will be retrieved from the <code>colData</code> of <code>x</code> (i.e. <code>colData(x)\$decontX_clusters</code> ). If <code>z</code> is a single character or integer, then that column will be retrieved from <code>colData</code> of <code>x</code> . (i.e. <code>colData(x)[, z]</code> ). If <code>x</code> is a counts matrix, then <code>z</code> will need to be a vector the same length as the number of columns in <code>x</code> that indicate the cluster to which each cell belongs. Default NULL.
threshold	Numeric. Markers greater than or equal to this value will be considered detected in a cell. Default 1.
exactMatch	Boolean. Whether to only identify exact matches for the markers or to identify partial matches using <code>grep</code> . See <a href="#">retrieveFeatureIndex</a> for more details. Default TRUE.
by	Character. Where to search for the markers if <code>x</code> is a <a href="#">SingleCellExperiment</a> . See <a href="#">retrieveFeatureIndex</a> for more details. If <code>x</code> is a matrix, then this must be set to "rownames". Default "rownames".
ncol	Integer. Number of columns to make in the plot. Default <code>round(sqrt(length(markers)))</code> .
labelBars	Boolean. Whether to display percentages above each bar. Default TRUE.
labelSize	Numeric. Size of the percentage labels in the barplot. Default 3.

## Value

Returns a ggplot object.

**Author(s)**

Shiyi Yang, Joshua Campbell

**See Also**

See [decontX](#) for a full example of how to estimate and plot contamination.

---

plotDimReduceCluster *Plotting the cell labels on a dimension reduction plot*

---

**Description**

Create a scatterplot for each row of a normalized gene expression matrix where x and y axis are from a data dimension reduction tool. The cells are colored by "celda\_cell\_cluster" column in `colData(altExp(x, altExpName))` if x is a [SingleCellExperiment](#) object, or x if x is a integer vector of cell cluster labels.

**Usage**

```
plotDimReduceCluster(  
  x,  
  reducedDimName,  
  altExpName = "featureSubset",  
  dim1 = NULL,  
  dim2 = NULL,  
  size = 1,  
  xlab = "Dimension_1",  
  ylab = "Dimension_2",  
  specificClusters = NULL,  
  labelClusters = FALSE,  
  groupBy = NULL,  
  labelSize = 3.5  
)  
  
## S4 method for signature 'SingleCellExperiment'  
plotDimReduceCluster(  
  x,  
  reducedDimName,  
  altExpName = "featureSubset",  
  dim1 = NULL,  
  dim2 = NULL,  
  size = 1,  
  xlab = "Dimension_1",  
  ylab = "Dimension_2",  
  specificClusters = NULL,  
  labelClusters = FALSE,  
  groupBy = NULL,
```

```

    labelSize = 3.5
  )

## S4 method for signature 'vector'
plotDimReduceCluster(
  x,
  dim1,
  dim2,
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  specificClusters = NULL,
  labelClusters = FALSE,
  groupBy = NULL,
  labelSize = 3.5
)

```

### Arguments

x	Integer vector of cell cluster labels or a <a href="#">SingleCellExperiment</a> object containing cluster labels for each cell in "celda_cell_cluster" column in colData(x).
reducedDimName	The name of the dimension reduction slot in reducedDimNames(x) if x is a <a href="#">SingleCellExperiment</a> object. Ignored if both dim1 and dim2 are set.
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
dim1	Numeric vector. First dimension from data dimension reduction output.
dim2	Numeric vector. Second dimension from data dimension reduction output.
size	Numeric. Sets size of point on plot. Default 1.
xlab	Character vector. Label for the x-axis. Default "Dimension_1".
ylab	Character vector. Label for the y-axis. Default "Dimension_2".
specificClusters	Numeric vector. Only color cells in the specified clusters. All other cells will be grey. If NULL, all clusters will be colored. Default NULL.
labelClusters	Logical. Whether the cluster labels are plotted. Default FALSE.
groupBy	Character vector. Contains sample labels for each cell. If NULL, all samples will be plotted together. Default NULL.
labelSize	Numeric. Sets size of label if labelClusters is TRUE. Default 3.5.

### Value

The plot as a ggplot object

### Examples

```

data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceCluster(x = sce,

```

```

    reducedDimName = "celda_tSNE",
    specificClusters = c(1, 2, 3))
library(SingleCellExperiment)
data(sceCeldaCG, celdaCGMod)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceCluster(x = celdaClusters(celdaCGMod)$z,
  dim1 = reducedDim(altExp(sce), "celda_tSNE")[, 1],
  dim2 = reducedDim(altExp(sce), "celda_tSNE")[, 2],
  specificClusters = c(1, 2, 3))

```

---

plotDimReduceFeature *Plotting feature expression on a dimension reduction plot*

---

### Description

Create a scatterplot for each row of a normalized gene expression matrix where x and y axis are from a data dimension reduction tool. The cells are colored by expression of the specified feature.

### Usage

```

plotDimReduceFeature(
  x,
  features,
  displayName = NULL,
  reducedDimName = NULL,
  dim1 = NULL,
  dim2 = NULL,
  headers = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  normalize = FALSE,
  zscore = TRUE,
  exactMatch = TRUE,
  trim = c(-2, 2),
  limits = c(-2, 2),
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  colorLow = "blue4",
  colorMid = "grey90",
  colorHigh = "firebrick1",
  midpoint = 0,
  ncol = NULL,
  decreasing = FALSE
)

## S4 method for signature 'SingleCellExperiment'
plotDimReduceFeature(

```

```
x,  
features,  
displayName = NULL,  
reducedDimName = NULL,  
dim1 = NULL,  
dim2 = NULL,  
headers = NULL,  
useAssay = "counts",  
altExpName = "featureSubset",  
normalize = FALSE,  
zscore = TRUE,  
exactMatch = TRUE,  
trim = c(-2, 2),  
limits = c(-2, 2),  
size = 1,  
xlab = "Dimension_1",  
ylab = "Dimension_2",  
colorLow = "blue4",  
colorMid = "grey90",  
colorHigh = "firebrick1",  
midpoint = 0,  
ncol = NULL,  
decreasing = FALSE  
)  
  
## S4 method for signature 'ANY'  
plotDimReduceFeature(  
  x,  
  features,  
  dim1,  
  dim2,  
  headers = NULL,  
  normalize = FALSE,  
  zscore = TRUE,  
  exactMatch = TRUE,  
  trim = c(-2, 2),  
  limits = c(-2, 2),  
  size = 1,  
  xlab = "Dimension_1",  
  ylab = "Dimension_2",  
  colorLow = "blue4",  
  colorMid = "grey90",  
  colorHigh = "firebrick1",  
  midpoint = 0,  
  ncol = NULL,  
  decreasing = FALSE  
)
```

**Arguments**

x	Numeric matrix or a <a href="#">SingleCellExperiment</a> object with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
features	Character vector. Features in the rownames of counts to plot.
displayName	Character. The column name of rowData(x) that specifies the display names for the features. Default NULL, which displays the row names. Only works if x is a <a href="#">SingleCellExperiment</a> object. Overwrites headers.
reducedDimName	The name of the dimension reduction slot in reducedDimNames(x) if x is a <a href="#">SingleCellExperiment</a> object. If NULL, then both dim1 and dim2 need to be set. Default NULL.
dim1	Numeric vector. First dimension from data dimension reduction output to be plotted on the x-axis. Default NULL.
dim2	Numeric vector. Second dimension from data dimension reduction output to be plotted on the y-axis. Default NULL.
headers	Character vector. If NULL, the corresponding rownames are used as labels. Otherwise, these headers are used to label the features. Only works if displayName is NULL and exactMatch is FALSE.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
normalize	Logical. Whether to normalize the columns of 'counts'. Default FALSE.
zscore	Logical. Whether to scale each feature to have a mean 0 and standard deviation of 1. Default TRUE.
exactMatch	Logical. Whether an exact match or a partial match using <code>grep()</code> is used to look up the feature in the rownames of the counts matrix. Default TRUE.
trim	Numeric vector. Vector of length two that specifies the lower and upper bounds for the data. This threshold is applied after row scaling. Set to NULL to disable. Default <code>c(-1, 1)</code> .
limits	Passed to <a href="#">scale_colour_gradient2</a> . The range of color scale.
size	Numeric. Sets size of point on plot. Default 1.
xlab	Character vector. Label for the x-axis. If reducedDimName is used, then this will be set to the column name of the first dimension of that object. Default "Dimension_1".
ylab	Character vector. Label for the y-axis. If reducedDimName is used, then this will be set to the column name of the second dimension of that object. Default "Dimension_2".
colorLow	Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale.
colorMid	Character. A color available from 'colors()'. The color will be used to signify the midpoint on the scale.
colorHigh	Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale.

midpoint	Numeric. The value indicating the midpoint of the diverging color scheme. If NULL, defaults to the mean with 10 percent of values trimmed. Default 0.
ncol	Integer. Passed to <code>facet_wrap</code> . Specify the number of columns for facet wrap.
decreasing	logical. Specifies the order of plotting the points. If FALSE, the points will be plotted in increasing order where the points with largest values will be on top. TRUE otherwise. If NULL, no sorting is performed. Points will be plotted in their current order in x. Default FALSE.

**Value**

The plot as a ggplot object

**Examples**

```
data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceFeature(x = sce,
  reducedDimName = "celda_tSNE",
  normalize = TRUE,
  features = c("Gene_98", "Gene_99"),
  exactMatch = TRUE)
library(SingleCellExperiment)
data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceFeature(x = counts(sce),
  dim1 = reducedDim(altExp(sce), "celda_tSNE")[, 1],
  dim2 = reducedDim(altExp(sce), "celda_tSNE")[, 2],
  normalize = TRUE,
  features = c("Gene_98", "Gene_99"),
  exactMatch = TRUE)
```

---

plotDimReduceGrid      *Mapping the dimension reduction plot*

---

**Description**

Creates a scatterplot given two dimensions from a data dimension reduction tool (e.g tSNE) output.

**Usage**

```
plotDimReduceGrid(
  x,
  reducedDimName,
  dim1 = NULL,
  dim2 = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  size = 1,
```

```
    xlab = "Dimension_1",
    ylab = "Dimension_2",
    limits = c(-2, 2),
    colorLow = "blue4",
    colorMid = "grey90",
    colorHigh = "firebrick1",
    midpoint = 0,
    varLabel = NULL,
    ncol = NULL,
    headers = NULL,
    decreasing = FALSE
)

## S4 method for signature 'SingleCellExperiment'
plotDimReduceGrid(
  x,
  reducedDimName,
  dim1 = NULL,
  dim2 = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  limits = c(-2, 2),
  colorLow = "blue4",
  colorMid = "grey90",
  colorHigh = "firebrick1",
  midpoint = 0,
  varLabel = NULL,
  ncol = NULL,
  headers = NULL,
  decreasing = FALSE
)

## S4 method for signature 'ANY'
plotDimReduceGrid(
  x,
  dim1,
  dim2,
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  limits = c(-2, 2),
  colorLow = "blue4",
  colorMid = "grey90",
  colorHigh = "firebrick1",
  midpoint = 0,
```

```

varLabel = NULL,
ncol = NULL,
headers = NULL,
decreasing = FALSE
)

```

### Arguments

x	Numeric matrix or a <a href="#">SingleCellExperiment</a> object with the matrix located in the assay slot under useAssay. Each row of the matrix will be plotted as a separate facet.
reducedDimName	The name of the dimension reduction slot in reducedDimNames(x) if x is a <a href="#">SingleCellExperiment</a> object. Ignored if both dim1 and dim2 are set.
dim1	Numeric vector. First dimension from data dimension reduction output.
dim2	Numeric vector. Second dimension from data dimension reduction output.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
size	Numeric. Sets size of point on plot. Default 1.
xlab	Character vector. Label for the x-axis. Default 'Dimension_1'.
ylab	Character vector. Label for the y-axis. Default 'Dimension_2'.
limits	Passed to <a href="#">scale_colour_gradient2</a> . The range of color scale.
colorLow	Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale. Default "blue4".
colorMid	Character. A color available from 'colors()'. The color will be used to signify the midpoint on the scale. Default "grey90".
colorHigh	Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale. Default "firebrick1".
midpoint	Numeric. The value indicating the midpoint of the diverging color scheme. If NULL, defaults to the mean with 10 percent of values trimmed. Default 0.
varLabel	Character vector. Title for the color legend.
ncol	Integer. Passed to <a href="#">facet_wrap</a> . Specify the number of columns for facet wrap.
headers	Character vector. If 'NULL', the corresponding rownames are used as labels. Otherwise, these headers are used to label the genes.
decreasing	logical. Specifies the order of plotting the points. If FALSE, the points will be plotted in increasing order where the points with largest values will be on top. TRUE otherwise. If NULL, no sorting is performed. Points will be plotted in their current order in x. Default FALSE.

### Value

The plot as a ggplot object

**Examples**

```

data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceGrid(x = sce,
  reducedDimName = "celda_tSNE",
  xlab = "Dimension1",
  ylab = "Dimension2",
  varLabel = "tSNE")
library(SingleCellExperiment)
data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceGrid(x = counts(sce),
  dim1 = reducedDim(altExp(sce), "celda_tSNE")[, 1],
  dim2 = reducedDim(altExp(sce), "celda_tSNE")[, 2],
  xlab = "Dimension1",
  ylab = "Dimension2",
  varLabel = "tSNE")

```

---

plotDimReduceModule     *Plotting Celda module probability on a dimension reduction plot*

---

**Description**

Create a scatterplot for each row of a normalized gene expression matrix where x and y axis are from a data dimension reduction tool. The cells are colored by the module probability.

**Usage**

```

plotDimReduceModule(
  x,
  reducedDimName,
  dim1 = NULL,
  dim2 = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  celdaMod,
  modules = NULL,
  rescale = TRUE,
  limits = c(0, 1),
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  colorLow = "grey90",
  colorHigh = "firebrick1",
  ncol = NULL,
  decreasing = FALSE
)

```

```

## S4 method for signature 'SingleCellExperiment'
plotDimReduceModule(
  x,
  reducedDimName,
  dim1 = NULL,
  dim2 = NULL,
  useAssay = "counts",
  altExpName = "featureSubset",
  modules = NULL,
  rescale = TRUE,
  limits = c(0, 1),
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  colorLow = "grey90",
  colorHigh = "firebrick1",
  ncol = NULL,
  decreasing = FALSE
)

## S4 method for signature 'ANY'
plotDimReduceModule(
  x,
  dim1,
  dim2,
  celdaMod,
  modules = NULL,
  rescale = TRUE,
  limits = c(0, 1),
  size = 1,
  xlab = "Dimension_1",
  ylab = "Dimension_2",
  colorLow = "grey90",
  colorHigh = "firebrick1",
  ncol = NULL,
  decreasing = FALSE
)

```

### Arguments

x	Numeric matrix or a <a href="#">SingleCellExperiment</a> object with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
reducedDimName	The name of the dimension reduction slot in reducedDimNames(x) if x is a <a href="#">SingleCellExperiment</a> object. Ignored if both dim1 and dim2 are set.
dim1	Numeric vector. First dimension from data dimension reduction output.
dim2	Numeric vector. Second dimension from data dimension reduction output.

useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
celdaMod	Celda object of class "celda_G" or "celda_CG". Used only if x is a matrix object.
modules	Character vector. Module(s) from celda model to be plotted. e.g. c("1", "2").
rescale	Logical. Whether rows of the matrix should be rescaled to [0, 1]. Default TRUE.
limits	Passed to <a href="#">scale_colour_gradient</a> . The range of color scale.
size	Numeric. Sets size of point on plot. Default 1.
xlab	Character vector. Label for the x-axis. Default "Dimension_1".
ylab	Character vector. Label for the y-axis. Default "Dimension_2".
colorLow	Character. A color available from 'colors()'. The color will be used to signify the lowest values on the scale.
colorHigh	Character. A color available from 'colors()'. The color will be used to signify the highest values on the scale.
ncol	Integer. Passed to <a href="#">facet_wrap</a> . Specify the number of columns for facet wrap.
decreasing	logical. Specifies the order of plotting the points. If FALSE, the points will be plotted in increasing order where the points with largest values will be on top. TRUE otherwise. If NULL, no sorting is performed. Points will be plotted in their current order in x. Default FALSE.

## Value

The plot as a ggplot object

## Examples

```
data(sceCeldaCG)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceModule(x = sce,
  reducedDimName = "celda_tSNE",
  modules = c("1", "2"))
library(SingleCellExperiment)
data(sceCeldaCG, celdaCGMod)
sce <- celdaTsne(sceCeldaCG)
plotDimReduceModule(x = counts(sce),
  dim1 = reducedDim(altExp(sce), "celda_tSNE")[, 1],
  dim2 = reducedDim(altExp(sce), "celda_tSNE")[, 2],
  celdaMod = celdaCGMod,
  modules = c("1", "2"))
```

---

```
plotGridSearchPerplexity
```

*Visualize perplexity of a list of celda models*

---

## Description

Visualize perplexity of every model in a `celdaList`, by unique K/L combinations

## Usage

```
plotGridSearchPerplexity(x, altExpName = "featureSubset", sep = 1, alpha = 0.5)

## S4 method for signature 'SingleCellExperiment'
plotGridSearchPerplexity(x, altExpName = "featureSubset", sep = 1, alpha = 0.5)

## S4 method for signature 'celdaList'
plotGridSearchPerplexity(x, sep = 1, alpha = 0.5)
```

## Arguments

<code>x</code>	Can be one of <ul style="list-style-type: none"> <li>• A <code>SingleCellExperiment</code> object returned from <code>celdaGridSearch</code>, <code>recursiveSplitModule</code>, or <code>recursiveSplitCell</code>. Must contain a list named "celda_grid_search" in <code>metadata(x)</code>.</li> <li>• <code>celdaList</code> object.</li> </ul>
<code>altExpName</code>	The name for the <code>altExp</code> slot to use. Default "featureSubset". Only works if <code>x</code> is a <code>SingleCellExperiment</code> object.
<code>sep</code>	Numeric. Breaks in the x axis of the resulting plot.
<code>alpha</code>	Numeric. Passed to <code>geom_jitter</code> . Opacity of the points. Values of alpha range from 0 to 1, with lower values corresponding to more transparent colors.

## Value

A ggplot plot object showing perplexity as a function of clustering parameters.

## Examples

```
data(sceCeldaCGGridSearch)
sce <- resamplePerplexity(sceCeldaCGGridSearch)
plotGridSearchPerplexity(sce)
data(celdaCGSim, celdaCGGridSearchRes)
## Run various combinations of parameters with 'celdaGridSearch'
celdaCGGridSearchRes <- resamplePerplexity(
  celdaCGSim$counts,
  celdaCGGridSearchRes)
plotGridSearchPerplexity(celdaCGGridSearchRes)
```

---

`plotHeatmap`*Plots heatmap based on Celda model*

---

**Description**

Renders a heatmap based on a matrix of counts where rows are features and columns are cells.

**Usage**

```
plotHeatmap(  
  counts,  
  z = NULL,  
  y = NULL,  
  scaleRow = scale,  
  trim = c(-2, 2),  
  featureIx = NULL,  
  cellIx = NULL,  
  clusterFeature = TRUE,  
  clusterCell = TRUE,  
  colorScheme = c("divergent", "sequential"),  
  colorSchemeSymmetric = TRUE,  
  colorSchemeCenter = 0,  
  col = NULL,  
  annotationCell = NULL,  
  annotationFeature = NULL,  
  annotationColor = NULL,  
  breaks = NULL,  
  legend = TRUE,  
  annotationLegend = TRUE,  
  annotationNamesFeature = TRUE,  
  annotationNamesCell = TRUE,  
  showNamesFeature = FALSE,  
  showNamesCell = FALSE,  
  rowGroupOrder = NULL,  
  colGroupOrder = NULL,  
  hclustMethod = "ward.D2",  
  treeheightFeature = ifelse(clusterFeature, 50, 0),  
  treeheightCell = ifelse(clusterCell, 50, 0),  
  silent = FALSE,  
  ...  
)
```

**Arguments**

<code>counts</code>	Numeric or sparse matrix. Normalized counts matrix where rows represent features and columns represent cells. .
<code>z</code>	Numeric vector. Denotes cell population labels.

y	Numeric vector. Denotes feature module labels.
scaleRow	Function. A function to scale each individual row. Set to NULL to disable. Occurs after normalization and log transformation. Default is 'scale' and thus will Z-score transform each row.
trim	Numeric vector. Vector of length two that specifies the lower and upper bounds for the data. This threshold is applied after row scaling. Set to NULL to disable. Default c(-2,2).
featureIx	Integer vector. Select features for display in heatmap. If NULL, no subsetting will be performed. Default NULL.
cellIx	Integer vector. Select cells for display in heatmap. If NULL, no subsetting will be performed. Default NULL.
clusterFeature	Logical. Determines whether rows should be clustered. Default TRUE.
clusterCell	Logical. Determines whether columns should be clustered. Default TRUE.
colorScheme	Character. One of "divergent" or "sequential". A "divergent" scheme is best for highlighting relative data (denoted by 'colorSchemeCenter') such as gene expression data that has been normalized and centered. A "sequential" scheme is best for highlighting data that are ordered low to high such as raw counts or probabilities. Default "divergent".
colorSchemeSymmetric	Logical. When the colorScheme is "divergent" and the data contains both positive and negative numbers, TRUE indicates that the color scheme should be symmetric from $[-\max(\text{abs}(\text{data})), \max(\text{abs}(\text{data}))]$ . For example, if the data ranges goes from -1.5 to 2, then setting this to TRUE will force the color scheme to range from -2 to 2. Default TRUE.
colorSchemeCenter	Numeric. Indicates the center of a "divergent" colorScheme. Default 0.
col	Color for the heatmap.
annotationCell	Data frame. Additional annotations for each cell will be shown in the column color bars. The format of the data frame should be one row for each cell and one column for each annotation. Numeric variables will be displayed as continuous color bars and factors will be displayed as discrete color bars. Default NULL.
annotationFeature	A data frame for the feature annotations (rows).
annotationColor	List. Contains color scheme for all annotations. See '?pheatmap' for more details.
breaks	Numeric vector. A sequence of numbers that covers the range of values in the normalized 'counts'. Values in the normalized 'matrix' are assigned to each bin in 'breaks'. Each break is assigned to a unique color from 'col'. If NULL, then breaks are calculated automatically. Default NULL.
legend	Logical. Determines whether legend should be drawn. Default TRUE.
annotationLegend	Logical. Whether legend for all annotations should be drawn. Default TRUE.

annotationNamesFeature	Logical. Whether the names for features should be shown. Default TRUE.
annotationNamesCell	Logical. Whether the names for cells should be shown. Default TRUE.
showNamesFeature	Logical. Specifies if feature names should be shown. Default TRUE.
showNamesCell	Logical. Specifies if cell names should be shown. Default FALSE.
rowGroupOrder	Vector. Specifies the order of feature clusters when semisupervised clustering is performed on the y labels.
colGroupOrder	Vector. Specifies the order of cell clusters when semisupervised clustering is performed on the z labels.
hclustMethod	Character. Specifies the method to use for the 'hclust' function. See '?hclust' for possible values. Default "ward.D2".
treeheightFeature	Numeric. Width of the feature dendrogram. Set to 0 to disable plotting of this dendrogram. Default: if clusterFeature == TRUE, then treeheightFeature = 50, else treeheightFeature = 0.
treeheightCell	Numeric. Height of the cell dendrogram. Set to 0 to disable plotting of this dendrogram. Default: if clusterCell == TRUE, then treeheightCell = 50, else treeheightCell = 0.
silent	Logical. Whether to plot the heatmap.
...	Other arguments to be passed to underlying pheatmap function.

**Value**

list A list containing dendrogram information and the heatmap grob

**Examples**

```
data(celdaCGSim, celdaCGMod)
plotHeatmap(celdaCGSim$counts,
  z = celdaClusters(celdaCGMod)$z, y = celdaClusters(celdaCGMod)$y
)
```

---

plotRPC

*Visualize perplexity differences of a list of celda models*


---

**Description**

Visualize perplexity differences of every model in a celdaList, by unique K/L combinations. Line represents centered moving average with windows of length n.

**Usage**

```
plotRPC(x, altExpName = "featureSubset", sep = 1, n = 10, alpha = 0.5)

## S4 method for signature 'SingleCellExperiment'
plotRPC(x, altExpName = "featureSubset", sep = 1, n = 10, alpha = 0.5)

## S4 method for signature 'celdaList'
plotRPC(x, sep = 1, n = 10, alpha = 0.5)
```

**Arguments**

x	Can be one of <ul style="list-style-type: none"> <li>• A <code>SingleCellExperiment</code> object returned from <code>celdaGridSearch</code>, <code>recursiveSplitModule</code>, or <code>recursiveSplitCell</code>. Must contain a list named "celda_grid_search" in <code>metadata(x)</code>.</li> <li>• <code>celdaList</code> object.</li> </ul>
altExpName	The name for the <code>altExp</code> slot to use. Default "featureSubset".
sep	Numeric. Breaks in the x axis of the resulting plot.
n	Integer. Width of the rolling window. Default 10.
alpha	Numeric. Passed to <code>geom_jitter</code> . Opacity of the points. Values of alpha range from 0 to 1, with lower values corresponding to more transparent colors.

**Value**

A ggplot plot object showing perplexity differences as a function of clustering parameters.

**Examples**

```
data(sceCeldaCGGridSearch)
sce <- resamplePerplexity(sceCeldaCGGridSearch)
plotRPC(sce, n = 1)
data(celdaCGSim, celdaCGGridSearchRes)
## Run various combinations of parameters with 'celdaGridSearch'
celdaCGGridSearchRes <- resamplePerplexity(
  celdaCGSim$counts,
  celdaCGGridSearchRes)
plotRPC(celdaCGGridSearchRes, n = 1)
```

---

recodeClusterY

*Recode feature module labels*


---

**Description**

Recode feature module clusters using a mapping in the `from` and `to` arguments.

**Usage**

```
recodeClusterY(sce, from, to, altExpName = "featureSubset")
```

**Arguments**

**sce** [SingleCellExperiment](#) object returned from [celda\\_G](#) or [celda\\_CG](#). Must contain column `celda_feature_module` in [rowData](#)([altExp](#)(sce, altExpName)).

**from** Numeric vector. Unique values in the range of `seq(celdaModules(sce))` that correspond to the original module labels in sce.

**to** Numeric vector. Unique values in the range of `seq(celdaModules(sce))` that correspond to the new module labels.

**altExpName** The name for the [altExp](#) slot to use. Default "featureSubset".

**Value**

@return [SingleCellExperiment](#) object with recoded feature module labels.

**Examples**

```
data(sceCeldaCG)
sceReorderedY <- recodeClusterY(sceCeldaCG, c(1, 3), c(3, 1))
```

---

<code>recodeClusterZ</code>	<i>Recode cell cluster labels</i>
-----------------------------	-----------------------------------

---

**Description**

Recode cell subpopulation clusters using a mapping in the from and to arguments.

**Usage**

```
recodeClusterZ(sce, from, to, altExpName = "featureSubset")
```

**Arguments**

**sce** [SingleCellExperiment](#) object returned from [celda\\_C](#) or [celda\\_CG](#). Must contain column `celda_cell_cluster` in [colData](#)([altExp](#)(sce, altExpName)).

**from** Numeric vector. Unique values in the range of `seq(max(as.integer(celdaClusters(sce, altExpName = altExpName))))` that correspond to the original cluster labels in sce.

**to** Numeric vector. Unique values in the range of `seq(max(as.integer(celdaClusters(sce, altExpName = altExpName))))` that correspond to the new cluster labels.

**altExpName** The name for the [altExp](#) slot to use. Default "featureSubset".

**Value**

[SingleCellExperiment](#) object with recoded cell cluster labels.

**Examples**

```
data(sceCeldaCG)
sceReorderedZ <- recodeClusterZ(sceCeldaCG, c(1, 3), c(3, 1))
```

---

```
recursiveSplitCell    Recursive cell splitting
```

---

**Description**

Uses the `celda_C` model to cluster cells into population for range of possible K's. The cell population labels of the previous "K-1" model are used as the initial values in the current model with K cell populations. The best split of an existing cell population is found to create the K-th cluster. This procedure is much faster than randomly initializing each model with a different K. If module labels for each feature are given in 'yInit', the `celda_CG` model will be used to split cell populations based on those modules instead of individual features. Module labels will also be updated during sampling and thus may end up slightly different than yInit.

**Usage**

```
recursiveSplitCell(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  initialK = 5,
  maxK = 25,
  tempL = NULL,
  yInit = NULL,
  alpha = 1,
  beta = 1,
  delta = 1,
  gamma = 1,
  minCell = 3,
  reorder = TRUE,
  seed = 12345,
  perplexity = TRUE,
  logfile = NULL,
  verbose = TRUE
)

## S4 method for signature 'SingleCellExperiment'
recursiveSplitCell(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  initialK = 5,
```

```

    maxK = 25,
    templ = NULL,
    yInit = NULL,
    alpha = 1,
    beta = 1,
    delta = 1,
    gamma = 1,
    minCell = 3,
    reorder = TRUE,
    seed = 12345,
    perplexity = TRUE,
    logfile = NULL,
    verbose = TRUE
)

## S4 method for signature 'matrix'
recursiveSplitCell(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  sampleLabel = NULL,
  initialK = 5,
  maxK = 25,
  templ = NULL,
  yInit = NULL,
  alpha = 1,
  beta = 1,
  delta = 1,
  gamma = 1,
  minCell = 3,
  reorder = TRUE,
  seed = 12345,
  perplexity = TRUE,
  logfile = NULL,
  verbose = TRUE
)

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
useAssay	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
sampleLabel	Vector or factor. Denotes the sample label for each cell (column) in the count matrix.
initialK	Integer. Initial number of cell populations to try. Default 5.

maxK	Integer. Maximum number of cell populations to try. Default 25.
templ	Integer. Number of temporary modules to identify and use in cell splitting. Only used if yInit = NULL. Collapsing features to a relatively smaller number of modules will increase the speed of clustering and tend to produce better cell populations. This number should be larger than the number of true modules expected in the dataset. Default NULL.
yInit	Integer vector. Module labels for features. Cells will be clustered using the <a href="#">celda_CG</a> model based on the modules specified in yInit rather than the counts of individual features. While the features will be initialized to the module labels in yInit, the labels will be allowed to move within each new model with a different K.
alpha	Numeric. Concentration parameter for Theta. Adds a pseudocount to each cell population in each sample. Default 1.
beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature in each cell (if yInit is NULL) or to each module in each cell population (if yInit is set). Default 1.
delta	Numeric. Concentration parameter for Psi. Adds a pseudocount to each feature in each module. Only used if yInit is set. Default 1.
gamma	Numeric. Concentration parameter for Eta. Adds a pseudocount to the number of features in each module. Only used if yInit is set. Default 1.
minCell	Integer. Only attempt to split cell populations with at least this many cells.
reorder	Logical. Whether to reorder cell populations using hierarchical clustering after each model has been created. If FALSE, cell populations numbers will correspond to the split which created the cell populations (i.e. 'K15' was created at split 15, 'K16' was created at split 16, etc.). Default TRUE.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.
perplexity	Logical. Whether to calculate perplexity for each model. If FALSE, then perplexity can be calculated later with <a href="#">resamplePerplexity</a> . Default TRUE.
logfile	Character. Messages will be redirected to a file named "logfile". If NULL, messages will be printed to stdout. Default NULL.
verbose	Logical. Whether to print log messages. Default TRUE.

### Value

A [SingleCellExperiment](#) object. Function parameter settings and celda model results are stored in the `metadata` "celda\_grid\_search" slot. The models in the list will be of class `celda_C` if `yInit = NULL` or `celda_CG` if `zInit` is set.

### See Also

[recursiveSplitModule](#) for recursive splitting of feature modules.

**Examples**

```

data(sceCeldaCG)
## Create models that range from K = 3 to K = 7 by recursively splitting
## cell populations into two to produce \link{celda_C} cell clustering models
sce <- recursiveSplitCell(sceCeldaCG, initialK = 3, maxK = 7)

## Alternatively, first identify features modules using
## \link{recursiveSplitModule}
moduleSplit <- recursiveSplitModule(sceCeldaCG, initialL = 3, maxL = 15)
plotGridSearchPerplexity(moduleSplit)
moduleSplitSelect <- subsetCeldaList(moduleSplit, list(L = 10))

## Then use module labels for initialization in \link{recursiveSplitCell} to
## produce \link{celda_CG} bi-clustering models
cellSplit <- recursiveSplitCell(sceCeldaCG,
  initialK = 3, maxK = 7, yInit = celdaModules(moduleSplitSelect))
plotGridSearchPerplexity(cellSplit)
sce <- subsetCeldaList(cellSplit, list(K = 5, L = 10))
data(celdaCGSim, celdaCSim)
## Create models that range from K = 3 to K = 7 by recursively splitting
## cell populations into two to produce \link{celda_C} cell clustering models
sce <- recursiveSplitCell(celdaCSim$counts, initialK = 3, maxK = 7)

## Alternatively, first identify features modules using
## \link{recursiveSplitModule}
moduleSplit <- recursiveSplitModule(celdaCGSim$counts,
  initialL = 3, maxL = 15)
plotGridSearchPerplexity(moduleSplit)
moduleSplitSelect <- subsetCeldaList(moduleSplit, list(L = 10))

## Then use module labels for initialization in \link{recursiveSplitCell} to
## produce \link{celda_CG} bi-clustering models
cellSplit <- recursiveSplitCell(celdaCGSim$counts,
  initialK = 3, maxK = 7, yInit = celdaModules(moduleSplitSelect))
plotGridSearchPerplexity(cellSplit)
sce <- subsetCeldaList(cellSplit, list(K = 5, L = 10))

```

---

recursiveSplitModule *Recursive module splitting*

---

**Description**

Uses the `celda_G` model to cluster features into modules for a range of possible  $L$ 's. The module labels of the previous " $L-1$ " model are used as the initial values in the current model with  $L$  modules. The best split of an existing module is found to create the  $L$ -th module. This procedure is much faster than randomly initializing each model with a different  $L$ .

**Usage**

```
recursiveSplitModule(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  initialL = 10,  
  maxL = 100,  
  tempK = 100,  
  zInit = NULL,  
  sampleLabel = NULL,  
  alpha = 1,  
  beta = 1,  
  delta = 1,  
  gamma = 1,  
  minFeature = 3,  
  reorder = TRUE,  
  seed = 12345,  
  perplexity = TRUE,  
  verbose = TRUE,  
  logfile = NULL  
)  
  
## S4 method for signature 'SingleCellExperiment'  
recursiveSplitModule(  
  x,  
  useAssay = "counts",  
  altExpName = "featureSubset",  
  initialL = 10,  
  maxL = 100,  
  tempK = 100,  
  zInit = NULL,  
  sampleLabel = NULL,  
  alpha = 1,  
  beta = 1,  
  delta = 1,  
  gamma = 1,  
  minFeature = 3,  
  reorder = TRUE,  
  seed = 12345,  
  perplexity = TRUE,  
  verbose = TRUE,  
  logfile = NULL  
)  
  
## S4 method for signature 'matrix'  
recursiveSplitModule(  
  x,  
  useAssay = "counts",
```

```

altExpName = "featureSubset",
initialL = 10,
maxL = 100,
tempK = 100,
zInit = NULL,
sampleLabel = NULL,
alpha = 1,
beta = 1,
delta = 1,
gamma = 1,
minFeature = 3,
reorder = TRUE,
seed = 12345,
perplexity = TRUE,
verbose = TRUE,
logfile = NULL
)

```

### Arguments

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
initialL	Integer. Initial number of modules.
maxL	Integer. Maximum number of modules.
tempK	Integer. Number of temporary cell populations to identify and use in module splitting. Only used if zInit = NULL. Collapsing cells to a relatively smaller number of cell populations will increase the speed of module clustering and tend to produce better modules. This number should be larger than the number of true cell populations expected in the dataset. Default 100.
zInit	Integer vector. Collapse cells to cell populations based on labels in zInit and then perform module splitting. If NULL, no collapsing will be performed unless tempK is specified. Default NULL.
sampleLabel	Vector or factor. Denotes the sample label for each cell (column) in the count matrix. Default NULL.
alpha	Numeric. Concentration parameter for Theta. Adds a pseudocount to each cell population in each sample. Only used if zInit is set. Default 1.
beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature module in each cell. Default 1.
delta	Numeric. Concentration parameter for Psi. Adds a pseudocount to each feature in each module. Default 1.
gamma	Numeric. Concentration parameter for Eta. Adds a pseudocount to the number of features in each module. Default 1.

minFeature	Integer. Only attempt to split modules with at least this many features.
reorder	Logical. Whether to reorder modules using hierarchical clustering after each model has been created. If FALSE, module numbers will correspond to the split which created the module (i.e. 'L15' was created at split 15, 'L16' was created at split 16, etc.). Default TRUE.
seed	Integer. Passed to <code>with_seed</code> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <code>with_seed</code> are made.
perplexity	Logical. Whether to calculate perplexity for each model. If FALSE, then perplexity can be calculated later with <code>resamplePerplexity</code> . Default TRUE.
verbose	Logical. Whether to print log messages. Default TRUE.
logfile	Character. Messages will be redirected to a file named "logfile". If NULL, messages will be printed to stdout. Default NULL.

### Value

A `SingleCellExperiment` object. Function parameter settings and celda model results are stored in the `metadata` "celda\_grid\_search" slot. The models in the list will be of class `celda_G` if `zInit` = NULL or `celda_CG` if `zInit` is set.

### See Also

`recursiveSplitCell` for recursive splitting of cell populations.

### Examples

```
data(sceCeldaCG)
## Create models that range from L=3 to L=20 by recursively splitting modules
## into two
moduleSplit <- recursiveSplitModule(sceCeldaCG, initialL = 3, maxL = 20)

## Example results with perplexity
plotGridSearchPerplexity(moduleSplit)

## Select model for downstream analysis
celdaMod <- subsetCeldaList(moduleSplit, list(L = 10))
data(celdaCGSim)
## Create models that range from L=3 to L=20 by recursively splitting modules
## into two
moduleSplit <- recursiveSplitModule(celdaCGSim$counts,
  initialL = 3, maxL = 20)

## Example results with perplexity
plotGridSearchPerplexity(moduleSplit)

## Select model for downstream analysis
celdaMod <- subsetCeldaList(moduleSplit, list(L = 10))
```

---

reorderCelda	<i>Reorder cells populations and/or features modules using hierarchical clustering</i>
--------------	----------------------------------------------------------------------------------------

---

## Description

Apply hierarchical clustering to reorder the cell populations and/or feature modules and group similar ones together based on the cosine distance of the factorized matrix from [factorizeMatrix](#).

## Usage

```
reorderCelda(
  x,
  celdaMod,
  useAssay = "counts",
  altExpName = "featureSubset",
  method = "complete"
)

## S4 method for signature 'SingleCellExperiment,ANY'
reorderCelda(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  method = "complete"
)

## S4 method for signature 'matrix,celda_CG'
reorderCelda(x, celdaMod, method = "complete")

## S4 method for signature 'matrix,celda_C'
reorderCelda(x, celdaMod, method = "complete")

## S4 method for signature 'matrix,celda_G'
reorderCelda(x, celdaMod, method = "complete")
```

## Arguments

x	Can be one of <ul style="list-style-type: none"> <li>• A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a>, <a href="#">celda_G</a> or <a href="#">celda_CG</a>, with the matrix located in the useAssay assay slot in altExp(x, altExpName). Rows represent features and columns represent cells.</li> <li>• Integer count matrix. Rows represent features and columns represent cells. This matrix should be the same as the one used to generate celdaMod.</li> </ul>
celdaMod	Celda model object. Only works if x is an integer counts matrix. Ignored if x is a <a href="#">SingleCellExperiment</a> object.

useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot. Default "featureSubset".
method	Passed to <a href="#">hclust</a> . The agglomeration method to be used to be used. Default "complete".

### Value

A [SingleCellExperiment](#) object (or Celda model object) with updated cell cluster and/or feature module labels.

### Examples

```
data(sceCeldaCG)
reordersce <- reorderCelda(sceCeldaCG)
data(celdaCGSim, celdaCGMod)
reorderCeldaCG <- reorderCelda(celdaCGSim$counts, celdaCGMod)
data(celdaCSim, celdaCMod)
reorderCeldaC <- reorderCelda(celdaCSim$counts, celdaCMod)
data(celdaGSim, celdaGMod)
reorderCeldaG <- reorderCelda(celdaGSim$counts, celdaGMod)
```

---

reportCeldaCG

*Generate an HTML report for celda\_CG*

---

### Description

reportCeldaCGRun will run [recursiveSplitModule](#) and [recursiveSplitCell](#) to find the number of modules (L) and the number of cell populations (K). A final [celda\\_CG](#) model will be selected from [recursiveSplitCell](#). After a [celda\\_CG](#) model has been fit, reportCeldaCGPlotResults can be used to create an HTML report for visualization and exploration of the [celda\\_CG](#) model results. Some of the plotting and feature selection functions require the installation of the Bioconductor package [singleCellTK](#).

### Usage

```
reportCeldaCGRun(
  sce,
  L,
  K,
  sampleLabel = NULL,
  altExpName = "featureSubset",
  useAssay = "counts",
  initialL = 10,
  maxL = 150,
  initialK = 5,
  maxK = 50,
```

```

    minCell = 3,
    minCount = 3,
    maxFeatures = 5000,
    output_file = "CeldaCG_RunReport",
    output_sce_prefix = "celda_cg",
    output_dir = ".",
    pdf = FALSE,
    showSession = TRUE
)

reportCeldaCGPlotResults(
  sce,
  reducedDimName,
  features = NULL,
  displayName = NULL,
  altExpName = "featureSubset",
  useAssay = "counts",
  cellAnnot = NULL,
  cellAnnotLabel = NULL,
  exactMatch = TRUE,
  moduleFilePrefix = "module_features",
  output_file = "CeldaCG_ResultReport",
  output_dir = ".",
  pdf = FALSE,
  showSetup = TRUE,
  showSession = TRUE
)

```

## Arguments

sce	A <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
L	Integer. Final number of feature modules. See <code>celda_CG</code> for more information.
K	Integer. Final number of cell populations. See <code>celda_CG</code> for more information.
sampleLabel	Vector or factor. Denotes the sample label for each cell (column) in the count matrix.
altExpName	The name for the <code>altExp</code> slot to use. Default "featureSubset".
useAssay	A string specifying which <code>assay</code> slot to use. Default "counts".
initialL	Integer. Minimum number of modules to try. See <a href="#">recursiveSplitModule</a> for more information. Default 10.
maxL	Integer. Maximum number of modules to try. See <a href="#">recursiveSplitModule</a> for more information. Default 150.
initialK	Integer. Initial number of cell populations to try.
maxK	Integer. Maximum number of cell populations to try.
minCell	Integer. Minimum number of cells required for feature selection. See <a href="#">selectFeatures</a> for more information. Default 3.

<code>minCount</code>	Integer. Minimum number of counts required for feature selection. See <a href="#">select-Features</a> for more information. Default 3.
<code>maxFeatures</code>	Integer. Maximum number of features to include. If the number of features after filtering for <code>minCell</code> and <code>minCount</code> are greater than <code>maxFeature</code> , then Seurat's VST function is used to select the top variable features. Default 5000.
<code>output_file</code>	Character. Prefix of the html file. Default "CeldaCG_ResultReport".
<code>output_sce_prefix</code>	Character. The sce object with <code>celda_CG</code> results will be saved to an <code>.rds</code> file starting with this prefix. Default <code>celda_cg</code> .
<code>output_dir</code>	Character. Path to save the html file. Default <code>..</code>
<code>pdf</code>	Boolean. Whether to create PDF versions of each plot in addition to PNGs. Default FALSE.
<code>showSession</code>	Boolean. Whether to show the session information at the end. Default TRUE.
<code>reducedDimName</code>	Character. Name of the reduced dimensional object to be used in 2-D scatter plots throughout the report. Default <code>celda_UMAP</code> .
<code>features</code>	Character vector. Expression of these features will be displayed on a reduced dimensional plot defined by <code>reducedDimName</code> . If NULL, then no plotting of features on a reduced dimensional plot will be performed. Default NULL.
<code>displayName</code>	Character. The name to use for display in scatter plots and heatmaps. If NULL, then the rownames of the sce object will be used. This can also be set to the name of a column in the row data of sce or <code>altExp(sce, altExpName)</code> . Default NULL.
<code>cellAnnot</code>	Character vector. The cell-level annotations to display on the reduced dimensional plot. These variables should be present in the column data of the sce object. Default NULL.
<code>cellAnnotLabel</code>	Character vector. Additional cell-level annotations to display on the reduced dimensional plot. Variables will be treated as categorical and labels for each group will be placed on the plot. These variables should be present in the column data of the sce object. Default NULL.
<code>exactMatch</code>	Boolean. Whether to only identify exact matches or to identify partial matches using <code>grep</code> . Default FALSE.
<code>moduleFilePrefix</code>	Character. The features in each module will be written to a csv file starting with this name. If NULL, then no file will be written. Default "module_features".
<code>showSetup</code>	Boolean. Whether to show the setup code at the beginning. Default TRUE.

**Value**

`.html` file

**Examples**

```
data(sceCeldaCG)
```

```
library(SingleCellExperiment)
```

```
sceCeldaCG$sum <- colSums(counts(sceCeldaCG))
rowData(sceCeldaCG)$rownames <- rownames(sceCeldaCG)
sceCeldaCG <- reportCeldaCGRun(sceCeldaCG,
  initialL = 5, maxL = 20, initialK = 5,
  maxK = 20, L = 10, K = 5)
reportCeldaCGPlotResults(sce = sceCeldaCG,
  reducedDimName = "celda_UMAP",
  features = c("Gene_1", "Gene_100"),
  displayName = "rownames",
  cellAnnot="sum")
```

---

resamplePerplexity	<i>Calculate and visualize perplexity of all models in a celdaList, with count resampling</i>
--------------------	-----------------------------------------------------------------------------------------------

---

### Description

Calculates the perplexity of each model's cluster assignments given the provided countMatrix, as well as resamplings of that count matrix, providing a distribution of perplexities and a better sense of the quality of a given K/L choice.

### Usage

```
resamplePerplexity(
  x,
  celdaList,
  useAssay = "counts",
  altExpName = "featureSubset",
  resample = 5,
  seed = 12345
)

## S4 method for signature 'SingleCellExperiment'
resamplePerplexity(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  resample = 5,
  seed = 12345
)

## S4 method for signature 'ANY'
resamplePerplexity(x, celdaList, resample = 5, seed = 12345)
```

**Arguments**

x	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> returned from <a href="#">celdaGridSearch</a> with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells. Must contain "celda_grid_search" slot in metadata(x) if x is a <a href="#">SingleCellExperiment</a> object.
celdaList	Object of class 'celdaList'. Used only if x is a matrix object.
useAssay	A string specifying which <a href="#">assay</a> slot to use if x is a <a href="#">SingleCellExperiment</a> object. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
resample	Integer. The number of times to resample the counts matrix for evaluating perplexity. Default 5.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.

**Value**

A [SingleCellExperiment](#) object or celdaList object with a perplexity property, detailing the perplexity of all K/L combinations that appeared in the celdaList's models.

**Examples**

```
data(sceCeldaCGGridSearch)
sce <- resamplePerplexity(sceCeldaCGGridSearch)
plotGridSearchPerplexity(sce)
data(celdaCGSim, celdaCGGridSearchRes)
celdaCGGridSearchRes <- resamplePerplexity(
  celdaCGSim$counts,
  celdaCGGridSearchRes
)
plotGridSearchPerplexity(celdaCGGridSearchRes)
```

---

resList

---

*Get final celdaModels from a celda model SCE or celdaList object*


---

**Description**

Returns all celda models generated during a [celdaGridSearch](#) run.

**Usage**

```
resList(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
resList(x, altExpName = "featureSubset")

## S4 method for signature 'celdaList'
resList(x)
```

**Arguments**

`x` An object of class [SingleCellExperiment](#) or `celdaList`.  
`altExpName` The name for the `altExp` slot to use. Default "featureSubset".

**Value**

List. Contains one `celdaModel` object for each of the parameters specified in `runParams(x)`.

**Examples**

```
data(sceCeldaCGGridSearch)
celdaCGGridModels <- resList(sceCeldaCGGridSearch)
data(celdaCGGridSearchRes)
celdaCGGridModels <- resList(celdaCGGridSearchRes)
```

---

`retrieveFeatureIndex` *Retrieve row index for a set of features*

---

**Description**

This will return indices of features among the rownames or rowData of a data.frame, matrix, or a [SummarizedExperiment](#) object including a [SingleCellExperiment](#). Partial matching (i.e. grepping) can be used by setting `exactMatch = FALSE`.

**Usage**

```
retrieveFeatureIndex(
  features,
  x,
  by = "rownames",
  exactMatch = TRUE,
  removeNA = FALSE
)
```

**Arguments**

`features` Character vector of feature names to find in the rows of `x`.  
`x` A data.frame, matrix, or [SingleCellExperiment](#) object to search.  
`by` Character. Where to search for features in `x`. If set to "rownames" then the features will be searched for among `rownames(x)`. If `x` inherits from class [SummarizedExperiment](#), then `by` can be one of the fields in the row annotation data.frame (i.e. one of `colnames(rowData(x))`).  
`exactMatch` Boolean. Whether to only identify exact matches or to identify partial matches using `grep`.  
`removeNA` Boolean. If set to FALSE, features not found in `x` will be given NA and the returned vector will be the same length as `features`. If set to TRUE, then the NA values will be removed from the returned vector. Default FALSE.

**Value**

A vector of row indices for the matching features in `x`.

**Author(s)**

Yusuke Koga, Joshua Campbell

**See Also**

'[retrieveFeatureInfo](#)' from package 'scater' and `link{regex}` for how to use regular expressions when `exactMatch = FALSE`.

**Examples**

```
data(celdaCGSim)
retrieveFeatureIndex(c("Gene_1", "Gene_5"), celdaCGSim$counts)
retrieveFeatureIndex(c("Gene_1", "Gene_5"), celdaCGSim$counts,
                    exactMatch = FALSE)
```

---

runParams	<i>Get run parameters from a celda model SingleCellExperiment or celdaList object</i>
-----------	---------------------------------------------------------------------------------------

---

**Description**

Returns details on the clustering parameters and model priors from the `celdaList` object when it was created.

**Usage**

```
runParams(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
runParams(x, altExpName = "featureSubset")

## S4 method for signature 'celdaList'
runParams(x)
```

**Arguments**

`x` An object of class [SingleCellExperiment](#) or class `celdaList`.  
`altExpName` The name for the `altExp` slot to use. Default "featureSubset".

**Value**

Data Frame. Contains details on the various K/L parameters, chain parameters, seed, and final log-likelihoods derived for each model in the provided `celdaList`.

**Examples**

```
data(sceCeldaCGGridSearch)
runParams(sceCeldaCGGridSearch)
data(celdaCGGridSearchRes)
runParams(celdaCGGridSearchRes)
```

---

`sampleCells`*sampleCells*

---

**Description**

A matrix of simulated gene counts.

**Usage**

```
sampleCells
```

**Format**

A matrix of simulated gene counts with 10 rows (genes) and 10 columns (cells).

**Details**

A toy count matrix for use with `celda`.

Generated by Josh Campbell.

**Source**

<http://github.com/campbio/celda>

---

`sampleLabel`*Get or set sample labels from a `celda` [SingleCellExperiment](#) object*

---

**Description**

Return or set the sample labels for the cells in `sce`.

**Usage**

```

sampleLabel(x, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
sampleLabel(x, altExpName = "featureSubset")

sampleLabel(x, altExpName = "featureSubset") <- value

## S4 replacement method for signature 'SingleCellExperiment'
sampleLabel(x, altExpName = "featureSubset") <- value

## S4 method for signature 'celdaModel'
sampleLabel(x)

```

**Arguments**

x	Can be one of <ul style="list-style-type: none"> <li>A <a href="#">SingleCellExperiment</a> object returned by <a href="#">celda_C</a>, <a href="#">celda_G</a>, or <a href="#">celda_CG</a>, with the matrix located in the useAssay assay slot. Rows represent features and columns represent cells.</li> <li>A celda model object.</li> </ul>
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
value	Character vector of sample labels for replacements. Works only if x is a <a href="#">SingleCellExperiment</a> object.

**Value**

Character vector. Contains the sample labels provided at model creation, or those automatically generated by celda.

**Examples**

```

data(sceCeldaCG)
sampleLabel(sceCeldaCG)
data(celdaCGMod)
sampleLabel(celdaCGMod)

```

---

sceCeldaC

*sceCeldaC*


---

**Description**

A [SingleCellExperiment](#) object containing the results of running [selectFeatures](#) and [celda\\_C](#) on [celdaCSim](#).

**Usage**

```
sceCeldaC
```

**Format**

A [SingleCellExperiment](#) object

**Examples**

```
data(celdaCSim)
sceCeldaC <- selectFeatures(celdaCSim$counts)
sceCeldaC <- celda_C(sceCeldaC,
  K = celdaCSim$K,
  sampleLabel = celdaCSim$sampleLabel,
  nchains = 1)
```

---

sceCeldaCG

*sceCeldaCG*

---

**Description**

A [SingleCellExperiment](#) object containing the results of running [selectFeatures](#) and [celda\\_CG](#) on [celdaCGSim](#).

**Usage**

```
sceCeldaCG
```

**Format**

A [SingleCellExperiment](#) object

**Examples**

```
data(celdaCGSim)
sceCeldaCG <- selectFeatures(celdaCGSim$counts)
sceCeldaCG <- celda_CG(sceCeldaCG,
  K = celdaCGSim$K,
  L = celdaCGSim$L,
  sampleLabel = celdaCGSim$sampleLabel,
  nchains = 1)
```

---

sceCeldaCGGridSearch    *sceCeldaCGGridSearch*

---

**Description**

A [SingleCellExperiment](#) object containing the results of running [selectFeatures](#) and [celdaGridSearch](#) on [celdaCGSim](#).

**Usage**

```
sceCeldaCGGridSearch
```

**Format**

A [SingleCellExperiment](#) object

**Examples**

```
data(celdaCGSim)
sce <- selectFeatures(celdaCGSim$counts)
sceCeldaCGGridSearch <- celdaGridSearch(sce,
  model = "celda_CG",
  paramsTest = list(K = seq(4, 6), L = seq(9, 11)),
  paramsFixed = list(sampleLabel = celdaCGSim$sampleLabel),
  bestOnly = TRUE,
  nchains = 1,
  cores = 1,
  verbose = FALSE)
```

---

sceCeldaG

*sceCeldaG*

---

**Description**

A [SingleCellExperiment](#) object containing the results of running [selectFeatures](#) and [celda\\_G](#) on [celdaGSim](#).

**Usage**

```
sceCeldaG
```

**Format**

A [SingleCellExperiment](#) object

**Examples**

```
data(celdaGSim)
sceCeldaG <- selectFeatures(celdaGSim$counts)
sceCeldaG <- celda_G(sceCeldaG, L = celdaGSim$L, nchains = 1)
```

---

selectBestModel	<i>Select best chain within each combination of parameters</i>
-----------------	----------------------------------------------------------------

---

**Description**

Select the chain with the best log likelihood for each combination of tested parameters from a SCE object generated by [celdaGridSearch](#) or from a `celdaList` object.

**Usage**

```
selectBestModel(x, asList = FALSE, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
selectBestModel(x, asList = FALSE, altExpName = "featureSubset")

## S4 method for signature 'celdaList'
selectBestModel(x, asList = FALSE)
```

**Arguments**

x	Can be one of <ul style="list-style-type: none"> <li>• A <a href="#">SingleCellExperiment</a> object returned from <code>celdaGridSearch</code>, <code>recursiveSplitModule</code>, or <code>recursiveSplitCell</code>. Must contain a list named "celda_grid_search" in <code>metadata(x)</code>.</li> <li>• <code>celdaList</code> object.</li> </ul>
asList	TRUE or FALSE. Whether to return the best model as a <code>celdaList</code> object or not. If FALSE, return the best model as a corresponding <code>celda</code> model object.
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

**Value**

One of

- A new [SingleCellExperiment](#) object containing one model with the best log-likelihood for each set of parameters in `metadata(x)`. If there is only one set of parameters, a new [SingleCellExperiment](#) object with the matching model stored in the `metadata` "celda\_parameters" slot will be returned. Otherwise, a new [SingleCellExperiment](#) object with the subset models stored in the `metadata` "celda\_grid\_search" slot will be returned.
- A new `celdaList` object containing one model with the best log-likelihood for each set of parameters. If only one set of parameters is in the `celdaList`, the best model will be returned directly instead of a `celdaList` object.

**See Also**

[celdaGridSearch](#) [subsetCeldaList](#)

**Examples**

```
data(sceCeldaCGGridSearch)
## Returns same result as running celdaGridSearch with "bestOnly = TRUE"
sce <- selectBestModel(sceCeldaCGGridSearch)
data(celdaCGGridSearchRes)
## Returns same result as running celdaGridSearch with "bestOnly = TRUE"
cgsBest <- selectBestModel(celdaCGGridSearchRes)
```

---

selectFeatures

*Simple feature selection by feature counts*

---

**Description**

A simple heuristic feature selection procedure. Select features with at least `minCount` counts in at least `minCell` cells. A [SingleCellExperiment](#) object with subset features will be stored in the `altExp` slot with name `altExpName`. The name of the assay slot in `altExp` will be the same as `useAssay`.

**Usage**

```
selectFeatures(
  x,
  minCount = 3,
  minCell = 3,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'SingleCellExperiment'
selectFeatures(
  x,
  minCount = 3,
  minCell = 3,
  useAssay = "counts",
  altExpName = "featureSubset"
)

## S4 method for signature 'matrix'
selectFeatures(
  x,
  minCount = 3,
  minCell = 3,
  useAssay = "counts",
  altExpName = "featureSubset"
)
```

**Arguments**

<code>x</code>	A numeric <a href="#">matrix</a> of counts or a <a href="#">SingleCellExperiment</a> with the matrix located in the assay slot under <code>useAssay</code> . Rows represent features and columns represent cells.
<code>minCount</code>	Minimum number of counts required for feature selection.
<code>minCell</code>	Minimum number of cells required for feature selection.
<code>useAssay</code>	A string specifying the name of the <a href="#">assay</a> slot to use. Default "counts".
<code>altExpName</code>	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

**Value**

A [SingleCellExperiment](#) object with a `altExpName` [altExp](#) slot. Function parameter settings are stored in the [metadata](#) "select\_features" slot.

**Examples**

```
data(sceCeldaCG)
sce <- selectFeatures(sceCeldaCG)
data(celdaCGSim)
sce <- selectFeatures(celdaCGSim$counts)
```

---

 semiPheatmap

*A function to draw clustered heatmaps.*


---

**Description**

A function to draw clustered heatmaps where one has better control over some graphical parameters such as cell size, etc.

The function also allows to aggregate the rows using kmeans clustering. This is advisable if number of rows is so big that R cannot handle their hierarchical clustering anymore, roughly more than 1000. Instead of showing all the rows separately one can cluster the rows in advance and show only the cluster centers. The number of clusters can be tuned with parameter `kmeansK`.

**Usage**

```
semiPheatmap(
  mat,
  color = colorRampPalette(rev(brewer.pal(n = 7, name = "RdYlBu")))(100),
  kmeansK = NA,
  breaks = NA,
  borderColor = "grey60",
  cellWidth = NA,
  cellHeight = NA,
  scale = "none",
  clusterRows = TRUE,
  clusterCols = TRUE,
```

```

clusteringDistanceRows = "euclidean",
clusteringDistanceCols = "euclidean",
clusteringMethod = "complete",
clusteringCallback = .identity2,
cutreeRows = NA,
cutreeCols = NA,
treeHeightRow = ifelse(clusterRows, 50, 0),
treeHeightCol = ifelse(clusterCols, 50, 0),
legend = TRUE,
legendBreaks = NA,
legendLabels = NA,
annotationRow = NA,
annotationCol = NA,
annotation = NA,
annotationColors = NA,
annotationLegend = TRUE,
annotationNamesRow = TRUE,
annotationNamesCol = TRUE,
dropLevels = TRUE,
showRownames = TRUE,
showColnames = TRUE,
main = NA,
fontSize = 10,
fontSizeRow = fontSize,
fontSizeCol = fontSize,
displayNumbers = FALSE,
numberFormat = "%.2f",
numberColor = "grey30",
fontSizeNumber = 0.8 * fontSize,
gapsRow = NULL,
gapsCol = NULL,
labelsRow = NULL,
labelsCol = NULL,
fileName = NA,
width = NA,
height = NA,
silent = FALSE,
rowLabel,
colLabel,
rowGroupOrder = NULL,
colGroupOrder = NULL,
...
)

```

### Arguments

<code>mat</code>	numeric matrix of the values to be plotted.
<code>color</code>	vector of colors used in heatmap.

kmeansK	the number of kmeans clusters to make, if we want to aggregate the rows before drawing heatmap. If NA then the rows are not aggregated.
breaks	Numeric vector. A sequence of numbers that covers the range of values in the normalized 'counts'. Values in the normalized 'matrix' are assigned to each bin in 'breaks'. Each break is assigned to a unique color from 'col'. If NULL, then breaks are calculated automatically. Default NULL.
borderColor	color of cell borders on heatmap, use NA if no border should be drawn.
cellWidth	individual cell width in points. If left as NA, then the values depend on the size of plotting window.
cellHeight	individual cell height in points. If left as NA, then the values depend on the size of plotting window.
scale	character indicating if the values should be centered and scaled in either the row direction or the column direction, or none. Corresponding values are "row", "column" and "none".
clusterRows	boolean values determining if rows should be clustered or hclust object,
clusterCols	boolean values determining if columns should be clustered or hclust object.
clusteringDistanceRows	distance measure used in clustering rows. Possible values are "correlation" for Pearson correlation and all the distances supported by <code>dist</code> , such as "euclidean", etc. If the value is none of the above it is assumed that a distance matrix is provided.
clusteringDistanceCols	distance measure used in clustering columns. Possible values the same as for clusteringDistanceRows.
clusteringMethod	clustering method used. Accepts the same values as <code>hclust</code> .
clusteringCallback	callback function to modify the clustering. Is called with two parameters: original hclust object and the matrix used for clustering. Must return a hclust object.
cuttreeRows	number of clusters the rows are divided into, based on the hierarchical clustering (using cutree), if rows are not clustered, the argument is ignored
cuttreeCols	similar to cuttreeRows, but for columns
treeHeightRow	the height of a tree for rows, if these are clustered. Default value 50 points.
treeHeightCol	the height of a tree for columns, if these are clustered. Default value 50 points.
legend	logical to determine if legend should be drawn or not.
legendBreaks	vector of breakpoints for the legend.
legendLabels	vector of labels for the legendBreaks.
annotationRow	data frame that specifies the annotations shown on left side of the heatmap. Each row defines the features for a specific row. The rows in the data and in the annotation are matched using corresponding row names. Note that color schemes takes into account if variable is continuous or discrete.
annotationCol	similar to annotationRow, but for columns.

annotation	deprecated parameter that currently sets the annotationCol if it is missing.
annotationColors	list for specifying annotationRow and annotationCol track colors manually. It is possible to define the colors for only some of the features. Check examples for details.
annotationLegend	boolean value showing if the legend for annotation tracks should be drawn.
annotationNamesRow	boolean value showing if the names for row annotation tracks should be drawn.
annotationNamesCol	boolean value showing if the names for column annotation tracks should be drawn.
dropLevels	logical to determine if unused levels are also shown in the legend.
showRownames	boolean specifying if column names are be shown.
showColnames	boolean specifying if column names are be shown.
main	the title of the plot
fontSize	base fontsize for the plot
fontSizeRow	fontsize for rownames (Default: fontsize)
fontSizeCol	fontsize for colnames (Default: fontsize)
displayNumbers	logical determining if the numeric values are also printed to the cells. If this is a matrix (with same dimensions as original matrix), the contents of the matrix are shown instead of original values.
numberFormat	format strings (C printf style) of the numbers shown in cells. For example "%.2f" shows 2 decimal places and "%.1e" shows exponential notation (see more in <a href="#">sprintf</a> ).
numberColor	color of the text
fontSizeNumber	fontsize of the numbers displayed in cells
gapsRow	vector of row indices that show where to put gaps into heatmap. Used only if the rows are not clustered. See <a href="#">cutreeRow</a> to see how to introduce gaps to clustered rows.
gapsCol	similar to gapsRow, but for columns.
labelsRow	custom labels for rows that are used instead of rownames.
labelsCol	similar to labelsRow, but for columns.
fileName	file path where to save the picture. Filetype is decided by the extension in the path. Currently following formats are supported: png, pdf, tiff, bmp, jpeg. Even if the plot does not fit into the plotting window, the file size is calculated so that the plot would fit there, unless specified otherwise.
width	manual option for determining the output file width in inches.
height	manual option for determining the output file height in inches.
silent	do not draw the plot (useful when using the gtable output)
rowLabel	row cluster labels for semi-clustering

colLabel	column cluster labels for semi-clustering
rowGroupOrder	Vector. Specifies the order of feature clusters when semisupervised clustering is performed on the y labels.
colGroupOrder	Vector. Specifies the order of cell clusters when semisupervised clustering is performed on the z labels.
...	graphical parameters for the text used in plot. Parameters passed to <a href="#">grid.text</a> , see <a href="#">gpar</a> .

### Value

Invisibly a list of components

- treeRow the clustering of rows as [hclust](#) object
- treeCol the clustering of columns as [hclust](#) object
- kmeans the kmeans clustering of rows if parameter kmeansK was specified

### Author(s)

```
Raivo Kolde <rkolde@gmail.com> #@examples # Create test matrix test = matrix(rnorm(200), 20,
10) test[seq(10), seq(1, 10, 2)] = test[seq(10), seq(1, 10, 2)] + 3 test[seq(11, 20), seq(2, 10, 2)] =
test[seq(11, 20), seq(2, 10, 2)] + 2 test[seq(15, 20), seq(2, 10, 2)] = test[seq(15, 20), seq(2, 10, 2)]
+ 4 colnames(test) = paste("Test", seq(10), sep = "") rownames(test) = paste("Gene", seq(20), sep
= "")
# Draw heatmaps pheatmap(test) pheatmap(test, kmeansK = 2) pheatmap(test, scale = "row", clus-
teringDistanceRows = "correlation") pheatmap(test, color = colorRampPalette(c("navy", "white",
"firebrick3"))(50)) pheatmap(test, cluster_row = FALSE) pheatmap(test, legend = FALSE)
# Show text within cells pheatmap(test, displayNumbers = TRUE) pheatmap(test, displayNumbers
= TRUE, numberFormat = "%.1e") pheatmap(test, displayNumbers = matrix(ifelse(test > 5, "*",
""), nrow(test))) pheatmap(test, cluster_row = FALSE, legendBreaks = seq(-1, 4), legendLabels =
c("0", "1e-4", "1e-3", "1e-2", "1e-1", "1"))
# Fix cell sizes and save to file with correct size pheatmap(test, cellWidth = 15, cellHeight = 12,
main = "Example heatmap") pheatmap(test, cellWidth = 15, cellHeight = 12, fontSize = 8, fileName
= "test.pdf")
# Generate annotations for rows and columns annotationCol = data.frame(CellType = factor(rep(c("CT1",
"CT2"), 5)), Time = seq(5)) rownames(annotationCol) = paste("Test", seq(10), sep = "")
annotationRow = data.frame(GeneClass = factor(rep(c("Path1", "Path2", "Path3"), c(10, 4, 6))))
rownames(annotationRow) = paste("Gene", seq(20), sep = "")
# Display row and color annotations pheatmap(test, annotationCol = annotationCol) pheatmap(test,
annotationCol = annotationCol, annotationLegend = FALSE) pheatmap(test, annotationCol = an-
notationCol, annotationRow = annotationRow)
# Specify colors ann_colors = list(Time = c("white", "firebrick"), CellType = c(CT1 = "#1B9E77",
CT2 = "#D95F02"), GeneClass = c(Path1 = "#7570B3", Path2 = "#E7298A", Path3 = "#66A61E"))
pheatmap(test, annotationCol = annotationCol, annotationColors = ann_colors, main = "Title")
pheatmap(test, annotationCol = annotationCol, annotationRow = annotationRow, annotationColors
= ann_colors) pheatmap(test, annotationCol = annotationCol, annotationColors = ann_colors[2])
```

```

# Gaps in heatmaps pheatmap(test, annotationCol = annotationCol, clusterRows = FALSE, gapsRow = c(10, 14))
pheatmap(test, annotationCol = annotationCol, clusterRows = FALSE, gapsRow = c(10, 14), cutreeCol = 2)

# Show custom strings as row/col names labelsRow = c("", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "", "I110", "I115", "I11b")

pheatmap(test, annotationCol = annotationCol, labelsRow = labelsRow)

# Specifying clustering from distance matrix drows = stats::dist(test, method = "minkowski") dcols = stats::dist(t(test), method = "minkowski")
pheatmap(test, clusteringDistanceRows = drows, clusteringDistanceCols = dcols)

# Modify ordering of the clusters using clustering callback option
callback = function(hc, mat) sv = svd(t(mat))$v[, 1] dend = reorder(as.dendrogram(hc), wts = sv) as.hclust(dend)

pheatmap(test, clusteringCallback = callback)

```

---

simulateCells

*Simulate count data from the celda generative models.*

---

## Description

This function generates a [SingleCellExperiment](#) containing a simulated counts matrix in the "counts" assay slot, as well as various parameters used in the simulation which can be useful for running celda and are stored in metadata slot. The user must provide the desired model (one of celda\_C, celda\_G, celda\_CG) as well as any desired tuning parameters for those model's simulation functions as detailed below.

## Usage

```

simulateCells(
  model = c("celda_CG", "celda_C", "celda_G"),
  S = 5,
  CRange = c(50, 100),
  NRange = c(500, 1000),
  C = 100,
  G = 100,
  K = 5,
  L = 10,
  alpha = 1,
  beta = 1,
  gamma = 5,
  delta = 1,
  seed = 12345
)

```

**Arguments**

model	Character. Options available in <code>celda::availableModels</code> . Can be one of "celda_CG", "celda_C", or "celda_G". Default "celda_CG".
S	Integer. Number of samples to simulate. Default 5. Only used if model is one of "celda_CG" or "celda_C".
CRange	Integer vector. A vector of length 2 that specifies the lower and upper bounds of the number of cells to be generated in each sample. Default <code>c(50, 100)</code> . Only used if model is one of "celda_CG" or "celda_C".
NRange	Integer vector. A vector of length 2 that specifies the lower and upper bounds of the number of counts generated for each cell. Default <code>c(500, 1000)</code> .
C	Integer. Number of cells to simulate. Default 100. Only used if model is "celda_G".
G	Integer. The total number of features to be simulated. Default 100.
K	Integer. Number of cell populations. Default 5. Only used if model is one of "celda_CG" or "celda_C".
L	Integer. Number of feature modules. Default 10. Only used if model is one of "celda_CG" or "celda_G".
alpha	Numeric. Concentration parameter for Theta. Adds a pseudocount to each cell population in each sample. Default 1. Only used if model is one of "celda_CG" or "celda_C".
beta	Numeric. Concentration parameter for Phi. Adds a pseudocount to each feature module in each cell population. Default 1.
gamma	Numeric. Concentration parameter for Eta. Adds a pseudocount to the number of features in each module. Default 5. Only used if model is one of "celda_CG" or "celda_G".
delta	Numeric. Concentration parameter for Psi. Adds a pseudocount to each feature in each module. Default 1. Only used if model is one of "celda_CG" or "celda_G".
seed	Integer. Passed to <code>with_seed</code> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <code>with_seed</code> are made.

**Value**

A `SingleCellExperiment` object with simulated count matrix stored in the "counts" assay slot. Function parameter settings are stored in the `metadata` slot. For "celda\_CG" and "celda\_C" models, columns `celda_sample_label` and `celda_cell_cluster` in `colData` contain simulated sample labels and cell population clusters. For "celda\_CG" and "celda\_G" models, column `celda_feature_module` in `rowData` contains simulated gene modules.

**Examples**

```
sce <- simulateCells()
```

---

simulateContamination *Simulate contaminated count matrix*

---

### Description

This function generates a list containing two count matrices – one for real expression, the other one for contamination, as well as other parameters used in the simulation which can be useful for running decontamination.

### Usage

```
simulateContamination(  
  C = 300,  
  G = 100,  
  K = 3,  
  NRange = c(500, 1000),  
  beta = 0.1,  
  delta = c(1, 10),  
  numMarkers = 3,  
  seed = 12345  
)
```

### Arguments

C	Integer. Number of cells to be simulated. Default 300.
G	Integer. Number of genes to be simulated. Default 100.
K	Integer. Number of cell populations to be simulated. Default 3.
NRange	Integer vector. A vector of length 2 that specifies the lower and upper bounds of the number of counts generated for each cell. Default c(500, 1000).
beta	Numeric. Concentration parameter for Phi. Default 0.1.
delta	Numeric or Numeric vector. Concentration parameter for Theta. If input as a single numeric value, symmetric values for beta distribution are specified; if input as a vector of length 2, the two values will be the shape1 and shape2 parameters of the beta distribution respectively. Default c(1, 5).
numMarkers	Integer. Number of markers for each cell population. Default 3.
seed	Integer. Passed to <code>with_seed</code> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <code>with_seed</code> are made.

### Value

A list containing the `nativeMatrix` (real expression), `observedMatrix` (real expression + contamination), as well as other parameters used in the simulation.

### Author(s)

Shiyi Yang, Yuan Yin, Joshua Campbell

**Examples**

```
contaminationSim <- simulateContamination(K = 3, delta = c(1, 10))
```

---

splitModule	<i>Split celda feature module</i>
-------------	-----------------------------------

---

**Description**

Manually select a celda feature module to split into 2 or more modules. Useful for splitting up modules that show divergent expression of features in multiple cell clusters.

**Usage**

```
splitModule(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  module,
  n = 2,
  seed = 12345
)

## S4 method for signature 'SingleCellExperiment'
splitModule(
  x,
  useAssay = "counts",
  altExpName = "featureSubset",
  module,
  n = 2,
  seed = 12345
)
```

**Arguments**

x	A <a href="#">SingleCellExperiment</a> object with the matrix located in the assay slot under useAssay. Rows represent features and columns represent cells.
useAssay	A string specifying which <a href="#">assay</a> slot to use for x. Default "counts".
altExpName	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".
module	Integer. The module to be split.
n	Integer. How many modules should module be split into. Default 2.
seed	Integer. Passed to <a href="#">with_seed</a> . For reproducibility, a default value of 12345 is used. If NULL, no calls to <a href="#">with_seed</a> are made.

**Value**

A updated [SingleCellExperiment](#) object with new feature modules stored in column celda\_feature\_module in [rowData\(x\)](#).

**Examples**

```
data(sceCeldaCG)
# Split module 5 into 2 new modules.
sce <- splitModule(sceCeldaCG, module = 5)
```

---

subsetCeldaList	<i>Subset celda model from SCE object returned from celdaGridSearch</i>
-----------------	-------------------------------------------------------------------------

---

**Description**

Select a subset of models from a [SingleCellExperiment](#) object generated by [celdaGridSearch](#) that match the criteria in the argument `params`.

**Usage**

```
subsetCeldaList(x, params, altExpName = "featureSubset")

## S4 method for signature 'SingleCellExperiment'
subsetCeldaList(x, params, altExpName = "featureSubset")

## S4 method for signature 'celdaList'
subsetCeldaList(x, params)
```

**Arguments**

<code>x</code>	Can be one of <ul style="list-style-type: none"> <li>A <a href="#">SingleCellExperiment</a> object returned from <a href="#">celdaGridSearch</a>, <a href="#">recursiveSplitModule</a>, or <a href="#">recursiveSplitCell</a>. Must contain a list named "celda_grid_search" in <code>metadata(x)</code>.</li> <li><code>celdaList</code> object.</li> </ul>
<code>params</code>	List. List of parameters used to subset the matching celda models in list "celda_grid_search" in <code>metadata(x)</code> .
<code>altExpName</code>	The name for the <a href="#">altExp</a> slot to use. Default "featureSubset".

**Value**

One of

- A new [SingleCellExperiment](#) object containing all models matching the provided criteria in `params`. If only one celda model result in the "celda\_grid\_search" slot in `metadata(x)` matches the given criteria, a new [SingleCellExperiment](#) object with the matching model stored in the `metadata` "celda\_parameters" slot will be returned. Otherwise, a new [SingleCellExperiment](#) object with the subset models stored in the `metadata` "celda\_grid\_search" slot will be returned.
- A new `celdaList` object containing all models matching the provided criteria in `params`. If only one item in the `celdaList` matches the given criteria, the matching model will be returned directly instead of a `celdaList` object.

**See Also**

[celdaGridSearch](#) can run Celda with multiple parameters and chains in parallel. [selectBestModel](#) can get the best model for each combination of parameters.

**Examples**

```
data(sceCeldaCGGridSearch)
sceK5L10 <- subsetCeldaList(sceCeldaCGGridSearch,
  params = list(K = 5, L = 10))
data(celdaCGGridSearchRes)
resK5L10 <- subsetCeldaList(celdaCGGridSearchRes,
  params = list(K = 5, L = 10))
```

---

topRank

*Identify features with the highest influence on clustering.*


---

**Description**

topRank() can quickly identify the top ‘n’ rows for each column of a matrix. For example, this can be useful for identifying the top ‘n’ features per cell.

**Usage**

```
topRank(matrix, n = 25, margin = 2, threshold = 0, decreasing = TRUE)
```

**Arguments**

matrix	Numeric matrix.
n	Integer. Maximum number of items above ‘threshold’ returned for each ranked row or column.
margin	Integer. Dimension of ‘matrix’ to rank, with 1 for rows, 2 for columns. Default 2.
threshold	Numeric. Only return ranked rows or columns in the matrix that are above this threshold. If NULL, then no threshold will be applied. Default 0.
decreasing	Logical. Specifies if the rank should be decreasing. Default TRUE.

**Value**

List. The ‘index’ variable provides the top ‘n’ row (feature) indices contributing the most to each column (cell). The ‘names’ variable provides the rownames corresponding to these indexes.

**Examples**

```
data(sampleCells)
topRanksPerCell <- topRank(sampleCells, n = 5)
topFeatureNamesForCell <- topRanksPerCell$names[1]
```

# Index

## \* datasets

- availableModels, 4
  - celdaCGGridSearchRes, 6
  - celdaCGMod, 6
  - celdaCGSim, 7
  - celdaCMod, 8
  - celdaCSim, 9
  - celdaGMod, 9
  - celdaGSim, 12
  - contaminationSim, 36
  - sampleCells, 97
  - sceCeldaC, 98
  - sceCeldaCG, 99
  - sceCeldaCGGridSearch, 100
  - sceCeldaG, 100
- altExp, 5, 7, 8, 11, 13, 14, 17, 19, 20, 22, 24, 25, 27, 29–32, 34, 44, 47–51, 54, 59, 60, 66, 69, 72, 75, 76, 80, 81, 83, 87, 90, 91, 94–96, 98, 101–103, 111, 112
- appendCeldaList, 4
- assay, 11, 13, 17, 19, 20, 22, 24, 25, 27, 29, 31, 32, 34, 41, 44, 48–50, 54, 59, 60, 69, 72, 75, 83, 87, 90, 91, 94, 103, 111
- availableModels, 4, 9, 11
- bestLogLikelihood, 5
- bestLogLikelihood, celdaModel-method (bestLogLikelihood), 5
- bestLogLikelihood, SingleCellExperiment-method (bestLogLikelihood), 5
- celda, 5
- celda\_C, 5, 7, 11, 13, 14, 17, 18, 20, 22, 24, 30, 33, 34, 44, 50, 51, 59, 81, 82, 89, 98
- celda\_C, matrix-method (celda\_C), 24
- celda\_C, SingleCellExperiment-method (celda\_C), 24
- celda\_CG, 5, 7, 11, 13, 14, 17, 18, 20, 22, 26, 27, 33, 34, 44, 47, 48, 50, 51, 59, 81, 82, 84, 88–90, 98, 99
- celda\_CG, matrix-method (celda\_CG), 27
- celda\_CG, SingleCellExperiment-method (celda\_CG), 27
- celda\_G, 5, 11, 13, 14, 17, 20, 22, 26, 30, 31, 34, 44, 47, 48, 50, 51, 59, 81, 85, 88, 89, 98, 100
- celda\_G, matrix-method (celda\_G), 31
- celda\_G, SingleCellExperiment-method (celda\_G), 31
- celdaCGGridSearchRes, 6
- celdaCGMod, 6
- celdaCGSim, 7, 99, 100
- celdaClusters, 7
- celdaClusters, celdaModel-method (celdaClusters), 7
- celdaClusters, SingleCellExperiment-method (celdaClusters), 7
- celdaClusters<- (celdaClusters), 7
- celdaClusters<-, SingleCellExperiment-method (celdaClusters), 7
- celdaCMod, 8
- celdaCSim, 9, 98
- celdaGMod, 9
- celdaGridSearch, 9, 26, 30, 33, 94, 100–102, 112, 113
- celdaGridSearch, matrix-method (celdaGridSearch), 9
- celdaGridSearch, SingleCellExperiment-method (celdaGridSearch), 9
- celdaGSim, 12, 100
- celdaHeatmap, 12
- celdaHeatmap, SingleCellExperiment-method (celdaHeatmap), 12
- celdaModel, 13
- celdaModel, SingleCellExperiment-method (celdaModel), 13

- celdaModules, 14
- celdaModules, SingleCellExperiment-method (celdaModules), 14
- celdaModules<- (celdaModules), 14
- celdaModules<-, SingleCellExperiment-method (celdaModules), 14
- celdaPerplexity, 15
- celdaPerplexity, celdaList-method, 15
- celdaProbabilityMap, 16
- celdaProbabilityMap, SingleCellExperiment-method (celdaProbabilityMap), 16
- celdatosce, 18
- celdatosce, celda\_C-method (celdatosce), 18
- celdatosce, celda\_CG-method (celdatosce), 18
- celdatosce, celda\_G-method (celdatosce), 18
- celdatosce, celdaList-method (celdatosce), 18
- celdaTsne, 19
- celdaTsne, SingleCellExperiment-method (celdaTsne), 19
- celdaUmap, 21
- celdaUmap, SingleCellExperiment-method (celdaUmap), 21
- clusterProbability, 33
- clusterProbability, SingleCellExperiment-method (clusterProbability), 33
- colData, 19, 26, 30, 81, 109
- compareCountMatrix, 19, 35
- compareCountMatrix, ANY, celdaList-method (compareCountMatrix), 35
- compareCountMatrix, ANY, celdaModel-method (compareCountMatrix), 35
- contaminationSim, 36
- countChecksum, 36
- countChecksum, celdaList-method, 37
  
- dbscan, 38, 39
- decontX, 37, 61–65
- decontX, ANY-method (decontX), 37
- decontX, SingleCellExperiment-method (decontX), 37
- decontXcounts, 41
- decontXcounts, SingleCellExperiment-method (decontXcounts), 41
- decontXcounts<- (decontXcounts), 41
- decontXcounts<-, SingleCellExperiment-method (decontXcounts), 41
- dist, 105
- distinctColors, 41
- eigenMatMultInt, 42
- eigenMatMultNumeric, 43
- enrichr, 48
- facet\_wrap, 70, 72, 75
- factorizeMatrix, 43, 89
- factorizeMatrix, ANY, celda\_C-method (factorizeMatrix), 43
- factorizeMatrix, ANY, celda\_CG-method (factorizeMatrix), 43
- factorizeMatrix, ANY, celda\_G-method (factorizeMatrix), 43
- factorizeMatrix, SingleCellExperiment, ANY-method (factorizeMatrix), 43
- fastNormProp, 45
- fastNormPropLog, 45
- fastNormPropSqrt, 46
- featureModuleLookup, 46
- featureModuleLookup, SingleCellExperiment-method (featureModuleLookup), 46
- featureModuleTable, 47
- fit\_dirichlet, 39
- geneSetEnrich, 48
- geneSetEnrich, matrix-method (geneSetEnrich), 48
- geneSetEnrich, SingleCellExperiment-method (geneSetEnrich), 48
- geom\_jitter, 76, 80
- gpar, 55, 107
- grep, 63, 64, 92, 95
- grid.text, 107
  
- hclust, 90, 105, 107
- Heatmap, 17, 54, 55
- Heatmap-class, 18
- HeatmapAnnotation, 55
- HeatmapList, 18, 55
  
- listEnrichrDbs, 49
- log, 54, 57
- log10, 54, 57
- log1p, 54, 57
- log2, 54, 57

- logLikelihood, [50](#)
- logLikelihood, matrix, celda\_C-method  
(logLikelihood), [50](#)
- logLikelihood, matrix, celda\_CG-method  
(logLikelihood), [50](#)
- logLikelihood, matrix, celda\_G-method  
(logLikelihood), [50](#)
- logLikelihood, SingleCellExperiment, ANY-method  
(logLikelihood), [50](#)
- logLikelihoodHistory, [51](#)
- logLikelihoodHistory, celdaModel-method  
(logLikelihoodHistory), [51](#)
- logLikelihoodHistory, SingleCellExperiment-method  
(logLikelihoodHistory), [51](#)
  
- Matrix, [38](#)
- matrix, [11](#), [19](#), [25](#), [29](#), [32](#), [49](#), [54](#), [83](#), [87](#), [94](#),  
[103](#)
- matrixNames, [51](#)
- matrixNames, celdaModel-method  
(matrixNames), [51](#)
- metadata, [11](#), [19](#), [26](#), [30](#), [33](#), [84](#), [88](#), [101](#), [103](#),  
[109](#), [112](#)
- modelGeneVar, [39](#)
- moduleHeatmap, [52](#)
- moduleHeatmap, SingleCellExperiment-method  
(moduleHeatmap), [52](#)
- multi\_panel\_figure, [55](#)
  
- nonzero, [56](#)
- normalizeCounts, [21](#), [23](#), [54](#), [56](#)
  
- params, [57](#)
- params, celdaModel-method (params), [57](#)
- perplexity, [58](#)
- perplexity, ANY, celda\_C-method  
(perplexity), [58](#)
- perplexity, ANY, celda\_CG-method  
(perplexity), [58](#)
- perplexity, ANY, celda\_G-method  
(perplexity), [58](#)
- perplexity, SingleCellExperiment, ANY-method  
(perplexity), [58](#)
- plotCeldaViolin, [59](#)
- plotCeldaViolin, ANY-method  
(plotCeldaViolin), [59](#)
- plotCeldaViolin, SingleCellExperiment-method  
(plotCeldaViolin), [59](#)
- plotDecontXContamination, [61](#)
- plotDecontXMarkerExpression, [62](#)
- plotDecontXMarkerPercentage, [63](#)
- plotDimReduceCluster, [65](#)
- plotDimReduceCluster, SingleCellExperiment-method  
(plotDimReduceCluster), [65](#)
- plotDimReduceCluster, vector-method  
(plotDimReduceCluster), [65](#)
- plotDimReduceFeature, [67](#)
- plotDimReduceFeature, ANY-method  
(plotDimReduceFeature), [67](#)
- plotDimReduceFeature, SingleCellExperiment-method  
(plotDimReduceFeature), [67](#)
- plotDimReduceGrid, [70](#)
- plotDimReduceGrid, ANY-method  
(plotDimReduceGrid), [70](#)
- plotDimReduceGrid, SingleCellExperiment-method  
(plotDimReduceGrid), [70](#)
- plotDimReduceModule, [73](#)
- plotDimReduceModule, ANY-method  
(plotDimReduceModule), [73](#)
- plotDimReduceModule, SingleCellExperiment-method  
(plotDimReduceModule), [73](#)
- plotGridSearchPerplexity, [76](#)
- plotGridSearchPerplexity, celdaList-method  
(plotGridSearchPerplexity), [76](#)
- plotGridSearchPerplexity, SingleCellExperiment-method  
(plotGridSearchPerplexity), [76](#)
- plotHeatmap, [13](#), [77](#)
- plotRPC, [79](#)
- plotRPC, celdaList-method (plotRPC), [79](#)
- plotRPC, SingleCellExperiment-method  
(plotRPC), [79](#)
  
- recodeClusterY, [80](#)
- recodeClusterZ, [81](#)
- recursiveSplitCell, [82](#), [90](#)
- recursiveSplitCell, matrix-method  
(recursiveSplitCell), [82](#)
- recursiveSplitCell, SingleCellExperiment-method  
(recursiveSplitCell), [82](#)
- recursiveSplitModule, [84](#), [85](#), [90](#), [91](#)
- recursiveSplitModule, matrix-method  
(recursiveSplitModule), [85](#)
- recursiveSplitModule, SingleCellExperiment-method  
(recursiveSplitModule), [85](#)
- reducedDim, [21](#), [23](#)
- reorderCelda, [89](#)
- reorderCelda, matrix, celda\_C-method  
(reorderCelda), [89](#)

- reorderCelda,matrix,celda\_CG-method  
(reorderCelda), 89
- reorderCelda,matrix,celda\_G-method  
(reorderCelda), 89
- reorderCelda,SingleCellExperiment,ANY-method  
(reorderCelda), 89
- reportceldaCG, 90
- reportCeldaCGPlotResults  
(reportceldaCG), 90
- reportCeldaCGRun (reportceldaCG), 90
- resamplePerplexity, 11, 84, 88, 93
- resamplePerplexity,ANY-method  
(resamplePerplexity), 93
- resamplePerplexity,SingleCellExperiment-method  
(resamplePerplexity), 93
- resList, 94
- resList,celdaList-method (resList), 94
- resList,SingleCellExperiment-method  
(resList), 94
- retrieveFeatureIndex, 63, 64, 95
- retrieveFeatureInfo, 96
- rowAnnotation, 55
- rowData, 19, 30, 33, 81, 109, 111
- Rtsne, 20
- runParams, 96
- runParams,celdaList-method (runParams),  
96
- runParams,SingleCellExperiment-method  
(runParams), 96
  
- sampleCells, 97
- sampleLabel, 97
- sampleLabel,celdaModel-method  
(sampleLabel), 97
- sampleLabel,SingleCellExperiment-method  
(sampleLabel), 97
- sampleLabel<- (sampleLabel), 97
- sampleLabel<- ,SingleCellExperiment-method  
(sampleLabel), 97
- save\_multi\_panel\_figure, 52
- scale, 54
- scale\_colour\_gradient, 75
- scale\_colour\_gradient2, 69, 72
- sceCeldaC, 98
- sceCeldaCG, 99
- sceCeldaCGGridSearch, 100
- sceCeldaG, 100
- selectBestModel, 11, 101, 113
- selectBestModel,celdaList-method  
(selectBestModel), 101
- selectBestModel,SingleCellExperiment-method  
(selectBestModel), 101
- selectFeatures, 91, 92, 98–100, 102
- selectFeatures,matrix-method  
(selectFeatures), 102
- selectFeatures,SingleCellExperiment-method  
(selectFeatures), 102
- semiPheatmap, 103
- simulateCells, 108
- simulateContamination, 36, 110
- SingleCellExperiment, 5, 7, 8, 11, 13, 14,  
17–20, 22, 24–27, 29–34, 38–41, 44,  
47–51, 54, 55, 59–66, 69, 72, 74–76,  
80, 81, 83, 84, 87–91, 94–103, 108,  
109, 111, 112
- splitModule, 111
- splitModule,SingleCellExperiment-method  
(splitModule), 111
- sprintf, 106
- sqrt, 54, 57
- subsetCeldaList, 11, 102, 112
- subsetCeldaList,celdaList-method  
(subsetCeldaList), 112
- subsetCeldaList,SingleCellExperiment-method  
(subsetCeldaList), 112
- SummarizedExperiment, 95
- topRank, 113
  
- umap, 21, 23, 38
  
- with\_seed, 11, 21, 23, 26, 29, 33, 39, 84, 88,  
94, 109–111