

Introduction to SeqVarTools

Stephanie M. Gogarten

August 10, 2016

Contents

1	Introduction	1
2	Converting a Variant Call Format (VCF) file	1
3	Applying methods to subsets of data	6
4	Examples	6
4.1	Transition/transversion ratio	6
4.2	Heterozygosity	10
4.3	Principal Component Analysis	11
4.4	Hardy-Weinberg Equilibrium	12
4.5	Mendelian errors	14
4.6	Association tests	15

1 Introduction

SeqArray provides an alternative to the Variant Call Format (VCF) for storage of variants called from sequencing data, enabling efficient storage, fast access to subsets of the data, and rapid computation.

SeqVarTools provides an interface to the *SeqArray* storage format with tools for many common tasks in variant analysis.

It is highly recommended to read the vignette in *SeqArray* in addition to this document to understand the data structure and full array of features.

2 Converting a Variant Call Format (VCF) file

To work with *SeqVarTools*, we must first convert a VCF file into the *SeqArray* GDS format. All information in the VCF file is preserved in the resulting GDS file.

```
> library(SeqVarTools)
> vcffile <- seqExampleFileName("vcf")
> gdsfile <- "tmp.gds"
```

```

> seqVCF2GDS(vcffile, gdsfile, verbose=FALSE)
> gds <- seqOpen(gdsfile)
> gds

Object of class "SeqVarGDSClass"
File: /tmp/RtmpYbqV/Rbuild16cc1185be7c/SeqVarTools/vignettes/tmp.gds (227.8K)
+ [ ] *
|---+ description [ ] *
|---+ sample.id { Str8 90 ZIP_ra(30.8%), 222B } *
|---+ variant.id { Int32 1348 ZIP_ra(35.7%), 1.9K } *
|---+ position { Int32 1348 ZIP_ra(86.4%), 4.6K } *
|---+ chromosome { Str8 1348 ZIP_ra(2.72%), 93B } *
|---+ allele { Str8 1348 ZIP_ra(17.4%), 937B } *
|---+ genotype [ ] *
| |---+ data { Bit2 2x90x1348 ZIP_ra(29.6%), 17.5K } *
| |---+ extra.index { Int32 3x0 ZIP_ra, 17B } *
| | \---+ extra { Int16 0 ZIP_ra, 17B }
|---+ phase [ ]
| |---+ data { Bit1 90x1348 ZIP_ra(0.36%), 55B } *
| |---+ extra.index { Int32 3x0 ZIP_ra, 17B } *
| | \---+ extra { Bit1 0 ZIP_ra, 17B }
|---+ annotation [ ]
| |---+ id { Str8 1348 ZIP_ra(42.3%), 6.0K } *
| |---+ qual { Float32 1348 ZIP_ra(0.91%), 49B } *
| |---+ filter { Int32,factor 1348 ZIP_ra(0.89%), 48B } *
| |---+ info [ ]
| | |---+ AA { Str8 1348 ZIP_ra(24.3%), 655B } *
| | |---+ AC { Int32 1348 ZIP_ra(29.2%), 1.5K } *
| | |---+ AN { Int32 1348 ZIP_ra(22.2%), 1.2K } *
| | |---+ DP { Int32 1348 ZIP_ra(62.6%), 3.3K } *
| | |---+ HM2 { Bit1 1348 ZIP_ra(117.2%), 198B } *
| | |---+ HM3 { Bit1 1348 ZIP_ra(117.2%), 198B } *
| | |---+ OR { Str8 1348 ZIP_ra(15.3%), 260B } *
| | |---+ GP { Str8 1348 ZIP_ra(34.3%), 5.3K } *
| | \---+ BN { Int32 1348 ZIP_ra(22.5%), 1.2K } *
| | \---+ format [ ]
| | \---+ DP [ ] *
| | \---+ data { Int32 90x1348 ZIP_ra(36.7%), 174.1K } *
|---+ sample.annotation [ ]

```

We can look at some basic information in this file, such as the reference and alternate alleles.

```

> ref(gds)

A DNAStringSet instance of length 1348
width seq
[1] 1 T
[2] 1 G
[3] 1 G
[4] 1 T

```

```

      [5]      1 G
      ...      ...
[1344]      1 G
[1345]      1 C
[1346]      1 C
[1347]      1 G
[1348]      1 A

> head(refChar(gds))
[1] "T" "G" "G" "T" "G" "C"

> alt(gds)
DNAStrngSetList of length 1348
[[1]] C
[[2]] A
[[3]] A
[[4]] C
[[5]] C
[[6]] T
[[7]] A
[[8]] T
[[9]] A
[[10]] G
...
<1338 more elements>

> head(altChar(gds))
[1] "C" "A" "A" "C" "C" "T"

How many alleles are there for each variant?

> table(nAlleles(gds))
   2   3
1346  2

Two variants have 3 alleles (1 REF and 2 ALT). We can extract the second alterate allele for these variants
by using the argument n=2 to altChar.

> multi.allelic <- which(nAlleles(gds) > 2)
> altChar(gds)[multi.allelic]
[1] "T,CT" "T,AT"

> altChar(gds, n=1)[multi.allelic]
[1] "T" "T"

> altChar(gds, n=2)[multi.allelic]
[1] "CT" "AT"

```

These two sites have three alleles, two are each single nucleotides and the third is a dinucleotide, representing an indel.

```
> table(isSNV(gds))
```

```
FALSE TRUE
  2 1346
```

```
> isSNV(gds)[multi.allelic]
```

```
[1] FALSE FALSE
```

Chromosome and position can be accessed as vectors or as a *GRanges* object.

```
> head(seqGetData(gds, "chromosome"))
```

```
[1] "1" "1" "1" "1" "1" "1"
```

```
> head(seqGetData(gds, "position"))
```

```
[1] 1105366 1105411 1110294 3537996 3538692 3541597
```

```
> granges(gds)
```

GRanges object with 1348 ranges and 0 metadata columns:

	seqnames	ranges	strand
	<Rle>	<IRanges>	<Rle>
1	1	[1105366, 1105366]	*
2	1	[1105411, 1105411]	*
3	1	[1110294, 1110294]	*
4	1	[3537996, 3537996]	*
5	1	[3538692, 3538692]	*
...
1344	22	[43690908, 43690908]	*
1345	22	[43690970, 43690970]	*
1346	22	[43691009, 43691009]	*
1347	22	[43691073, 43691073]	*
1348	22	[48958933, 48958933]	*

```
-----
```

```
seqinfo: 22 sequences from an unspecified genome; no seqlengths
```

We can also find the sample and variant IDs.

```
> head(seqGetData(gds, "sample.id"))
```

```
[1] "NA06984" "NA06985" "NA06986" "NA06989" "NA06994" "NA07000"
```

```
> head(seqGetData(gds, "variant.id"))
```

```
[1] 1 2 3 4 5 6
```

The variant IDs are sequential integers created by seqVCF2GDS. We may wish to rename them to something more useful. Note the "annotation/" prefix required to retrieve the "id" variable. We need to confirm that the new IDs are unique (which is not always the case for the "annotation/id" field).

```
> rsID <- seqGetData(gds, "annotation/id")
```

```
> head(rsID)
```

```
[1] "rs111751804" "rs114390380" "rs1320571" "rs2760321" "rs2760320" "rs116230480"
> length(unique(rsID)) == length(rsID)
[1] TRUE
```

Renaming the variant IDs requires modifying the GDS file, so we have to close it first.

```
> seqClose(gds)
> setVariantID(gdsfile, rsID)
> gds <- seqOpen(gdsfile)
> head(seqGetData(gds, "variant.id"))
[1] "rs111751804" "rs114390380" "rs1320571" "rs2760321" "rs2760320" "rs116230480"
```

Note that using character strings for variant.id instead of integers may decrease performance for large datasets.

getGenotype transforms the genotypes from the internal storage format to VCF-like character strings.

```
> geno <- getGenotype(gds)
> dim(geno)
[1] 90 1348
> geno[1:10, 1:5]
      variant
sample rs111751804 rs114390380 rs1320571 rs2760321 rs2760320
NA06984 NA          NA          "0/0"    "1/0"    "0/0"
NA06985 NA          NA          "0/0"    "1/1"    "0/0"
NA06986 "0/0"          "0/0"    "0/0"    "1/1"    "0/0"
NA06989 NA          NA          "0/0"    NA       "0/0"
NA06994 NA          NA          "0/0"    NA       "0/0"
NA07000 "0/0"          "0/0"    "0/0"    "1/1"    "1/0"
NA07037 "0/0"          "0/0"    "0/0"    "1/1"    "0/0"
NA07048 "0/0"          "0/0"    "0/0"    "1/1"    "0/0"
NA07051 "0/0"          "1/0"    "0/0"    "1/1"    "0/0"
NA07346 "0/0"          "0/0"    "0/0"    "1/1"    "0/0"
```

getGenotypeAlleles returns the nucleotides instead of integers.

```
> geno <- getGenotypeAlleles(gds)
> geno[1:10, 1:5]
      variant
sample rs111751804 rs114390380 rs1320571 rs2760321 rs2760320
NA06984 NA          NA          "G/G"    "C/T"    "G/G"
NA06985 NA          NA          "G/G"    "C/C"    "G/G"
NA06986 "T/T"          "G/G"    "G/G"    "C/C"    "G/G"
NA06989 NA          NA          "G/G"    NA       "G/G"
NA06994 NA          NA          "G/G"    NA       "G/G"
NA07000 "T/T"          "G/G"    "G/G"    "C/C"    "C/G"
NA07037 "T/T"          "G/G"    "G/G"    "C/C"    "G/G"
NA07048 "T/T"          "G/G"    "G/G"    "C/C"    "G/G"
```

```
NA07051 "T/T"      "A/G"      "G/G"      "C/C"      "G/G"
NA07346 "T/T"      "G/G"      "G/G"      "C/C"      "G/G"
```

3 Applying methods to subsets of data

If a dataset is large, we may want to work with subsets of the data at one time. We can use `applyMethod` to select a subset of variants and/or samples. `applyMethod` is essentially a wrapper for `seqSetFilter` that enables us to apply a method or function to a data subset in one line. If it is desired to use the same filter multiple times, it may be more efficient to set the filter once instead of using `applyMethod`.

```
> samp.id <- seqGetData(gds, "sample.id")[1:10]
> var.id <- seqGetData(gds, "variant.id")[1:5]
> applyMethod(gds, getGenotype, variant=var.id, sample=samp.id)

# of selected samples: 10
# of selected variants: 5
      variant
sample rs111751804 rs114390380 rs1320571 rs2760321 rs2760320
NA06984 NA          NA          "0/0"    "1/0"    "0/0"
NA06985 NA          NA          "0/0"    "1/1"    "0/0"
NA06986 "0/0"      "0/0"      "0/0"    "1/1"    "0/0"
NA06989 NA          NA          "0/0"    NA        "0/0"
NA06994 NA          NA          "0/0"    NA        "0/0"
NA07000 "0/0"      "0/0"      "0/0"    "1/1"    "1/0"
NA07037 "0/0"      "0/0"      "0/0"    "1/1"    "0/0"
NA07048 "0/0"      "0/0"      "0/0"    "1/1"    "0/0"
NA07051 "0/0"      "1/0"      "0/0"    "1/1"    "0/0"
NA07346 "0/0"      "0/0"      "0/0"    "1/1"    "0/0"
```

As an alternative to specifying variant ids, we can use a `GRanges` object to select a range on chromosome 22. This feature is not available in `seqSetFilter`.

```
> library(GenomicRanges)
> gr <- GRanges(seqnames="22", IRanges(start=1, end=250000000))
> geno <- applyMethod(gds, getGenotype, variant=gr)

# of selected variants: 23

> dim(geno)
[1] 90 23
```

4 Examples


4.1 Transition/transversion ratio

The transition/transversion ratio (TiTv) is frequently used as a quality metric. We can calculate TiTv over the entire dataset or by sample.


```
> titv(gds)
[1] 3.562712
> head(titv(gds, by.sample=TRUE))
[1] 4.352941 3.791667 3.439394 3.568966 3.750000 3.646154
```

Alternatively, we can plot TiTv binned by various metrics (allele frequency, missing rate, depth) to assess variant quality. We need the ids of the variants that fall in each bin.


```
> binVar <- function(var, names, breaks) {
+   names(var) <- names
+   var <- sort(var)
+   mids <- breaks[1:length(breaks)-1] +
+     (breaks[2:length(breaks)] - breaks[1:length(breaks)-1])/2
+   bins <- cut(var, breaks, labels=mids, right=FALSE)
+   split(names(var), bins)
+ }
> variant.id <- seqGetData(gds, "variant.id")
> afreq <- alleleFrequency(gds)
> maf <- pmin(afreq, 1-afreq)
> maf.bins <- binVar(maf, variant.id, seq(0,0.5,0.02))
> nbins <- length(maf.bins)
> titv.maf <- rep(NA, nbins)
> for (i in 1:nbins) {
+   capture.output(titv.maf[i] <- applyMethod(gds, titv, variant=maf.bins[[i]]))
+ }
> plot(as.numeric(names(maf.bins)), titv.maf, xlab="MAF", ylab="TiTv")
```



```
> miss <- missingGenotypeRate(gds)
> miss.bins <- binVar(miss, variant.id, c(seq(0,0.5,0.05),1))
> nbins <- length(miss.bins)
> titv.miss <- rep(NA, nbins)
> for (i in 1:nbins) {
+   capture.output(titv.miss[i] <- applyMethod(gds, titv, variant=miss.bins[[i]]))
+ }
> plot(as.numeric(names(miss.bins)), titv.miss, xlab="missing rate", ylab="TiTv")
```

```
> depth <- seqApply(gds, "annotation/format/DP", mean, margin="by.variant",  
+                   as.is="double", na.rm=TRUE)  
> depth.bins <- binVar(depth, variant.id, seq(0,200,20))  
> nbins <- length(depth.bins)  
> titv.depth <- rep(NA, nbins)  
> for (i in 1:nbins) {  
+   capture.output(titv.depth[i] <- applyMethod(gds, titv, variant=depth.bins[[i]]))  
+ }  
> plot(as.numeric(names(depth.bins)), titv.depth, xlab="mean depth", ylab="TiTv")
```



4.2 Heterozygosity

We will calculate the ratio of heterozygotes to non-reference homozygotes by sample. First, we filter the data to exclude any variants with missing rate < 0.1 or heterozygosity $> 0.6\%$.


```
> miss.var <- missingGenotypeRate(gds, margin="by.variant")
> het.var <- heterozygosity(gds, margin="by.variant")
> filt <- seqGetData(gds, "variant.id")[miss.var <= 0.1 & het.var <= 0.6]
```

We calculate the heterozygosity and homozygosity by sample, using only the variants selected above. Since we want to use the same variant filter for both methods, we set it once using `seqSetFilter` and reset at the end.

```
> seqSetFilter(gds, variant.id=filt)
# of selected variants: 1,078
> het <- heterozygosity(gds, margin="by.sample")
> homnr <- homozygosity(gds, margin="by.sample", allele="alt")
> hethom <- het / homnr
```

```
> hist(hethom, main="", xlab="Het/Hom Non-Ref")
> seqSetFilter(gds)

# of selected samples: 90
# of selected variants: 1,348
```




4.3 Principal Component Analysis

We can do Principal Component Analysis (PCA) to separate subjects by ancestry. All the samples in the example file are CEU, so we expect to see only one cluster.

```
> pc <- pca(gds)
> names(pc)

[1] "eigenval" "eigenvect"

> plot(pc$eigenvect[,1], pc$eigenvect[,2])
```




See also the packages [SNPRelate](#) and [GENESIS](#) for determining relatedness and population structure.

4.4 Hardy-Weinberg Equilibrium


We can test for deviations from Hardy-Weinberg Equilibrium (HWE), which can reveal variants of low quality. A test with permuted genotypes gives expected values under the null hypothesis of HWE.

```
> hw <- hwe(gds)
> pval <- -log10(sort(hw$p))
> hw.perm <- hwe(gds, permute=TRUE)
> x <- -log10(sort(hw.perm$p))
> plot(x, pval, xlab="-log10(expected P)", ylab="-log10(observed P)")
> abline(0,1,col="red")
```



The inbreeding coefficient can also be used as a quality metric. For variants, this is $1 - \text{observed heterozygosity} / \text{expected heterozygosity}$.

```
> hist(hw$f)
```



We can also calculate the inbreeding coefficient by sample.

```
> ic <- inbreedCoeff(gds, margin="by.sample")
> range(ic)
```

```
[1] -0.10035009  0.04180697
```

4.5 Mendelian errors

Checking for Mendelian errors is another way to assess variant quality. The example data contains a trio (child, mother, and father).

```
> data(pedigree)
> pedigree[pedigree$family == 1463,]

  family individ  father  mother  sex  sample.id
86   1463 NA12878 NA12891 NA12892  F   NA12878
87   1463 NA12889      0      0  M   NA12889
88   1463 NA12890      0      0  F   NA12890
```

```

89  1463 NA12891      0      0  M  NA12891
90  1463 NA12892      0      0  F  NA12892

> err <- mendelErr(gds, pedigree, verbose=FALSE)
> table(err$by.variant)

  0
1348

> err$by.trio

NA12878
  0

```

The example data do not have any Mendelian errors.

4.6 Association tests

We can run single-variant association tests for continuous or binary traits. We use a *SeqVarData* object to combine the genotypes with sample annotation. We use the pedigree data from the previous section and add simulated phenotypes.


```

> library(Biobase)
> sample.id <- seqGetData(gds, "sample.id")
> pedigree <- pedigree[match(sample.id, pedigree$sample.id),]
> n <- length(sample.id)
> pedigree$phenotype <- rnorm(n, mean=10)
> pedigree$case.status <- rbinom(n, 1, 0.3)
> sample.data <- AnnotatedDataFrame(pedigree)
> seqData <- SeqVarData(gds, sample.data)
> ## continuous phenotype
> assoc <- regression(seqData, outcome="phenotype", covar="sex",
+                    model.type="linear")
> head(assoc)

  variant.id  n    freq      Est      SE Wald.Stat Wald.Pval
1 rs111751804 57 0.9649123 -0.08059188 0.4509834 0.03193460 0.8581713
2 rs114390380 53 0.9905660  0.30063133 0.8365266 0.12915434 0.7193105
3  rs1320571 77 0.9610390  0.07040396 0.3748614 0.03527384 0.8510230
4  rs2760321 73 0.1232877 -0.26243681 0.2140799 1.50278792 0.2202429
5  rs2760320 89 0.9269663  0.13372353 0.2583979 0.26781674 0.6048001
6 rs116230480 89 0.9943820  0.15655594 0.8644628 0.03279794 0.8562875

> pval <- -log10(sort(assoc$Wald.Pval))
> n <- length(pval)
> x <- -log10((1:n)/n)
> plot(x, pval, xlab="-log10(expected P)", ylab="-log10(observed P)")
> abline(0, 1, col = "red")

```




For binary phenotypes, there are two options, "logistic" and "firth". "logistic" uses `glm` and performs a Wald test. "firth" uses `logistf`. We recommend using the Firth test for rare variants [1]

```
> assoc <- regression(seqData, outcome="case.status", covar="sex",
+                    model.type="firth")
> head(assoc)
  variant.id n0 n1  freq0  freq1      Est      SE  PPL.Stat  PPL.Pval
1 rs111751804 38 19 0.9473684 1.0000000  1.8050120  1.7017528  2.04203662  0.1530047
2 rs114390380 38 15 0.9868421 1.0000000  0.2363888  2.3426204  0.02052469  0.8860814
3  rs1320571 56 21 0.9642857 0.9523810 -0.5863335  0.9403919  0.42581578  0.5140493
4  rs2760321 52 21 0.1153846 0.1428571  0.2830352  0.5532255  0.27834879  0.5977855
5  rs2760320 63 26 0.9365079 0.9038462 -0.4979499  0.6263349  0.66140859  0.4160631
6 rs116230480 63 26 0.9920635 1.0000000  0.2200619  2.3324893  0.01805440  0.8931126

> pval <- -log10(sort(assoc$PPL.Pval))
> n <- length(pval)
> x <- -log10((1:n)/n)
> plot(x, pval, xlab="-log10(expected P)", ylab="-log10(observed P)")
```



```
> abline(0, 1, col = "red")
```



For aggregate tests, see the package [GENESIS](#).

```
> seqClose(gds)
```

References

- [1] X. Wang. Firth logistic regression for rare variant association tests. *Front Genet*, 5:187, 2014. doi: [10.3389/fgene.2014.00187](https://doi.org/10.3389/fgene.2014.00187).