

# Package ‘affycompData’

October 8, 2016

**Version** 1.10.0

**Title** affycomp data

**Author** Rafael A. Irizarry <rafa@jhu.edu> and Zhijin Wu  
<zwu@stat.brown.edu> with contributions from Simon Cawley  
<simon\_cawley@affymetrix.com>

**Maintainer** Harris Jaffee <hj@jhu.edu>

**Depends** R (>= 2.13.0), methods, Biobase (>= 2.3.3), affycomp

**Description** Data needed by the affycomp package.

**License** GPL (>= 2)

**biocViews** MicroarrayData

**NeedsCompilation** no

## R topics documented:

lw.sd.assessment . . . . .	1
mas5.assessment . . . . .	2
rma.assessment . . . . .	2
rma.sd.assessment . . . . .	3

<b>Index</b>	<b>4</b>
--------------	----------

---

lw.sd.assessment	<i>An example of the result of an SD assessment</i>
------------------	---

---

## Description

The Dilution files were processed with the dChip package (using PM-only), and then the function [assessSD](#) from the affycomp package was applied.

## Usage

```
data(lw.sd.assessment)
```

**Format**

A list.

---

mas5.assessment	<i>Examples of the result of assessments</i>
-----------------	--

---

**Description**

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with Affymetrix MAS 5.0 software, yielding three "MAS 5.0" [ExpressionSet](http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030424.1033/)'s. (These are available, in csv-format, at <http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030424.1033/>.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. mas5.assessment resulted from [assessAll](#) on Dilution and HGU95; mas5.assessment.133 from [assessSpikeIn](#) on HGU133; mas5.assessment2 from [assessSpikeIn2](#) on HGU95; and mas5.assessment2.133 from [assessSpikeIn2](#) on HGU133.

**Usage**

```
data(mas5.assessment)
data(mas5.assessment.133)
data(mas5.assessment2)
data(mas5.assessment2.133)
```

**Format**

A list of list.

---

rma.assessment	<i>Examples of the result of assessments</i>
----------------	--

---

**Description**

The Dilution and both (HGU95 and HGU133) types of Spike-in data were processed with the (version 1.0) function `rma`, yielding three "RMA" [ExpressionSet](http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030429.1332/)'s. (These are available, in csv-format, at <http://affycomp.jhsph.edu/AFFY2/rafa@jhu.edu/030429.1332/>.) Then various assessment functions from the affycomp package (most recently, version 1.28.0) were applied. rma.assessment resulted from [assessAll](#) on Dilution and HGU95; rma.assessment.133 from [assessSpikeIn](#) on HGU133; rma.assessment2 from [assessSpikeIn2](#) on HGU95; and rma.assessment2.133 from [assessSpikeIn2](#) on HGU133.

**Usage**

```
data(rma.assessment)
data(rma.assessment.133)
data(rma.assessment2)
data(rma.assessment2.133)
```

**Format**

A list of list.

---

*rma.sd.assessment*      *An example of the result of an SD assessment*

---

**Description**

The Dilution files were processed with the affy version 1.0 package rma add-on function, and then the function [assessSD](#) from the affycomp package was applied.

**Usage**

```
data(rma.sd.assessment)
```

**Format**

A list.

# Index

## \*Topic **datasets**

- lw.sd.assessment, 1
- mas5.assessment, 2
- rma.assessment, 2
- rma.sd.assessment, 3

- assessAll, 2
- assessSD, 1, 3
- assessSpikeIn, 2
- assessSpikeIn2, 2

- ExpressionSet, 2

- lw.sd.assessment, 1

- mas5.assessment, 2
- mas5.assessment2 (mas5.assessment), 2

- rma, 2
- rma.assessment, 2
- rma.assessment2 (rma.assessment), 2
- rma.sd.assessment, 3