

Package ‘specL’

October 18, 2017

Type Package

Title specL - Prepare Peptide Spectrum Matches for Use in Targeted Proteomics

Version 1.10.0

Author Christian Trachsel [aut],
Christian Panse [aut, cre],
Jonas Grossmann [aut],
Witold E. Wolski [ctb]

Maintainer Christian Panse <cp@fgcz.ethz.ch>, Witold E. Wolski <wewolski@gmail.com>

Depends R (>= 3.3.2), DBI (>= 0.5.1), methods (>= 3.3.2), protViz (>= 0.2.28), RSQLite (>= 1.1.2), seqinr (>= 3.3.3)

LinkingTo Rcpp (>= 0.12.4)

Suggests BiocGenerics, BiocStyle (>= 2.2.1), knitr (>= 1.15.1), msqcl (>= 1.0.0), plotrix (>= 3.6.4), prozor (>= 0.2.2), RUnit (>= 0.4.31)

Description specL provides a function for generating spectra libraries which can be used for MRM SRM MS workflows in proteomics. The package provides a BiblioSpec reader, a function which can add the protein information using a FASTA formatted amino acid file, and an export method for using the created library in the Spectronaut software.

License GPL-3

URL <https://github.com/fgcz/specL>

Collate read.bibliospec.R genSwathIonLib.R annotate.protein_id.R
AllGenerics.R specL.R specLSet.R cdsw.R ssrc.R zzz.R

biocViews MassSpectrometry, Proteomics

LazyData true

BugReports <https://github.com/fgcz/specL/issues>

VignetteBuilder knitr

NeedsCompilation yes

R topics documented:

annotate.protein_id	2
cdsw	3
genSwathIonLib	4
iRTpeptides	7
ms1.p2069	8
peptideStd	8
plot-methods	9
read.bibliospec	10
show-methods	11
specL-class	11
specLSet-class	12
ssrc	13
write.spectronaut-methods	14
Index	16

annotate.protein_id *Annotate protein_id*

Description

This function assigns the protein identifier for a list of tandem mass specs having a peptide sequence assigned.

Usage

```
annotate.protein_id(data, file = NULL, fasta = read.fasta(file = file,
  as.string = TRUE, seqtype = "AA"), digestPattern = "([RK]|(^)|(M))")
```

Arguments

data	list of records containing mZ and peptide sequences.
file	file name of a FASTA file.
fasta	a fasta object as returned by the <code>seqinr::read.fasta(...)</code> method.
digestPattern	a regex pattern which can be used by the <code>grep</code> command. the default regex pattern assumes a tryptic digest.

Details

The protein sequences are read by the `read.fasta` function of the `seqinr` package. The protein identifier is written to the `proteinInformation` variable.

If the function is called on a multi-core architecture it uses `mclapply`.

It is recommended to load the FASTA file prior to running `annotate.protein_id` using

```
myFASTA <- read.fasta(file = file, as.string = TRUE, seqtype = "AA")
```

instead of providing the FASTA file name to the function.

Value

it returns a list object.

Author(s)

Jonas Grossmann and Christian Panse, 2014

See Also

?read.fasta of the seqinr package.

<http://www.uniprot.org/help/fasta-headers>

Examples

```
# annotate.protein_id

# our Fasta sequence
irtFASTAseq <- paste(">zz|ZZ_FGCZCont0260|",
  "iRT_Protein_with_AAAAK_spacers concatenated Biognosys\n",
  "LGGNEQVTRAAAKGAGSSEPVTGLDAKAAAKVEATFGVDESNAKAAAKYILAGVENS",
  "KAAAKTPVISGGPYEYRAAAKTPVITGAPYEYRAAAKDGLDAASYYPVRAAAKAD",
  "VTPADFSEWSKAAAKGTFIIDPGGVIRAAAKGTFIIDPAAVIRAAAKLFLQFGAQQS",
  "PFLK\n")

# be realistic, do it from file
Tfile <- file(); cat(irtFASTAseq, file = Tfile);

#use read.fasta from seqinr
fasta.irtFASTAseq <-read.fasta(Tfile, as.string=TRUE, seqtype="AA")
close(Tfile)

#annotate with proteinID
# -> here we find all psmS from the one proteinID above
peptideStd <- specL::annotate.protein_id(peptideStd,
  fasta=fasta.irtFASTAseq)

#show indices for all PSMs where we have a proteinInformation
which(unlist(lapply(peptideStd,
  function(x){nchar(x$proteinInformation)>0}))))
```

cdsw

Generate Dynamic SWATH Window

Description

This function computes dynamic SWATH windows (cdsw) for a given vector of numeric values, an psmSet class, or an specLSet class. The input R data object can be generated using the read.bibliospec function.

Usage

```
cdsw(x, n=20, overlap=1, ...)
```

Arguments

x	Numeric vector or psmSet class.
n	Number of desired SWATH windows. Default is set to 20.
overlap	Overlap of SWATH windows. The default is 1 Dalton.
...	pass arguments to hist function.

Details

The function determines the SWATH windows using the quantile function.

Value

The output is data.frame having the attributes from, to, mid, width, and counts. In the ideal output all bins should contain the same number of numeric values. This requirement is violated because the window borders are rounded with no digit after the comma.

Author(s)

Christian Panse, Christian Trachsel, 2015, 2016

See Also

The S3 class definition: `showClass("psmSet")`

Examples

```
# do not plot histogram
cdsw(peptideStd, plot = FALSE, overlap = 0)

# plot hist
cdsw(peptideStd, freq = TRUE)

# pre-filtering
## cdsw(x=q1[350 <= q1 & q1 <= 1250], n=20, overlap = 0, freq=TRUE)
```

Description

This function generates an ion library for SWATH analysis. It takes a R data object which contains a peak list. The R data object can be generated using the `read.bibliospec` function.

Usage

```
genSwathIonLib(data,
  data.fit = data,
  mascotIonScoreCutOFF=20,
  proteinIDPattern='',
  max.mZ.Da.error = 0.1,
  ignoreMascotIonScore = TRUE,
  topN = 10,
  fragmentIonMzRange = c(300, 1800),
  fragmentIonRange = c(4, 100),
  fragmentIonFUN = .defaultSwathFragmentIon,
  iRT = specL::iRTpeptides,
  AminoAcids = protViz::AA,
  breaks=NULL,
  NORMALIZE=.normalize_rt)
```

Arguments

data	data set containing mZ and peptide sequence.
mascotIonScoreCutOFF	a value for filtering the specs.
proteinIDPattern	a filter for protein.
max.mZ.Da.error	the mZ error in Dalton on ms2 level.
ignoreMascotIonScore	Boolean if mascot score is considered or not.
topN	returns the most N intense fragment ion only.
fragmentIonMzRange	mZ range filter of fragment ion.
fragmentIonRange	range filter of the number of identified fragment ion which are assigned in the spectrum library set in fragmentIonTyp. Use this option to generate a library with a minimum of five transitions for all peptides using c(5, 100), all peptides where at least not five transmissions found were omitted.
fragmentIonFUN	function (b, y) which derives all requested fragment ion out a given tuple of b and y ion. If the parameter is not specified the method uses an internal function similar as the example below.
iRT	optional table which contains iRT peptides. If an iRT table is provided (default) a lm is applied to normalize the rt in data. See also ?iRT. A necessary condition is that data contains at least two iRT peptides.
AminoAcids	a list containing of 1-letter code and mono-isotopic mass of the amino acids. Default uses the protViz::AA data set.
data.fit	data set containing mZ and peptide sequence which is used for normalizing rt using a linear model $lm(\text{formula} = \text{rt} \sim \text{aggregateInputRT} * \text{fileName}, \text{data})$. The rt aggregation for the model uses median.
breaks	provides a vector of SWATH windows. If q1 (precursor mass) and q3 (fragment ion) fall into the same SWATH window the fragment ion is ignored in the resulting ion library. The following code shows an example <code>breaks=seq(400, 2000, by=25)</code> .

`NORMALIZE` is a function(`data`, `data.fit`, `iRT`, `plot=FALSE`) normalizing the `rt`. The default is an internal R helper function using `lm`.

Details

The function is the main contribution of the `specL` package. It generates the spectra library used in a SWATH analysis workflow out of a mass spectrometric measurement.

`genSwathIonLib` uses the core functions `protViz::findNN`, `protViz::fragmentIon`, and `protViz::aa2mass`.

The input is read by using `read.bibliospec` function of this package and passed by the `data` function parameter. If no `BiblioSpec` files are available also `Mascot DAT` files can be read using scripts contained in the `protViz` package `exec` folder.

If the protein information is lost you can benefit for the `specL::annotate.protein_id.Rd` method.

The function first appear in the `protViz 0.1.45` package. It has been removed in `protViz 0.2.6` to avoid package dependencies.

Value

The output is a data structure defined as `specLSet` object. The generic method `ionlibrary` returns a list of `specL` objects, `specLSet` also stores the input and normalized retention times.

Author(s)

Christian Panse, Christian Trachsel, and Jonas Grossmann 2012, 2013, 2014, 2016

See Also

The S4 class definition: `showClass("specL") showClass("specLSet")`
and the package vignette file. `vignette('specL')`

Examples

```
myFragmentIon <- function (b, y) {
  Hydrogen <- 1.007825
  Oxygen <- 15.994915
  Nitrogen <- 14.003074

  b1_ <- (b )
  y1_ <- (y )

  b2_ <- (b + Hydrogen) / 2
  y2_ <- (y + Hydrogen) / 2

  b3_ <- (b + 2 * Hydrogen) / 3
  y3_ <- (y + 2 * Hydrogen) / 3

  return( cbind(b1_, y1_, b2_, y2_, b3_, y3_) )
}

peptideStd.ionLib <- genSwathIonLib(data=peptideStd,
  data.fit=peptideStd.redundant,
  fragmentIonFUN=myFragmentIon)
```

```
summary(peptideStd.ionLib)

idx<-40

op <- par(mfrow = c(2,1))

plot(peptideStd.ionLib)

text(rt.input(peptideStd.ionLib)[idx],
     rt.normalized(peptideStd.ionLib)[idx],
     "X", cex=1.5)

plot(ionlibrary(peptideStd.ionLib)[[idx]])

## Not run:
write.spectronaut(peptideStd.ionLib,
                 file="peptideStd.ionLib.csv")

## End(Not run)
```

iRTpeptides

iRT peptides - independent retention time peptides

Description

iRTpeptides data are used for genSwathIonLib rt normalization assuming.

iRTpeptides first appear in the protViz 0.1.45 package. It has been removed in protViz 0.2.10 to avoid package dependencies.

Format

contains a table

Author(s)

Jonas Grossmann and Christian Panse 2013

References

Using iRT, a normalized retention time for more targeted measurement of peptides. Escher C, Reiter L, MacLean B, Ossola R, Herzog F, Chilton J, MacCoss MJ, Rinner O. Source Proteomics. 2012 Apr;12(8):1111-21. doi: 10.1002/pmic.201100463.

Examples

```
plot(sort(iRTpeptides$rt))

plot(pim<-protViz::parentIonMass(as.character(iRTpeptides$peptide)) ~ iRTpeptides$rt)
```

ms1.p2069

ms1 masses

Description

ms1.p2069

Format

contains a table

Author(s)C. Panse

peptideStd

Peptide standard

Description

This dataset is a list of a peptide spectrum matches (protein identification result) from two standard runs.

Format

contains a list of peptide spectrum assignments.

Details

These standard runs (LCMS experiments) are routinely run on well maintained instruments. In this case a standard run consists of a digest of the FETUIN_BOVINE protein (400 amol) and iRT peptides.

Author(s)

Christian Panse, Christian Trachsel and Jonas Grossmann 2014

See Also<http://fgcz-data.uzh.ch/~cpanse/specL/data/>

Examples

```
peakplot(peptideStd[[40]]$peptideSequence, peptideStd[[40]])

## Not run:

  download.file("http://fgcz-data.uzh.ch/~cpanse/specL/data/peptideStd.blib",
    destfile="peptideStd.blib")

  download.file("http://fgcz-data.uzh.ch/~cpanse/specL/data/peptideStd.redundant.blib",
    destfile="peptideStd.redundant.blib")

# checksum

if (require(tools)){
  md5sum(c("peptideStd.blib", "peptideStd.redundant.blib")) ==
  c("3f231931e54efd6516d7aa302073b17f",
    "8bab829d9e99344136613a17c0374b90")
}

peptideStd <- read.bibliospec("peptideStd.blib")
peptideStd.redundant <- read.bibliospec("peptideStd.redundant.blib")

## End(Not run)
```

plot-methods

Method for Function plot in Package specL

Description

This method has no additional arguments.

Value

The method plots on the current device.

Methods

`signature(x = "specL")` Plots the specL determined ions.

`signature(x = "specLSet")` Plots retention time versus retention time.

read.bibliospec	<i>BiblioSpec Reader</i>
-----------------	--------------------------

Description

This function reads a BiblioSpec generated file and returns a list of tandem mass specs (psm objects), peptide assignments, retention times, and modifications records. The type of the data structure which is returned is called psmSet.

Usage

```
read.bibliospec(file)
```

Arguments

file the name of the BiblioSpec generated SQLite file.

Details

The function performs a SQL query on the SQLite files generated by bibliospec using the RSQLite package. The function is required for generating spec libraries used in a SWATH workflow.

BiblioSpec files are generated by using Skyline.

Value

It returns a list which can be read by the genSwathIonLib function and the protViz::peakplot function.

Author(s)

Christian Panse, 2014, 2015

See Also

<https://skyline.gs.washington.edu/labkey/project/home/software/Skyline/begin.view>

<https://skyline.gs.washington.edu/labkey/project/home/software/BiblioSpec/begin.view>

<http://www.sqlite.org/>

?SQLite

Examples

```
read.bibliospec
```

show-methods	<i>Methods for Function show in Package specL ~~</i>
--------------	---

Description

Methods for function show in package **specL** ~~ writes specL or specLSet objects to a file or console.

Methods

signature(x = "specL") Prints specL object data to the console.

signature(x = "specLSet") Prints specL object data to the console.

specL-class	<i>Class "specL"</i>
-------------	----------------------

Description

This class is used to store, print, and plot the generated results of the package.

Objects from the Class

Objects can be created by calls of the form `new("specL", ...)`.

Slots

group_id: Object of class "character" just an id

peptide_sequence: Object of class "character" AA sequence

proteinInformation: Object of class "character" a string contains the protein identifier.

q1: Object of class "numeric" peptide weight m/Z as measured by the MS device

q1.in_silico: Object of class "numeric" peptide weight m/Z computed in-silico.

q3: Object of class "numeric" measured fragment ions.

q3.in_silico: Object of class "numeric" in-silico derived fragment ions.

score: Object of class "numeric" taken from bibliospec - psm score

prec_z: Object of class "numeric" pre-cursor charge.

frg_type: Object of class "character" fragmenbt ion type, e.g., b or y ion.

frg_nr: Object of class "numeric" fragment ion number

frg_z: Object of class "numeric" fragment ion charge.

relativeFragmentIntensity: Object of class "numeric" percentage base peaks of frament ions.

irt: Object of class "numeric" independent retention time in seconds.

peptideModSeq: Object of class "numeric" a vector contains the mass diff between AA and mod AA.

mZ.error: Object of class "numeric" a string contains the protein identifier.

filename: Object of class "character" a string contains the filename of the ions.

Methods

- plot** signature(x = "specL"): plots the fragment ions of specL object.
show signature(x = "specL"): shows the content of specL object.
write.spectronaut signature(x = "specL"): writes the specL object to a ASCII file.

Note

No notes yet.

Author(s)

Christian Panse 2014

See Also

[genSwathIonLib](#)

Examples

```
showClass("specL")
```

specLSet-class

Class "specLSet"

Description

This class is used to store, show, and write generated results of the package.

Objects from the Class

Objects can be created by calls of the form `new("specLSet", ...)`.

Slots

- input.parameter**: A list of parameter values.
ionlibrary: A list of "specL" objects.
rt.normalized: A numeric vector of normalized retention time values.
rt.input: A numeric vector of retention time values.

Methods

- show** signature(x = "specLSet"): shows the object content.
summary signature(x = "specLSet"): print summary of object content.
plot signature(x = "specLSet"): plots normalized versus input rt.
write.spectronaut signature(x = "specLSet"): writes object to ASCII file.
generate.consensus signature(x = "specLSet"): generates consensus specLSet object by combining all specL objects having a redundant group_id which is defined by `paste(x@q1.in_silico, x@peptideMod`

merge.specLSet signature(x = "specLSet"): merges two specLSet objects.
ionlibrary signature(x = "specLSet"): returns a list of specL objects.
rt.input signature(x = "specLSet"): returns a numeric vector of input rt values.
rt.normalized signature(x = "specLSet"): returns a numeric vector of normalized rt values.
getProteinPeptideTable signature(x = "specLSet"): returns table of peptide protein mappings.

Note

No notes yet.

Author(s)

Christian Panse 2014

See Also

[genSwathIonLib](#)

Examples

```
showClass("specL")  
showClass("specLSet")
```

ssrc

Sequence Specific Retention Calculator

Description

This function returns as output one hydrophobicity value for a given sequence of amino acids (tryptic peptide) which can be used to predict the retention times. The calculation is based on the method described in PMID:15238601.

Usage

```
ssrc(x, H=list())
```

Arguments

x	sequence of amino acids, e.g., x="ELIVSK"
H	A list of retention coefficients. The default is set to the values of PMID:15238601 table II column 2(Rc values).

Details

t.b.d.

Author(s)

Christian Panse, Christian Trachsel 2015

See Also

Krokhin, O. V. et al. An improved model for prediction of retention times of tryptic peptides in ion pair reversed-phase HPLC: its application to protein peptide mapping by off-line HPLC-MALDI MS. *Mol. Cell Proteomics* 3, 908-919 (2004). <http://www.ncbi.nlm.nih.gov/pubmed/15238601>

<http://hs2.proteome.ca/SSRCalc/SSRCalcX.html>

Examples

```
# example of table iv [PMID:15238601]
lapply(c("SCHTAVGR", "SCHTGLGR", "EDLIAYLK"), ssrc)

Rc <- list()
Rc[['W']] <- 11.0;
Rc[['F']] <- 10.5;
Rc[['L']] <- 9.6;
Rc[['I']] <- 8.4;
Rc[['M']] <- 5.8;
Rc[['V']] <- 5.0;
Rc[['Y']] <- 4.0;
Rc[['A']] <- 0.8;
Rc[['T']] <- 0.4;
Rc[['P']] <- 0.2;
Rc[['E']] <- 0.0;
Rc[['D']] <- -0.5;
Rc[['C']] <- -0.8;
Rc[['S']] <- -0.8;
Rc[['Q']] <- -0.9;
Rc[['G']] <- -0.9;
Rc[['N']] <- -1.2;
Rc[['R']] <- -1.3;
Rc[['H']] <- -1.3;
Rc[['K']] <- -1.9;

RcNt <- lapply(Rc, function(x){sum(unlist(Rc))/20 - x})

ssrc <- unlist(lapply(peptideStd, function(x){ssrc(x$peptideSequence)}))
rt <- unlist(lapply(peptideStd, function(x){x$rt}))

plot(ssrc, rt)
abline(ssrc.lm <- lm(rt ~ ssrc), col='red');
legend("topleft", paste("spearman", round(cor(ssrc, rt, method='spearman'),2)))
```

Description

Methods for function `write.spectronaut` in package **specL** ~~ writes specL objects to a file in a format which can be read by the 'Spectronaut' software. additional arguments are

file A file name. default is `file='spec.txt'`.

Methods

`signature(x = "specL")` Prints specL object data to to a file.

`signature(x = "specLSet")` Prints specL object data to to a file.

Index

- *Topic **classes**
 - specL-class, 11
 - specLSet-class, 12
- *Topic **methods**
 - plot-methods, 9
 - show-methods, 11
 - write.spectronaut-methods, 14
- annotate.protein_id, 2
- BiblioSpec (read.bibliospec), 10
- bibliospec (read.bibliospec), 10
- cdsw, 3
- generate.consensus (specLSet-class), 12
- generate.consensus, specLSet-method (specLSet-class), 12
- generateDynamicSwathWindow (cdsw), 3
- genSwathIonLib, 4, 12, 13
- getProteinPeptideTable (specLSet-class), 12
- getProteinPeptideTable, specLSet-method (specLSet-class), 12
- hydrophobicity (ssrc), 13
- ionlibrary (specLSet-class), 12
- ionlibrary, specLSet-method (specLSet-class), 12
- iRT (iRTpeptides), 7
- irt (iRTpeptides), 7
- iRTpeptides, 7
- merge.specLSet (specLSet-class), 12
- merge.specLSet, specLSet-method (specLSet-class), 12
- MRM (genSwathIonLib), 4
- ms1.p2069, 8
- peptideStd, 8
- plot (specLSet-class), 12
- plot, ANY-method (plot-methods), 9
- plot, specL-method (specL-class), 11
- plot, specL-methods (plot-methods), 9
- plot, specLSet-method (specLSet-class), 12
- plot, specLSet-methods (plot-methods), 9
- plot-methods, 9
- plot.psm (read.bibliospec), 10
- plot.psmSet (read.bibliospec), 10
- read.bibliospec, 10
- rt.input (specLSet-class), 12
- rt.input, specLSet-method (specLSet-class), 12
- rt.normalized (specLSet-class), 12
- rt.normalized, specLSet-method (specLSet-class), 12
- show, ANY-method (show-methods), 11
- show, specL-method (specL-class), 11
- show, specLSet-method (specLSet-class), 12
- show-methods, 11
- Skyline (read.bibliospec), 10
- skyline (read.bibliospec), 10
- specL (genSwathIonLib), 4
- specL-class, 11
- specLSet-class, 12
- ssrc, 13
- summary, specLSet-method (specLSet-class), 12
- summary.psmSet (read.bibliospec), 10
- SWATH (genSwathIonLib), 4
- swath (genSwathIonLib), 4
- write.spectronaut (write.spectronaut-methods), 14
- write.spectronaut, ANY-method (write.spectronaut-methods), 14
- write.spectronaut, specL-method (specL-class), 11
- write.spectronaut, specL-methods (write.spectronaut-methods), 14
- write.spectronaut, specLSet-method (specLSet-class), 12
- write.spectronaut, specLSet-methods (write.spectronaut-methods), 14
- write.spectronaut-methods, 14