

Package ‘iClusterPlus’

April 12, 2018

Title Integrative clustering of multi-type genomic data

Version 1.14.0

Date 2016-10-03

Depends R (>= 2.15.0), parallel

Suggests RUnit, BiocGenerics

Author Qianxing Mo, Ronglai Shen

Maintainer Qianxing Mo <qmo@bcm.edu>, Ronglai Shen <shenr@mskcc.org>

Description Integrative clustering of multiple genomic data using a joint latent variable model

LazyData yes

License GPL (>= 2)

biocViews Microarray, Clustering

NeedsCompilation yes

R topics documented:

breast.chr17	2
CNregions	2
compute.pod	3
coord	4
gbm	5
glp	5
iCluster	6
iCluster2	7
iClusterPlus	9
plotHeatmap	11
plotiCluster	12
plotRI	13
simuResult	14
tune.iCluster2	14
tune.iClusterPlus	15
utility	17
variation.hg18.v10.nov.2010	18
Index	19

breast.chr17	<i>Breast cancer data set DNA copy number and mRNA expression measure on chromosome 17</i>
--------------	--

Description

This is a subset of the breast cancer data from Pollack et al. (2002).

Usage

```
data(breast.chr17)
```

Format

A list object containing two data matrices: DNA and mRNA. They consist chromosome 17 data in 41 samples (4 cell lines and 37 primary tumors).

Source

This data can be downloaded at <http://www.pnas.org/content/99/20/12963/suppl/DC1>

References

Pollack, J.R. et al. (2002) Microarray analysis reveals a major direct role of DNA copy number alteration in the transcriptional program of human breast tumors. Proc. Natl Acad. Sci. USA, 99, 12963-12968.

CNregions	<i>A function to remove redundant copy number regions</i>
-----------	---

Description

This function is used to reduce copy number regions.

Usage

```
CNregions(seg, epsilon=0.005, adaptive=FALSE, rmCNV=FALSE, cnv=NULL, frac.overlap=0.5, rmSmallseg
```

Arguments

seg	DNACopy CBS segmentation output.
epsilon	the maximum Euclidean distance between adjacent probes tolerated for denying a nonredundant region. epsilon=0 is equivalent to taking the union of all unique break points across the n samples.
adaptive	Vector of length-m lasso penalty terms.
rmCNV	If TRUE, remove germline CNV.
cnv	A data frame containing germline CNV data.
frac.overlap	A parameter needed to be explain.
rmSmallseg	If TRUE, remove small segment.
nProbes	The segment length threshold below which the segment will be removed if rmSmallseg = TRUE.

Value

A matrix with reduced copy number regions.

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Qianxing Mo, Sijian Wang, Venkatraman E. Seshan, Adam B. Olshen, Nikolaus Schultz, Chris Sander, R. Scott Powers, Marc Ladanyi, and Ronglai Shen. (2013). Pattern discovery and cancer gene identification in integrated cancer genomic data. Proc. Natl. Acad. Sci. USA.

See Also

[breast.chr17,plotiCluster](#), [compute.pod](#), [iCluster](#), [iClusterPlus](#)

Examples

```
#data(gbm)
#library(GenomicRanges)
#library(cluster)
#reducedM=CNregions(seg,epsilon=0,adaptive=FALSE,rmCNV=TRUE,cnv=NULL,
# frac.overlap=0.5, rmSmallseg=TRUE,nProbes=5)
```

compute.pod

A function to compute the proportion of deviation from perfect block diagonal matrix

Description

A function to compute the proportion of deviation from perfect block diagonal matrix.

Usage

```
compute.pod(fit)
```

Arguments

fit A iCluster object

Value

pod proportion of deviation from perfect block diagonal matrix

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Ronglai Shen, Adam Olshen, Marc Ladanyi. (2009). Integrative clustering of multiple genomic data types using a joint latent variable model with application to breast and lung cancer subtype analysis. *Bioinformatics* 25, 2906-2912.

See Also

[iCluster](#), [iCluster2](#), [plotiCluster](#)

Examples

```
# library(iCluster)
# data(breast.chr17)
# fit=iCluster(breast.chr17, k=4, lambda=c(0.2,0.2))
# plotiCluster(fit=fit, label=rownames(breast.chr17[[2]]))
# compute.pod(fit)
```

coord	<i>genomic coordinates</i>
-------	----------------------------

Description

genomic coordinates for the copy number data in gbm

Usage

```
data(coord)
```

Format

A data matrix consists of chr number, start and end position for the genes included in the gbm copy number data.

References

Ronglai Shen, Qianxing Mo, Nikolaus Schultz, Venkatraman E. Seshan, Adam B. Olshen, Jason Huse, Marc Ladanyi, Chris Sander. (2012). Integrative Subtype Discovery in Glioblastoma Using iCluster. *PLoS ONE* 7, e35236

gbm	<i>GBM data</i>
-----	-----------------

Description

This is a subset of the glioblastoma dataset from the cancer genome atlas (TCGA) GBM study (2009) used in Shen et al. (2012).

Usage

```
data(gbm)
```

Format

A list object containing three data matrices: copy number, methylation and mRNA expression in 84 samples.

Value

gbm.seg	GBM copy number segmentation results generated by DNACopy package.
gbm.exp	GBM gene expression data.
gbm.mut	GBM mutation data.

References

Ronglai Shen, Qianxing Mo, Nikolaus Schultz, Venkatraman E. Seshan, Adam B. Olshen, Jason Huse, Marc Ladanyi, Chris Sander. (2012). Integrative Subtype Discovery in Glioblastoma Using iCluster. *PLoS ONE* 7, e35236

glp	<i>good lattice points using the uniform design</i>
-----	---

Description

good lattice points using the uniform design (Fang and Wang 1995)

Usage

```
data(glp)
```

Format

A list object containing sampling design for $s=2-5$ where s is the number of tuning parameters.

References

Ronglai Shen, Qianxing Mo, Nikolaus Schultz, Venkatraman E. Seshan, Adam B. Olshen, Jason Huse, Marc Ladanyi, Chris Sander. (2012). Integrative Subtype Discovery in Glioblastoma Using iCluster. *PLoS ONE* 7, e35236

Fang K, Wang Y (1994) Number theoretic methods in statistics. London, UK: Chapman and Hall.

*iCluster**Integrative clustering of multiple genomic data types*

Description

Given multiple genomic data types (e.g., copy number, gene expression, DNA methylation) measured in the same set of samples, iCluster fits a regularized latent variable model based clustering that generates an integrated cluster assignment based on joint inference across data types

Usage

```
iCluster(datasets, k, lambda, scalar=FALSE, max.iter=50, epsilon=1e-3)
```

Arguments

datasets	A list object containing m data matrices representing m different genomic data types measured in a set of n samples. For each matrix, the rows represent samples, and the columns represent genomic features.
k	Number of subtypes.
lambda	Vector of length-m lasso penalty terms.
scalar	If TRUE, assumes scalar covariance matrix Psi. Default is FALSE.
max.iter	Maximum iteration for the EM algorithm.
epsilon	EM algorithm convergence criterion.

Value

A list with the following elements.

meanZ	Relaxed cluster indicator matrix.
beta	Coefficient matrix.
clusters	Cluster assignment.
conv.rate	Convergence history.

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Ronglai Shen, Adam Olshen, Marc Ladanyi. (2009). Integrative clustering of multiple genomic data types using a joint latent variable model with application to breast and lung cancer subtype analysis. *Bioinformatics* 25, 2906-2912.

See Also

[breast.chr17,plotiCluster](#), [compute.pod](#)

Examples

```

data(breast.chr17)
fit=iCluster(breast.chr17, k=4, lambda=c(0.2,0.2))
plotiCluster(fit=fit, label=rownames(breast.chr17[[2]]))
compute.pod(fit)

#library(gplots)
#library(lattice)
#col.scheme = alist()
#col.scheme[[1]] = bluered(256)
#col.scheme[[2]] = greenred(256)
#cn.image=breast.chr17[[2]]
#cn.image[cn.image>1.5]=1.5
#cn.image[cn.image< -1.5]= -1.5
#exp.image=breast.chr17[[1]]
#exp.image[exp.image>3]=3
#exp.image[exp.image< -3]=3
#plotHeatmap(fit, datasets=list(cn.image,exp.image), type=c("gaussian","gaussian"),
# row.order=c(FALSE,FALSE), width=5, col.scheme=col.scheme)

```

iCluster2

*Integrative clustering of multiple genomic data types***Description**

Given multiple genomic data types (e.g., copy number, gene expression, DNA methylation) measured in the same set of samples, iCluster fits a regularized latent variable model based clustering that generates an integrated cluster assignment based on joint inference across data types

Usage

```
iCluster2(x, K, lambda, method=c("lasso","enet","flasso","glasso","gflasso"),
chr=NULL, maxiter=50, eps=1e-4, eps2=1e-8)
```

Arguments

x	A list object containing m data matrices representing m different genomic data types measured in a set of n samples. For each matrix, the rows represent samples, and the columns represent genomic features.
K	Number of subtypes.
lambda	A list with m elements; each element is a vector with one or two elements depending on the methods used.
method	Method used for clustering and variable selection.
chr	Chromosome labels
maxiter	Maximum iteration for the EM algorithm.
eps	EM algorithm convergence criterion 1.
eps2	EM algorithm convergence criterion 2.

Value

A list with the following elements.

cluster	Cluster assignment.
centers	cluster centers.
Phivec	parameter phi; a vector.
beta	parameter B; a matrix.
meanZ	meanZ
EZZt	EZZt
dif	difference
iter	iteration

Author(s)

Qianxing Mo <qmo@bcm.edu>, Ronglai Shen, Sijian Wang

References

Ronglai Shen, Sijian Wang, Qianxing Mo. (2013). Sparse Integrative Clustering of Multiple Omics Data Sets. *Annals of Applied Statistics*. 7(1):269-294

See Also

[plotiCluster](#), [compute.pod](#), [iClusterPlus](#)

Examples

```
## clustering
n1 = 20
n2 = 20
n3 = 20
n = n1+n2+n3
p = 5
q = 100

x = NULL
x1a = matrix(rnorm(n1*p), ncol=p)
x2a = matrix(rnorm(n1*p, -1.5,1), ncol=p)
x3a = matrix(rnorm(n1*p, 1.5, 1), ncol=p)
xa = rbind(x1a,x2a,x3a)
xb = matrix(rnorm(n*q), ncol=q)
x[[1]] = cbind(xa,xb)

x1a = matrix(rnorm(n1*p), ncol=p)
x2a = matrix(rnorm(n1*p, -1.5,1), ncol=p)
x3a = matrix(rnorm(n1*p, 1.5, 1), ncol=p)
xa = rbind(x1a,x2a,x3a)
xb = matrix(rnorm(n*q), ncol=q)
x[[2]] = cbind(xa,xb)

x1a = matrix(rnorm(n1*p), ncol=p)
x2a = matrix(rnorm(n1*p, -1.5,1), ncol=p)
```



```

x3a = matrix(rnorm(n1*p, 1.5, 1), ncol=p)
xa = rbind(x1a,x2a,x3a)
xb = matrix(rnorm(n*q), ncol=q)
x[[3]] = cbind(xa,xb)

x1a = matrix(rnorm(n1*p), ncol=p)
x2a = matrix(rnorm(n1*p, -1.5,1), ncol=p)
x3a = matrix(rnorm(n1*p, 1.5, 1), ncol=p)
xa = rbind(x1a,x2a,x3a)
xb = matrix(rnorm(n*q), ncol=q)
x[[4]] = cbind(xa,xb)

x1a = matrix(rnorm(n1*p), ncol=p)
x2a = matrix(rnorm(n1*p, -1.5,1), ncol=p)
x3a = matrix(rnorm(n1*p, 1.5, 1), ncol=p)
xa = rbind(x1a,x2a,x3a)
xb = matrix(rnorm(n*q), ncol=q)
x[[5]] = cbind(xa,xb)

method = c('lasso', 'enet', 'flasso', 'glasso', 'gflasso')
lambda=alist()
lambda[[1]] = 30
lambda[[2]] = c(20,1)
lambda[[3]] = c(20,20)
lambda[[4]] = 30
lambda[[5]] = c(30,20)

chr=c(rep(1,10),rep(2,(p+q)-10))
date()
fit2 = iCluster2(x, K=3, lambda, method=method, chr=chr, maxiter=20,eps=1e-4, eps2=1e-8)
date()

par(mfrow=c(5,1),mar=c(4,4,1,1))
for(i in 1:5){
  barplot(fit2$beta[[i]][,1])
}

#library(gplots)
#library(lattice)

#plotHeatmap(fit2, datasets=x, type=rep("gaussian",length(x)), row.order=c(TRUE,TRUE,FALSE,TRUE,FALSE),
# sparse=rep(FALSE,length(x)), scale=rep("row",5), width=5, col.scheme=rep(list(bluered(256)),length(x)))

```

Description

Given multiple genomic data types (e.g., copy number, gene expression, DNA methylation) measured in the same set of samples, iClusterPlus fits a regularized latent variable model based clustering that generates an integrated cluster assignment based on joint inference across data types

Usage

```
iClusterPlus(dt1,dt2=NULL,dt3=NULL,dt4=NULL,
type=c("gaussian","binomial","poisson","multinomial"),
K=2,alpha=c(1,1,1,1),lambda=c(0.03,0.03,0.03,0.03),
n.burnin=100,n.draw=200,maxiter=20,sdev=0.05,eps=1.0e-4)
```

Arguments

dt1	A data matrix. The rows represent samples, and the columns represent genomic features.
dt2	A data matrix. The rows represent samples, and the columns represent genomic features.
dt3	A data matrix. The rows represent samples, and the columns represent genomic features.
dt4	A data matrix. The rows represent samples, and the columns represent genomic features.
type	Data type, which can be gaussian, binomial, poisson, multinomial.
K	The number of eigen features. Given K, the number of cluster is K+1.
alpha	Vector of elasticnet penalty terms. At this version of iClusterPlus, elasticnet is not used. Therefore, all the elements of alpha are set to 1.
lambda	Vector of lasso penalty terms.
n.burnin	Number of MCMC burnin.
n.draw	Number of MCMC draw.
maxiter	Maximum iteration for the EM algorithm.
sdev	standard deviation of random walk proposal.
eps	Algorithm convergence criterion.

Value

A list with the following elements.

alpha	Intercept parameter.
beta	Information parameter.
clusters	Cluster assignment.
centers	Cluster center.
meanZ	Latent variable.
BIC	Bayesian information criterion.
dev.ratio	see dev.ratio defined in glmnet package.
dif	absolute difference for the parameters in the last and next-to-last iterations.

Author(s)

Qianxing Mo <qmo@bcm.edu>,Ronglai Shen, Sijian Wang

References

Qianxing Mo, Sijian Wang, Venkatraman E. Seshan, Adam B. Olshen, Nikolaus Schultz, Chris Sander, R. Scott Powers, Marc Ladanyi, and Ronglai Shen. (2013). Pattern discovery and cancer gene identification in integrated cancer genomic data. *Proc. Natl. Acad. Sci. USA*. 110(11):4245-50.

See Also

[plotiCluster](#), [iCluster](#), [compute.pod](#)

Examples

```
# see iManual.pdf
```

plotHeatmap	<i>A function to generate heatmap panels sorted by integrated cluster assignment.</i>
-------------	---

Description

A function to generate heatmap panels sorted by integrated cluster assignment.

Usage

```
plotHeatmap(fit,datasets,type=c("gaussian","binomial","poisson","multinomial"),
  sample.order=NULL,row.order=NULL,sparse=NULL,threshold=rep(0.25,length(datasets)),
  width=5,scale=rep("none",length(datasets)),col.scheme=rep(list(bluered(256)),
  length(datasets)),chr=NULL,plot.chr=NULL,cap=NULL)
```

Arguments

fit	A iCluster object.
datasets	A list object of data matrices.
type	Types of data in the datasets.
sample.order	User supplied cluster assignment.
row.order	A vector of logical values each specify whether the genomic features in the corresponding data matrix should be reordered by similarity. Default is TRUE.
sparse	A vector of logical values each specify whether to plot the top cluster-discriminant features. Default is FALSE.
threshold	When sparse is TRUE, a vector of threshold values to include the genomic features for which the absolute value of the associated coefficient estimates fall in the top quantile. <code>threshold=c(0.25,0.25)</code> takes the top quartile most discriminant features in data type 1 and data type 2 for plot.
width	Width of the figure in inches
scale	A vector of logical values each specify whether data should be scaled. Default is FALSE.
col.scheme	Color scheme. Can use <code>bluered(n)</code> in <code>gplots</code> R package.
chr	A vector of chromosome number.

plot.chr	A vector of logical values each specifying whether to annotate chromosome number on the left of the panel. Typically used for copy number data type. Default is FALSE.
cap	Image color option

Value

no value returned.

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Ronglai Shen, Adam Olshen, Marc Ladanyi. (2009). Integrative clustering of multiple genomic data types using a joint latent variable model with application to breast and lung cancer subtype analysis. *Bioinformatics* 25, 2906-2912.

Ronglai Shen, Qianxing Mo, Nikolaus Schultz, Venkatraman E. Seshan, Adam B. Olshen, Jason Huse, Marc Ladanyi, Chris Sander. (2012). Integrative Subtype Discovery in Glioblastoma Using iCluster. *PLoS ONE* 7, e35236

See Also

[iCluster](#), [iCluster2](#)

Examples

```
# see iManual.pdf
```

plotiCluster	<i>A function to generate cluster separability matrix plot.</i>
--------------	---

Description

A function to generate cluster separability matrix plot.

Usage

```
plotiCluster(fit, label=NULL)
```

Arguments

fit	A iCluster object
label	Sample labels

Value

no value returned.

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Ronglai Shen, Adam Olshen, Marc Ladanyi. (2009). Integrative clustering of multiple genomic data types using a joint latent variable model with application to breast and lung cancer subtype analysis. *Bioinformatics* 25, 2906-2912.

See Also

[iCluster](#), [compute.pod](#)

Examples

```
# library(iCluster)
# data(breast.chr17)
# fit=iCluster(datasets=breast.chr17, k=4, lambda=c(0.2,0.2))
# plotiCluster(fit=fit, label=rownames(breast.chr17[[2]]))
# compute.pod(fit)
```

plotRI

A function to generate reproducibility index plot.

Description

A function to generate reproducibility index plot.

Usage

```
plotRI(cv.fit)
```

Arguments

cv.fit A tune.iCluster2 object

Value

no value returned.

Author(s)

Ronglai Shen <shenr@mskcc.org>

References

Ronglai Shen, Adam Olshen, Marc Ladanyi. (2009). Integrative clustering of multiple genomic data types using a joint latent variable model with application to breast and lung cancer subtype analysis. *Bioinformatics* 25, 2906-2912.

Ronglai Shen, Qianxing Mo, Nikolaus Schultz, Venkatraman E. Seshan, Adam B. Olshen, Jason Huse, Marc Ladanyi, Chris Sander. (2012). Integrative Subtype Discovery in Glioblastoma Using iCluster. *PLoS ONE* 7, e35236

See Also[iCluster](#)**Examples**

```
#data(simu.datasets)
#cv.fit=alist()
#for(k in 2:5){
#  cat(paste("K=",k,sep=""),'\n')
#  cv.fit[[k]]=tune.iCluster2(datasets=simu.datasets, k,nrep=2, n.lambda=8)
#}

##Reproducibility index (RI) plot
#plotRI(cv.fit)
```

simuResult

*The results for the analysis of the simulated data.***Description**

The simulation and analysis are described in `iClusterPlus/inst/unitTests/test_iClusterPlus.R`.

Usage

```
data(simuResult)
```

Format

list

Value

A list of objects returned by the `iClusterPlus` function.

References

`iClusterPlus/inst/unitTests/test_iClusterPlus.R`

tune.iCluster2

*Integrative clustering of multiple genomic data types***Description**

Given multiple genomic data types (e.g., copy number, gene expression, DNA methylation) measured in the same set of samples, `iCluster` fits a regularized latent variable model based clustering that generates an integrated cluster assignment based on joint inference across data types

Usage

```
tune.iCluster2(x, K, method=c("lasso", "enet", "flasso", "glasso", "gflasso"), base=200,
  chr=NULL, true.class=NULL, lambda=NULL, n.lambda=NULL, save.nonsparse=F, nrep=10, eps=1e-4)
```

Arguments

x	A list object containing m data matrices representing m different genomic data types measured in a set of n samples. For each matrix, the rows represent samples, and the columns represent genomic features.
K	Number of subtypes.
lambda	User supplied matrix of lambda to tune.
method	Method used for clustering and variable selection.
chr	Chromosome labels
n.lambda	Number of lambda to sample using uniform design.
nrep	Fold of cross-validation.
base	Base.
true.class	True class label if available.
save.nonsparse	Logic argument whether to save the nonsparse fit.
eps	EM algorithm convergence criterion

Value

A list with the following elements.

best.fit	Best fit.
best.lambda	Best lambda.
ps	Rand index
ps.adjusted	Adjusted Rand index.

Author(s)

Qianxing Mo <qmo@bcm.edu>, Ronglai Shen, Sijian Wang

References

Ronglai Shen, Sijian Wang, Qianxing Mo. (2013). Sparse Integrative Clustering of Multiple Omics Data Sets. *Annals of Applied Statistics*. 7(1):269-294

See Also

[iCluster2](#)

tune.iClusterPlus *Integrative clustering of multiple genomic data*

Description

Given multiple genomic data (e.g., copy number, gene expression, DNA methylation) measured in the same set of samples, tune.iClusterPlus uses a series of lambda values to fit a regularized latent variable model based clustering that generates an integrated cluster assignment based on joint inference across data.

Usage

```
tune.iClusterPlus(cpus=8,dt1,dt2=NULL,dt3=NULL,dt4=NULL,
  type=c("gaussian","binomial","poisson","multinomial"),
  K=2,alpha=c(1,1,1,1),n.lambda=NULL,scale.lambda=c(1,1,1,1),
  n.burnin=200,n.draw=200,maxiter=20,sdev=0.05,eps=1.0e-4)
```

Arguments

cpus	Number of CPU used for parallel computation.
dt1	A data matrix. The rows represent samples, and the columns represent genomic features.
dt2	A data matrix. The rows represent samples, and the columns represent genomic features.
dt3	A data matrix. The rows represent samples, and the columns represent genomic features.
dt4	A data matrix. The rows represent samples, and the columns represent genomic features.
type	data type, which can be "gaussian", "binomial", "poisson", and "multinomial".
K	The number of eigen features. Given K, the number of cluster is K+1.
alpha	Vector of elasticnet penalty terms. At this version of iClusterPlus, elasticnet is not used. Therefore, all the elements of alpha are set to 1.
n.lambda	Number of lambda are tuned.
scale.lambda	A value between (0,1); the actual lambda values will be scale.lambda multiplying the lambda values of the uniform design.
n.burnin	Number of MCMC burnin.
n.draw	Number of MCMC draw.
maxiter	Maximum iteration for the EM algorithm.
sdev	standard deviation of random walk proposal.
eps	EM algorithm convergence criterion.

Value

A list with the two elements 'fit' and 'lambda', where fit itself is a list and lambda is a matrix. Each row of lambda is the lambda values used to fit iClusterPlus model. Each component of fit is an object return by iClusterPlus, one-to-one corresponding to the row of lambda. Each component of fit has the following objects.

alpha	Intercept parameter for the genomic features.
beta	Information parameter for the genomic features. The rows and the columns represent the genomic features and the coefficients for the latent variable, respectively.
clusters	Cluster assignment.
centers	Cluster centers.
meanZ	Latent variable.

Author(s)

Qianxing Mo <qmo@bcm.edu>, Ronglai Shen <shenr@mskcc.org>

References

Qianxing Mo, Sijian Wang, Venkatraman E. Seshan, Adam B. Olshen, Nikolaus Schultz, Chris Sander, R. Scott Powers, Marc Ladanyi, and Ronglai Shen. (2012). Pattern discovery and cancer gene identification in integrated cancer genomic data. Proc. Natl. Acad. Sci. USA 110(11):4245-50.

See Also

[plotiCluster](#), [iClusterPlus](#), [iCluster2](#), [iCluster](#), [compute.pod](#)

Examples

```
### see the users' guide iManu1.pdf
```

 utility

Utility functions for iClusterPlus package

Description

Some utility functions for processing the results produced by iClusterPlus methods.

Usage

```
getBIC(resultList)
getDevR(resultList)
getClusters(resultList)
iManual(view=TRUE)
```

Arguments

resultList	A list object as shown in the following example.
view	A logical value TRUE or FALSE

Value

getBIC	produce a matrix containing the BIC value for each lambda and K; the rows correspond to the lambda (vector) and the columns correspond to the K latent variables.
getDevR	produce a matrix containing the deviance ratio for each lambda and K; the rows correspond to the lambda (vector) and the columns correspond to the K latent variables.
getClusters	produce a matrix containing the cluster assignments for the samples under each K; the rows correspond to the samples; the columns correspond to the K latent variables.
iManual	Open the iClusterPlus User's Guide.

Author(s)

Qianxing Mo <qmo@bcm.edu>

References

Qianxing Mo, Sijian Wang, Venkatraman E. Seshan, Adam B. Olshen, Nikolaus Schultz, Chris Sander, R. Scott Powers, Marc Ladanyi, and Ronglai Shen. (2012). Pattern discovery and cancer gene identification in integrated cancer genomic data. Proc. Natl. Acad. Sci. USA (invited revision).

See Also

[tune.iClusterPlus](#), [iClusterPlus](#), [iCluster2](#)

Examples

```
### see the users' guide iManual.pdf
```

```
#data(simuResult)
#BIC = getBIC(simuResult)
#devR = getDevR(simuResult)
#clusters = getClusters(simuResult)
```

variation.hg18.v10.nov.2010

Human genome variants of the NCBI 36 (hg18) assembly

Description

Human genome variants of the NCBI 36 (hg18) assembly

Usage

```
data(variation.hg18.v10.nov.2010)
```

Format

data frame

Value

```
variation.hg18.v10.nov.2010
```

Human genome variants of the NCBI 36 (hg18) assembly

References

http://projects.tcag.ca/variation/tableview.asp?table=DGV_Content_Summary.txt

Index

*Topic **datasets**

breast.chr17, [2](#)
coord, [4](#)
gbm, [5](#)
glp, [5](#)
simuResult, [14](#)
variation.hg18.v10.nov.2010, [18](#)

*Topic **models**

CNregions, [2](#)
compute.pod, [3](#)
iCluster, [6](#)
iCluster2, [7](#)
iClusterPlus, [9](#)
plotHeatmap, [11](#)
plotiCluster, [12](#)
plotRI, [13](#)
tune.iCluster2, [14](#)
tune.iClusterPlus, [15](#)
utility, [17](#)

breast.chr17, [2](#), [3](#), [6](#)

CNregions, [2](#)

compute.pod, [3](#), [3](#), [6](#), [8](#), [11](#), [13](#), [17](#)
coord, [4](#)

gbm, [5](#)

getBIC (utility), [17](#)
getClusters (utility), [17](#)
getDevR (utility), [17](#)
glp, [5](#)

iCluster, [3](#), [4](#), [6](#), [11–14](#), [17](#)
iCluster2, [4](#), [7](#), [12](#), [15](#), [17](#), [18](#)
iClusterPlus, [3](#), [8](#), [9](#), [17](#), [18](#)
iManual (utility), [17](#)

plotHeatmap, [11](#)

plotiCluster, [3](#), [4](#), [6](#), [8](#), [11](#), [12](#), [17](#)
plotRI, [13](#)

simuResult, [14](#)

tune.iCluster2, [14](#)

tune.iClusterPlus, [15](#), [18](#)

utility, [17](#)

variation.hg18.v10.nov.2010, [18](#)