

# Package ‘BayesSpace’

May 19, 2024

**Version** 1.14.0

**Date** 2021-11-03

**Title** Clustering and Resolution Enhancement of Spatial Transcriptomes

**Description** Tools for clustering and enhancing the resolution of spatial gene expression experiments. BayesSpace clusters a low-dimensional representation of the gene expression matrix, incorporating a spatial prior to encourage neighboring spots to cluster together. The method can enhance the resolution of the low-dimensional representation into “sub-spots”, for which features such as gene expression or cell type composition can be imputed.

**Depends** R (>= 4.0.0), SingleCellExperiment

**Imports** Rcpp (>= 1.0.4.6), stats, purrr, scater, scan,  
SummarizedExperiment, coda, rhdf5, S4Vectors, Matrix,  
assertthat, mclust, RCurl, DirichletReg, xgboost, utils,  
ggplot2, scales, BiocFileCache, BiocSingular

**License** MIT + file LICENSE

**RoxygenNote** 7.1.1

**LinkingTo** Rcpp, RcppArmadillo, RcppDist, RcppProgress

**NeedsCompilation** yes

**SystemRequirements** C++11

**Encoding** UTF-8

**Suggests** testthat, knitr, rmarkdown, igraph, spatialLIBD, dplyr,  
viridis, patchwork, RColorBrewer, Seurat

**VignetteBuilder** knitr

**biocViews** Software, Clustering, Transcriptomics, GeneExpression,  
SingleCell, ImmunoOncology, DataImport

**BugReports** <https://github.com/edward130603/BayesSpace/issues>

**URL** [edward130603.github.io/BayesSpace](https://edward130603.github.io/BayesSpace)

**git\_url** <https://git.bioconductor.org/packages/BayesSpace>

**git\_branch** RELEASE\_3\_19

**git\_last\_commit** 0016140

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.19

**Date/Publication** 2024-05-19

**Author** Edward Zhao [aut],  
 Matt Stone [aut, cre],  
 Xing Ren [ctb],  
 Raphael Gottardo [ctb]

**Maintainer** Matt Stone <mstone@fredhutch.org>

## Contents

.adjust_hex_centers . . . . .	3
.bsData . . . . .	3
.clean_chain . . . . .	4
.compute_interspot_distances . . . . .	4
.find_neighbors . . . . .	5
.flatten_matrix_list . . . . .	5
.infer_param_dims . . . . .	6
.init_cluster . . . . .	6
.make_hex_spots . . . . .	7
.make_index_names . . . . .	7
.make_spot_vertices . . . . .	8
.make_square_spots . . . . .	8
.make_subspot_coldata . . . . .	9
.make_subspot_offsets . . . . .	9
.make_triangle_subspots . . . . .	10
.make_vertices . . . . .	10
.prepare_inputs . . . . .	11
.read_chain . . . . .	11
.select_spot_positions . . . . .	12
.select_subspot_positions . . . . .	12
BayesSpace . . . . .	13
cluster . . . . .	13
clusterPlot . . . . .	14
deconvolve . . . . .	15
enhanceFeatures . . . . .	16
exampleSCE . . . . .	17
featurePlot . . . . .	18
find_neighbors . . . . .	19
getRDS . . . . .	20
mcmcChain . . . . .	20
Mode . . . . .	22
qTune . . . . .	22
readVisium . . . . .	23
spatialCluster . . . . .	24
spatialEnhance . . . . .	26

<code>.adjust_hex_centers</code>	3
<code>spatialPlot</code> . . . . .	28
<code>spatialPreprocess</code> . . . . .	29
<b>Index</b>	<b>31</b>

---

<code>.adjust_hex_centers</code>	<i>Adjust hex spot positions so hexagons are adjacent to each other in plot</i>
----------------------------------	---

---

**Description**

Spots are regular hexagons with one unit of horizontal distance between centers

**Usage**

```
.adjust_hex_centers(spot_positions)
```

**Value**

Shifted spot centers

---

<code>.bsData</code>	<i>Access BayesSpace metadata</i>
----------------------	-----------------------------------

---

**Description**

Access BayesSpace metadata

**Usage**

```
.bsData(sce, name, default = NULL, warn = FALSE)
```

**Arguments**

<code>sce</code>	SingleCellExperiment
<code>name</code>	Metadata name

**Value**

Requested metadata

---

`.clean_chain`                      *Tidy C++ outputs before writing to disk.*

---

### Description

1) Convert each parameter to matrix (n\_iterations x n\_indices) 2) Add appropriate colnames 3) Thin evenly (for enhance)

### Usage

```
.clean_chain(out, method = c("cluster", "enhance"), thin = 100)
```

### Arguments

<code>out</code>	List returned by <code>cluster()</code> or <code>deconvolve()</code> .
<code>method</code>	Whether the output came from clustering or enhancement. (Different params are included in each.)
<code>thin</code>	Thinning rate. Some enhanced parameters are thinned within C++ loop, others (mu and Ychange) need to be thinned afterwards.

### Value

List with standardized parameters

---

`.compute_interspot_distances`  
*Estimate the distance between two neighboring spots*

---

### Description

Fit linear models between each image pixel coordinate and its corresponding array coordinate to estimate the pixel distance between two spots along each axis. Add these distances to estimate the L1 distance between two spots, then add a small buffer.

### Usage

```
.compute_interspot_distances(sce, scale.factor = 1.02)
```

### Arguments

<code>sce</code>	SingleCellExperiment (must include row, col, imagerow, imagecol in colData)
<code>scale.factor</code>	Scale estimated L1 difference up by this amount.

### Value

doubles `xdist`, `ydist`, `radius`

---

.find\_neighbors      *Find neighboring spots based on array coordinates*

---

**Description**

Find neighboring spots based on array coordinates

**Usage**

```
.find_neighbors(sce, platform)
```

**Arguments**

sce	SingleCellExperiment
platform	If "Visium", select six neighboring spots around center; if "ST", select four adjacent spots.

**Value**

df\_j a list of neighbor indices (zero-indexed) for each spot

---

.flatten\_matrix\_list      *Convert a list of matrices to a single matrix, where each row is a flattened matrix from the original list*

---

**Description**

Convert a list of matrices to a single matrix, where each row is a flattened matrix from the original list

**Usage**

```
.flatten_matrix_list(xs, ...)
```

**Arguments**

xs	List of matrices
----	------------------

**Value**

Matrix

---

`.infer_param_dims`      *Infer original dimensions of parameter (per iteration) from colnames*

---

**Description**

Used to avoid writing colnames directly to HDF5 as attribute, which fails for large parameters (e.g. Y)

**Usage**

```
.infer_param_dims(cnames)
```

**Arguments**

`cnames`              List of column names

**Value**

Numeric vector (nrow, ncol)

---

`.init_cluster`              *Initialize cluster assignments*

---

**Description**

Initialize cluster assignments

**Usage**

```
.init_cluster(Y, q, init = NULL, init.method = c("mclust", "kmeans"))
```

**Arguments**

`q`                      Number of clusters  
`init`                    Vector of initial cluster assignments  
`init.method`            Initialization clustering algorithm  
`sce`                    SingleCellExperiment  
`inputs`                Results from `.prepare_inputs()`

**Value**

Vector of cluster assignments.

---

.make\_hex\_spots      *Make vertices for each hex spot*

---

**Description**

Make vertices for each hex spot

**Usage**

.make\_hex\_spots(cdata, fill)

**Value**

Table of (x.pos, y.pos, spot, fill); where spot groups the vertices outlining the spot's border

---

.make\_index\_names      *Make colnames for parameter indices.*

---

**Description**

Scalar parameters are named "name". Vector parameters are named "name[i]". Matrix parameters are named "name[i, j]".

**Usage**

.make\_index\_names(name, m = NULL, n = NULL, dim = 1)

**Arguments**

name	Parameter name
m, n	Dimensions of parameter (m=nrow, n=ncol)
dim	Dimensionality of parameter (0=scalar, 1=vector, 2=matrix)

**Value**

List of names for parameter values

---

*.make\_spot\_vertices*     *Compute vertex coordinates for each spot in frame of plot*

---

**Description**

Compute vertex coordinates for each spot in frame of plot

**Usage**

```
.make_spot_vertices(spot_positions, vertex_offsets)
```

**Arguments**

*spot\_positions*     Center for hex, top left for square

*vertex\_offsets*     Data frame of (x, y) offsets wrt spot position for each vertex of spot

**Value**

Cartesian product of positions and offsets, with coordinates computed as (pos + offset)

---

*.make\_square\_spots*     *Make vertices for each square spot*

---

**Description**

Squares are simple, just make a unit square at each array coordinate

**Usage**

```
.make_square_spots(cdata, fill = "spatial.cluster", scale.factor = 1)
```

**Value**

Table of (x.pos, y.pos, spot, fill); where spot groups the vertices outlining the spot's border



---

`.make_subspot_coldata` *Add subspot labels and offset row/col locations before making enhanced SCE.*

---

### **Description**

Subspots are stored as (1.1, 2.1, 3.1, ..., 1.2, 2.2, 3.2, ...)

### **Usage**

```
.make_subspot_coldata(positions, sce, n_subspots_per)
```

### **Arguments**

`sce` Original sce (to obtain number of spots and original row/col)  
`n_subspots_per` Number of subspots per spot  
`cdata` Table of colData (imagerow and imagecol; from `deconv$positions`)

### **Value**

Data frame with added subspot names, parent spot indices, and offset row/column coordinates

---

`.make_subspot_offsets` *Define offsets for each subspot layout.*

---

### **Description**

Hex spots are divided into 6 triangular subspots, square spots are divided into 9 squares. Offsets are relative to the spot center.

### **Usage**

```
.make_subspot_offsets(n_subspots_per)
```

### **Arguments**

`n_subspots_per` Number of subspots per spot

### **Value**

Matrix of x and y offsets, one row per subspot

---

```
.make_triangle_subspots
```

*Make vertices for each triangle subspot of a hex*

---

### Description

Make vertices for each triangle subspot of a hex

### Usage

```
.make_triangle_subspots(cdata, fill = "spatial.cluster")
```

### Value

Table of (x.pos, y.pos, spot, fill); where spot groups the vertices outlining the spot's border

---

```
.make_vertices
```

*Make vertices outlining spots/subspots for geom\_polygon()*

---

### Description

Make vertices outlining spots/subspots for geom\_polygon()

### Usage

```
.make_vertices(sce, fill, platform, is.enhanced)
```

### Arguments

sce	SingleCellExperiment with row/col in colData
fill	Name of a column in colData(sce) or a vector of values to use as fill for each spot
platform	"Visium" or "ST", used to determine spot layout
is.enhanced	If true, sce contains enhanced subspot data instead of spot-level expression. Used to determine spot layout.

### Value

Table of (x.pos, y.pos, spot, fill); where spot groups the vertices outlining the spot's border

---

.prepare\_inputs      *Prepare cluster/deconvolve inputs from SingleCellExperiment object*

---

**Description**

Prepare cluster/deconvolve inputs from SingleCellExperiment object

**Usage**

```
.prepare_inputs(  
  sce,  
  use.dimred = "PCA",  
  d = 15,  
  positions = NULL,  
  position.cols = c("imagecol", "imagerow"),  
  radius = NULL,  
  xdist = NULL,  
  ydist = NULL  
)
```

**Value**

List of PCs, names of columns with x/y positions, and inter-spot distances

---

.read\_chain      *Load saved chain from disk.*

---

**Description**

Load saved chain from disk.

**Usage**

```
.read_chain(h5.fname, params = NULL, is.enhanced = FALSE)
```

**Arguments**

h5.fname      Path to hdf5 file containing chain  
params      List of parameters to read from file (will read all by default)

**Value**

MCMC chain, represented as a coda: :mcmc object

---

`.select_spot_positions`*Helper to extract x, y, fill ID from colData*

---

**Description**

Helper to extract x, y, fill ID from colData

**Usage**

```
.select_spot_positions(cdata, x = "col", y = "row", fill = "spatial.cluster")
```

**Value**

Dataframe of (x.pos, y.pos, fill) for each spot

---

`.select_subspot_positions`*Helper to pull out subspot position columns Probably redundant with  
select\_spot\_positions above, but we need subspot.idx*

---

**Description**

Helper to pull out subspot position columns Probably redundant with select\_spot\_positions above,  
but we need subspot.idx

**Usage**

```
.select_subspot_positions(  
  cdata,  
  x = "spot.col",  
  y = "spot.row",  
  fill = "spatial.cluster"  
)
```

**Value**

Dataframe of (x.pos, y.pos, fill) for each spot

---

BayesSpace

*BayesSpace: A package for processing spatial transcriptomes*

---

### Description

Tools for clustering and enhancing the resolution of spatial gene expression experiments. BayesSpace clusters a low-dimensional representation of the gene expression matrix, incorporating a spatial prior to encourage neighboring spots to cluster together. The method can enhance the resolution of the low-dimensional representation into "sub-spots", for which features such as gene expression or cell type composition can be imputed.

### Details

For an overview of the functionality provided by the package, please see the vignette: `vignette("BayesSpace", package="BayesSpace")`

---

cluster

*Wrapper around C++ iterate\_\*() functions*

---

### Description

Wrapper around C++ iterate\_\*() functions

### Usage

```
cluster(  
  Y,  
  q,  
  df_j,  
  init = rep(1, nrow(Y)),  
  model = c("t", "normal"),  
  precision = c("equal", "variable"),  
  mu0 = colMeans(Y),  
  lambda0 = diag(0.01, nrow = ncol(Y)),  
  gamma = 3,  
  alpha = 1,  
  beta = 0.01,  
  nrep = 1000  
)
```

### Value

List of clustering parameter values at each iteration

---

clusterPlot                      *Plot spatial cluster assignments.*

---

### Description

Plot spatial cluster assignments.

### Usage

```
clusterPlot(
  sce,
  label = "spatial.cluster",
  palette = NULL,
  color = NULL,
  platform = NULL,
  is.enhanced = NULL,
  ...
)
```

### Arguments

sce	SingleCellExperiment. If fill is specified and is a string, it must exist as a column in colData(sce).
label	Labels used to color each spot. May be the name of a column in colData(sce), or a vector of discrete values.
palette	Optional vector of hex codes to use for discrete spot values.
color	Optional hex code to set color of borders around spots. Set to NA to remove borders.
platform	Spatial sequencing platform. If "Visium", the hex spot layout will be used, otherwise square spots will be plotted. NOTE: specifying this argument is only necessary if sce was not created by spatialCluster() or spatialEnhance().
is.enhanced	True if sce contains subspot-level data instead of spots. Spatial sequencing platform. If true, the respective subspot lattice for each platform will be plotted. NOTE: specifying this argument is only necessary if sce was not created by spatialCluster() or spatialEnhance().
...	Additional arguments for geom_polygon(). size, to specify the linewidth of these borders, is likely the most useful.

### Value

Returns a ggplot object.

### See Also

Other spatial plotting functions: [featurePlot\(\)](#)

**Examples**

```
sce <- exampleSCE()
clusterPlot(sce)
```

---

deconvolve

*Wrapper around C++ iterate\_deconv() function*

---

**Description**

Wrapper around C++ iterate\_deconv() function

**Usage**

```
deconvolve(
  Y,
  positions,
  xdist,
  ydist,
  q,
  init,
  nrep = 1000,
  model = "normal",
  platform = c("Visium", "ST"),
  verbose = TRUE,
  jitter_scale = 5,
  jitter_prior = 0.01,
  mu0 = colMeans(Y),
  gamma = 2,
  lambda0 = diag(0.01, nrow = ncol(Y)),
  alpha = 1,
  beta = 0.01
)
```

**Value**

List of enhancement parameter values at each iteration

---

enhanceFeatures      *Predict feature vectors from enhanced PCs.*

---

### Description

Predict feature vectors from enhanced PCs.

### Usage

```
enhanceFeatures(
  sce.enhanced,
  sce.ref,
  feature_names = NULL,
  model = c("xgboost", "dirichlet", "lm"),
  use.dimred = "PCA",
  assay.type = "logcounts",
  altExp.type = NULL,
  feature.matrix = NULL,
  nrounds = 0,
  train.n = round(ncol(sce.ref) * 2/3)
)
```

### Arguments

<code>sce.enhanced</code>	SingleCellExperiment object with enhanced PCs.
<code>sce.ref</code>	SingleCellExperiment object with original PCs and expression.
<code>feature_names</code>	List of genes/features to predict expression/values for.
<code>model</code>	Model used to predict enhanced values.
<code>use.dimred</code>	Name of dimension reduction to use.
<code>assay.type</code>	Expression matrix in <code>assays(sce.ref)</code> to predict.
<code>altExp.type</code>	Expression matrix in <code>altExps(sce.ref)</code> to predict. Overrides <code>assay.type</code> if specified.
<code>feature.matrix</code>	Expression/feature matrix to predict, if not directly attached to <code>sce.ref</code> . Must have columns corresponding to the spots in <code>sce.ref</code> . Overrides <code>assay.type</code> and <code>altExp.type</code> if specified.
<code>nrounds</code>	Nonnegative integer to set the <code>nrounds</code> parameter (max number of boosting iterations) for <code>xgboost</code> . <code>nrounds = 100</code> works reasonably well in most cases. If <code>nrounds</code> is set to 0, the parameter will be tuned using a train-test split. We recommend tuning <code>nrounds</code> for improved feature prediction, but note this will increase runtime.
<code>train.n</code>	Number of spots to use in the training dataset for tuning <code>nrounds</code> . By default, 2/3 the total number of spots are used.



**Details**

Enhanced features are computed by fitting a predictive model to a low-dimensional representation of the original expression vectors. By default, a linear model is fit for each gene using the top 15 principal components from each spot, i.e.  $\text{lm}(\text{gene} \sim \text{PCs})$ , and the fitted model is used to predict the enhanced expression for each gene from the subspots' principal components.

Diagnostic measures, such as RMSE for `xgboost` or `R.squared` for linear regression, are added to the `'rowData'` of the enhanced experiment if the features are an assay of the original experiment. Otherwise they are stored as an attribute of the returned matrix/`altExp`.

Note that feature matrices will be returned and are expected to be input as  $p \times n$  matrices of  $p$ -dimensional feature vectors over the  $n$  spots.

**Value**

If `assay.type` or `altExp.type` are specified, the enhanced features are stored in the corresponding slot of `sce.enhanced` and the modified `SingleCellExperiment` object is returned.

If `feature.matrix` is specified, or if a subset of features are requested, the enhanced features are returned directly as a matrix.

**Examples**

```
set.seed(149)
sce <- exampleSCE()
sce <- spatialCluster(sce, 7, nrep=100, burn.in=10)
enhanced <- spatialEnhance(sce, 7, init=sce$spatial.cluster, nrep=100, burn.in=10)
enhanced <- enhanceFeatures(enhanced, sce, feature_names=c("gene_1", "gene_2"))
```

---

exampleSCE	<i>Create minimal SingleCellExperiment for documentation examples.</i>
------------	--

---

**Description**

Create minimal `SingleCellExperiment` for documentation examples.

**Usage**

```
exampleSCE(nrow = 8, ncol = 12, n_genes = 100, n_PCs = 10)
```

**Arguments**

<code>nrow</code>	Number of rows of spots
<code>ncol</code>	Number of columns of spots
<code>n_genes</code>	Number of genes to simulate
<code>n_PCs</code>	Number of principal components to include

**Details**

Inspired by scuttle's `mockSCE()`.

**Value**

A `SingleCellExperiment` object with simulated counts, corresponding logcounts and PCs, and positional data in `colData`. Spots are distributed over an  $(nrow \times ncol)$  rectangle.

**Examples**

```
set.seed(149)
sce <- exampleSCE()
```

---

featurePlot

*Plot spatial gene expression.*

---

**Description**

Plot spatial gene expression.

**Usage**

```
featurePlot(
  sce,
  feature,
  assay.type = "logcounts",
  diverging = FALSE,
  low = NULL,
  high = NULL,
  mid = NULL,
  color = NULL,
  platform = NULL,
  is.enhanced = NULL,
  ...
)
```

**Arguments**

<code>sce</code>	<code>SingleCellExperiment</code> . If <code>feature</code> is specified and is a string, it must exist as a row in the specified assay of <code>sce</code> .
<code>feature</code>	Feature vector used to color each spot. May be the name of a gene/row in an assay of <code>sce</code> , or a vector of continuous values.
<code>assay.type</code>	String indicating which assay in <code>sce</code> the expression vector should be taken from.
<code>diverging</code>	If true, use a diverging color gradient in <code>featurePlot()</code> (e.g. when plotting a fold change) instead of a sequential gradient (e.g. when plotting expression).

low, mid, high	Optional hex codes for low, mid, and high values of the color gradient used for continuous spot values.
color	Optional hex code to set color of borders around spots. Set to NA to remove borders.
platform	Spatial sequencing platform. If "Visium", the hex spot layout will be used, otherwise square spots will be plotted. NOTE: specifying this argument is only necessary if sce was not created by <code>spatialCluster()</code> or <code>spatialEnhance()</code> .
is.enhanced	True if sce contains subspot-level data instead of spots. Spatial sequencing platform. If true, the respective subspot lattice for each platform will be plotted. NOTE: specifying this argument is only necessary if sce was not created by <code>spatialCluster()</code> or <code>spatialEnhance()</code> .
...	Additional arguments for <code>geom_polygon()</code> . <code>size</code> , to specify the linewidth of these borders, is likely the most useful.

**Value**

Returns a ggplot object.

**See Also**

Other spatial plotting functions: [clusterPlot\(\)](#)

**Examples**

```
sce <- exampleSCE()
featurePlot(sce, "gene_2")
```

---

find_neighbors	<i>Compute pairwise distances between all spots and return list of neighbors for each spot.</i>
----------------	---

---

**Description**

Compute pairwise distances between all spots and return list of neighbors for each spot.

**Usage**

```
find_neighbors(positions, radius, method = c("manhattan", "euclidean"))
```

**Arguments**

positions	(n x 2) matrix of spot coordinates.
radius	The maximum distance for two spots to be considered neighbors.
method	Distance metric to use.

**Value**

List `df_j`, where `df_j[[i]]` is a vector of zero-indexed neighbors of `i`.

---

<code>getRDS</code>	<i>Download a processed sample from our S3 bucket</i>
---------------------	---

---

**Description**

Datasets are cached locally using `BiocFileCache`. The first time using this function, you may need to consent to creating a `BiocFileCache` directory if one does not already exist.

**Usage**

```
getRDS(dataset, sample, cache = TRUE)
```

**Arguments**

<code>dataset</code>	Dataset identifier
<code>sample</code>	Sample identifier
<code>cache</code>	If true, cache the dataset locally with <code>BiocFileCache</code> . Otherwise, download directly from our S3 bucket. Caching saves time on subsequent loads, but consumes disk space.

**Value**

see `A SingleCellExperiment` with positional information in `colData` and PCs based on the top 2000 HVGs

**Examples**

```
sce <- getRDS("2018_thrane_melanoma", "ST_me11_rep2", cache=FALSE)
```

---

<code>mcmcChain</code>	<i>Read MCMC chain associated with a BayesSpace clustering or enhancement</i>
------------------------	---

---

**Description**

`BayesSpace` stores the MCMC chain associated with a clustering or enhancement on disk in an HDF5 file. The `mcmcChain()` function reads any parameters specified by the user into a `coda::mcmc` object compatible with `TidyBayes`.

**Usage**

```
mcmcChain(sce, params = NULL)

removeChain(sce)
```

**Arguments**

sce	SingleCellExperiment with a file path stored in its metadata.
params	List of model parameters to read

**Details**

To interact with the HDF5 file directly, obtain the filename from the SingleCellExperiment's metadata: `metadata(sce)$chain.h5`. Each parameter is stored as a separate dataset in the file, and is represented as a matrix of size (n\_iterations x n\_parameter\_indices). Parameter choices for the spot-level clustering include:

- z (cluster assignments)
- weights ( $w_i$ )
- mu (mean vectors)
- lambda (precision matrix)
- plogLik (pseudo-log-likelihood)

Parameter choices for the subspot-level enhanced clustering include:

- z (cluster assignments)
- weights ( $w_i$ )
- Y (enhanced PCs)
- mu (mean vectors)
- lambda (precision matrix)
- Ychange (acceptance rate for the jittering of PCs)

**Value**

Returns an mcmc object containing the values of the requested parameters over the constructed chain.

**Examples**

```
set.seed(149)
sce <- exampleSCE()
sce <- spatialCluster(sce, 7, nrep=100, burn.in=10, save.chain=TRUE)
chain <- mcmcChain(sce)
removeChain(sce)
```

---

Mode	<i>Find the mode</i>
------	----------------------

---

**Description**

Used for finding the most frequent cluster for each z

**Usage**

Mode(x)

**Arguments**

x                    Numeric vector

**Value**

mode Numeric scalar, most frequent element in x

---

qTune	<i>Tuning the choice of q (number of clusters) before running spatial-Cluster</i>
-------	---

---

**Description**

Before running `spatialCluster()`, we recommend tuning the choice of q by choosing the q that maximizes the model's negative log likelihood over early iterations. `qTune()` computes the average negative log likelihood for a range of q values over iterations 100:1000, and `qPlot()` displays the results.

**Usage**

```
qPlot(sce, qs = seq(3, 7), force.retune = FALSE, ...)
```

```
qTune(sce, qs = seq(3, 7), burn.in = 100, nrep = 1000, ...)
```

**Arguments**

sce	A <code>SingleCellExperiment</code> object containing the spatial data.
qs	The values of q to evaluate.
force.retune	If specified, existing tuning values in sce will be overwritten.
...	Other parameters are passed to <code>spatialCluster()</code> .
burn.in, nrep	Integers specifying the range of repetitions to compute.

**Details**

qTune() takes the same parameters as spatialCluster() and will run the MCMC clustering algorithm up to nrep iterations for each value of q. The first burn.in iterations are discarded as burn-in and the log likelihood is averaged over the remaining iterations.

qPlot() plots the computed negative log likelihoods as a function of q. If qTune() was run previously, i.e. there exists an attribute of sce named "q.logliks", the pre-computed results are displayed. Otherwise, or if force.retune is specified, qplot() will automatically run qTune() before plotting (and can take the same parameters as spatialCluster()).

**Value**

qTune() returns a modified sce with tuning log likelihoods stored as an attribute named "q.logliks".

qPlot() returns a ggplot object.

**Examples**

```
set.seed(149)
sce <- exampleSCE()
sce <- qTune(sce, seq(3, 7), burn.in=10, nrep=100)
qPlot(sce)
```

---

readVisium

*Load a Visium spatial dataset as a SingleCellExperiment.*


---

**Description**

Load a Visium spatial dataset as a SingleCellExperiment.

**Usage**

```
readVisium(dirname)
```

**Arguments**

dirname	Path to spaceranger output directory (e.g. "sampleID/outs/"). This directory must contain the counts matrix and feature/barcode TSVs in filtered_feature_bc_matrix/, and the spot positions at spatial/tissue_positions_list.csv. (These are default locations for spaceranger outputs.)
---------	--

**Details**

We store two variables associated with downstream BayesSpace functions in a list called BayesSpace.data in the SingleCellExperiment's metadata.

- platform is set to "Visium", and is used to determine spot layout and neighborhood structure.
- is.enhanced is set to FALSE to denote the object contains spot-level data.

**Value**

SingleCellExperiment containing the counts matrix in counts and spatial data in colData. Array coordinates for each spot are stored in columns row and col, while image coordinates are stored in columns imagerow and imagecol.

**Examples**

```
## Not run:
sce <- readVisium("path/to/outs/")

## End(Not run)
```

---

spatialCluster	<i>Spatial clustering</i>
----------------	---------------------------

---

**Description**

Cluster a spatial expression dataset.

**Usage**

```
spatialCluster(
  sce,
  q,
  use.dimred = "PCA",
  d = 15,
  platform = c("Visium", "ST"),
  init = NULL,
  init.method = c("mclust", "kmeans"),
  model = c("t", "normal"),
  precision = c("equal", "variable"),
  nrep = 50000,
  burn.in = 1000,
  gamma = NULL,
  mu0 = NULL,
  lambda0 = NULL,
  alpha = 1,
  beta = 0.01,
  save.chain = FALSE,
  chain.fname = NULL
)
```

**Arguments**

sce	A SingleCellExperiment object containing the spatial data.
q	The number of clusters.



<code>use.dimred</code>	Name of a reduced dimensionality result in <code>reducedDims(sce)</code> . If provided, cluster on these features directly.
<code>d</code>	Number of top principal components to use when clustering.
<code>platform</code>	Spatial transcriptomic platform. Specify 'Visium' for hex lattice geometry or 'ST' for square lattice geometry. Specifying this parameter is optional when analyzing <code>SingleCellExperiments</code> processed using <code>readVisium</code> or <code>spatialPreprocess</code> , as this information is included in their metadata.
<code>init</code>	Initial cluster assignments for spots.
<code>init.method</code>	If <code>init</code> is not provided, cluster the top <code>d</code> PCs with this method to obtain initial cluster assignments.
<code>model</code>	Error model. ('normal' or 't')
<code>precision</code>	Covariance structure. ('equal' or 'variable' for EEE and VVV covariance models, respectively.)
<code>nrep</code>	The number of MCMC iterations.
<code>burn.in</code>	The number of MCMC iterations to exclude as burn-in period.
<code>gamma</code>	Smoothing parameter. Defaults to 2 for <code>platform="ST"</code> and 3 for <code>platform="Visium"</code> . (Values in range of 1-3 seem to work well.)
<code>mu0</code>	Prior mean hyperparameter for <code>mu</code> . If not provided, <code>mu0</code> is set to the mean of PCs over all spots.
<code>lambda0</code>	Prior precision hyperparam for <code>mu</code> . If not provided, <code>lambda0</code> is set to a diagonal matrix $0.01I$ .
<code>alpha</code>	Hyperparameter for Wishart distributed precision <code>lambda</code> .
<code>beta</code>	Hyperparameter for Wishart distributed precision <code>lambda</code> .
<code>save.chain</code>	If true, save the MCMC chain to an HDF5 file.
<code>chain.fname</code>	File path for saved chain. Tempfile used if not provided.

### Details

The input SCE must have `row` and `col` columns in its `colData`, corresponding to the array row and column coordinates of each spot. These are automatically parsed by `readVisium` or can be added manually when creating the SCE.

Cluster labels are stored in the `spatial.cluster` column of the SCE, and the cluster initialization is stored in `cluster.init`.

### Value

Returns a modified `sce` with cluster assignments stored in `colData` under the name `spatial.cluster`.

### See Also

`spatialPreprocess` for preparing the SCE for clustering, `spatialEnhance` for enhancing the clustering resolution, `clusterPlot` for visualizing the cluster assignments, `featurePlot` for visualizing expression levels in spatial context, and `mcmcChain` for examining the full MCMC chain associated with the clustering.

**Examples**

```
set.seed(149)
sce <- exampleSCE()
sce <- spatialCluster(sce, 7, nrep=100, burn.in=10)
```

---

<code>spatialEnhance</code>	<i>Enhance spot resolution</i>
-----------------------------	--------------------------------

---

**Description**

Enhanced clustering of a spatial expression dataset to subspot resolution.

**Usage**

```
spatialEnhance(
  sce,
  q,
  platform = c("Visium", "ST"),
  use.dimred = "PCA",
  d = 15,
  init = NULL,
  init.method = c("spatialCluster", "mclust", "kmeans"),
  model = c("t", "normal"),
  nrep = 2e+05,
  gamma = NULL,
  mu0 = NULL,
  lambda0 = NULL,
  alpha = 1,
  beta = 0.01,
  save.chain = FALSE,
  chain.fname = NULL,
  burn.in = 10000,
  jitter_scale = 5,
  jitter_prior = 0.3,
  verbose = FALSE
)
```

**Arguments**

<code>sce</code>	A <code>SingleCellExperiment</code> object containing the spatial data.
<code>q</code>	The number of clusters.
<code>platform</code>	Spatial transcriptomic platform. Specify 'Visium' for hex lattice geometry or 'ST' for square lattice geometry. Specifying this parameter is optional when analyzing <code>SingleCellExperiments</code> processed using <a href="#">readVisium</a> , <a href="#">spatialPreprocess</a> , or <a href="#">spatialCluster</a> , as this information is included in their metadata.

<code>use.dimred</code>	Name of a reduced dimensionality result in <code>reducedDims(sce)</code> . If provided, cluster on these features directly.
<code>d</code>	Number of top principal components to use when clustering.
<code>init</code>	Initial cluster assignments for spots.
<code>init.method</code>	If <code>init</code> is not provided, cluster the top <code>d</code> PCs with this method to obtain initial cluster assignments.
<code>model</code>	Error model. ('normal' or 't')
<code>nrep</code>	The number of MCMC iterations.
<code>gamma</code>	Smoothing parameter. (Values in range of 1-3 seem to work well.)
<code>mu0</code>	Prior mean hyperparameter for <code>mu</code> . If not provided, <code>mu0</code> is set to the mean of PCs over all spots.
<code>lambda0</code>	Prior precision hyperparam for <code>mu</code> . If not provided, <code>lambda0</code> is set to a diagonal matrix $0.01I$ .
<code>alpha</code>	Hyperparameter for Wishart distributed precision <code>lambda</code> .
<code>beta</code>	Hyperparameter for Wishart distributed precision <code>lambda</code> .
<code>save.chain</code>	If true, save the MCMC chain to an HDF5 file.
<code>chain.fname</code>	File path for saved chain. Tempfile used if not provided.
<code>burn.in</code>	Number of iterations to exclude as burn-in period. The MCMC iterations are currently thinned to every 100; accordingly <code>burn.in</code> is rounded down to the nearest multiple of 100.
<code>jitter_scale</code>	Controls the amount of jittering. Small amounts of jittering are more likely to be accepted but result in exploring the space more slowly. We suggest tuning <code>jitter_scale</code> so that <code>Ychange</code> is on average around 25%-40%.
<code>jitter_prior</code>	Scale factor for the prior variance, parameterized as the proportion (default = 0.3) of the mean variance of the PCs. We suggest making <code>jitter_prior</code> smaller if the jittered values are not expected to vary much from the overall mean of the spot.
<code>verbose</code>	Log progress to <code>stderr</code> .

## Details

The enhanced `SingleCellExperiment` has most of the properties of the input SCE - `rowData`, `colData`, `reducedDims` - but does not include expression data in counts or logcounts. To impute enhanced expression vectors, please use `[enhanceFeatures()]` after running `spatialEnhance`.

The `colData` of the enhanced `SingleCellExperiment` includes the following columns to permit referencing the subspots in spatial context and linking back to the original spots:

- `spot.idx`: Index of the spot this subspot belongs to (with respect to the input SCE).
- `subspot.idx`: Index of the subspot within its parent spot.
- `spot.row`: Array row of the subspot's parent spot.
- `spot.col`: Array col of the subspot's parent spot.
- `row`: Array row of the subspot. This is the parent spot's row plus an offset based on the subspot's position within the spot.

- `col`: Array col of the subspot. This is the parent spot's col plus an offset based on the subspot's position within the spot.
- `imagerow`: Pixel row of the subspot. This is the parent spot's row plus an offset based on the subspot's position within the spot.
- `imagecol`: Pixel col of the subspot. This is the parent spot's col plus an offset based on the subspot's position within the spot.

### Value

Returns a new `SingleCellExperiment` object. By default, the assays of this object are empty, and the enhanced resolution PCs are stored as a reduced dimensionality result accessible with `reducedDim(sce, 'PCA')`.

### See Also

[spatialCluster](#) for clustering at the spot level before enhancing, [clusterPlot](#) for visualizing the cluster assignments, [enhanceFeatures](#) for imputing enhanced expression, and [mcmcChain](#) for examining the full MCMC chain associated with the enhanced clustering. .

### Examples

```
set.seed(149)
sce <- exampleSCE()
sce <- spatialCluster(sce, 7, nrep=100, burn.in=10)
enhanced <- spatialEnhance(sce, 7, nrep=100, burn.in=10)
```

---

spatialPlot

*Spatial plotting functions*

---

### Description

Spatial plotting functions

### Arguments

<code>color</code>	Optional hex code to set color of borders around spots. Set to NA to remove borders.
<code>...</code>	Additional arguments for <code>geom_polygon()</code> . <code>size</code> , to specify the linewidth of these borders, is likely the most useful.
<code>platform</code>	Spatial sequencing platform. If "Visium", the hex spot layout will be used, otherwise square spots will be plotted. NOTE: specifying this argument is only necessary if <code>sce</code> was not created by <code>spatialCluster()</code> or <code>spatialEnhance()</code> .
<code>is.enhanced</code>	True if <code>sce</code> contains subspot-level data instead of spots. Spatial sequencing platform. If true, the respective subspot lattice for each platform will be plotted. NOTE: specifying this argument is only necessary if <code>sce</code> was not created by <code>spatialCluster()</code> or <code>spatialEnhance()</code> .

---

spatialPreprocess      *Preprocess a spatial dataset for BayesSpace*

---

### Description

Adds metadata required for downstream analyses, and (optionally) performs PCA on log-normalized expression of top HVGs.

### Usage

```
spatialPreprocess(
  sce,
  platform = c("Visium", "ST"),
  n.PCs = 15,
  n.HVGs = 2000,
  skip.PCA = FALSE,
  log.normalize = TRUE,
  assay.type = "logcounts",
  BSPARAM = ExactParam()
)
```

### Arguments

sce	SingleCellExperiment to preprocess
platform	Spatial sequencing platform. Used to determine spot layout and neighborhood structure (Visium = hex, ST = square).
n.PCs	Number of principal components to compute. We suggest using the top 15 PCs in most cases.
n.HVGs	Number of highly variable genes to run PCA upon.
skip.PCA	Skip PCA (if dimensionality reduction was previously computed.)
log.normalize	Whether to log-normalize the input data with scater. May be omitted if log-normalization previously computed.
assay.type	Name of assay in sce containing normalized counts. Leave as "logcounts" unless you explicitly pre-computed a different normalization and added it to sce under another assay. Note that we do not recommend running BayesSpace on PCs computed from raw counts.
BSPARAM	A <a href="#">BiocSingularParam</a> object specifying which algorithm should be used to perform the PCA. By default, an exact PCA is performed, as current spatial datasets are generally small (<10,000 spots). To perform a faster approximate PCA, please specify <code>FastAutoParam()</code> and set a random seed to ensure reproducibility.

### Value

SingleCellExperiment with PCA and BayesSpace metadata

**Examples**

```
sce <- exampleSCE()  
sce <- spatialPreprocess(sce)
```

# Index

## \* **internal**

- .adjust\_hex\_centers, 3
- .bsData, 3
- .clean\_chain, 4
- .compute\_interspot\_distances, 4
- .find\_neighbors, 5
- .flatten\_matrix\_list, 5
- .infer\_param\_dims, 6
- .init\_cluster, 6
- .make\_hex\_spots, 7
- .make\_index\_names, 7
- .make\_spot\_vertices, 8
- .make\_square\_spots, 8
- .make\_subspot\_coldata, 9
- .make\_subspot\_offsets, 9
- .make\_triangle\_subspots, 10
- .make\_vertices, 10
- .prepare\_inputs, 11
- .read\_chain, 11
- .select\_spot\_positions, 12
- .select\_subspot\_positions, 12
- BayesSpace, 13
- cluster, 13
- deconvolve, 15
- find\_neighbors, 19
- Mode, 22
- spatialPlot, 28

## \* **spatial plotting functions**

- clusterPlot, 14
- featurePlot, 18
- .adjust\_hex\_centers, 3
- .bsData, 3
- .clean\_chain, 4
- .compute\_interspot\_distances, 4
- .find\_neighbors, 5
- .flatten\_matrix\_list, 5
- .infer\_param\_dims, 6
- .init\_cluster, 6
- .make\_hex\_spots, 7

- .make\_index\_names, 7
- .make\_spot\_vertices, 8
- .make\_square\_spots, 8
- .make\_subspot\_coldata, 9
- .make\_subspot\_offsets, 9
- .make\_triangle\_subspots, 10
- .make\_vertices, 10
- .prepare\_inputs, 11
- .read\_chain, 11
- .select\_spot\_positions, 12
- .select\_subspot\_positions, 12
- BayesSpace, 13
- BiocSingularParam, 29
- cluster, 13
- clusterPlot, 14, 19, 25, 28
- deconvolve, 15
- enhanceFeatures, 16, 28
- exampleSCE, 17
- featurePlot, 14, 18, 25
- find\_neighbors, 19
- getRDS, 20
- mcmcChain, 20, 25, 28
- Mode, 22
- qPlot (qTune), 22
- qTune, 22
- readVisium, 23, 25, 26
- removeChain (mcmcChain), 20
- spatialCluster, 24, 26, 28
- spatialEnhance, 25, 26
- spatialPlot, 28
- spatialPreprocess, 25, 26, 29