

Package ‘DART’

May 19, 2024

Type Package

Title Denoising Algorithm based on Relevance network Topology

Version 1.52.0

Date 2015-05-23

Author Yan Jiao, Katherine Lawler, Andrew E Teschendorff, Charles Shijie Zheng

Depends R (>= 2.10.0), igraph (>= 0.6.0)

Suggests breastCancerVDX, breastCancerMAINZ, Biobase

Maintainer Charles Shijie Zheng <charles_zheng@live.com>

Description Denoising Algorithm based on Relevance network Topology (DART) is an algorithm designed to evaluate the consistency of prior information molecular signatures (e.g in-vitro perturbation expression signatures) in independent molecular data (e.g gene expression data sets). If consistent, a pruning network strategy is then used to infer the activation status of the molecular signature in individual samples.

License GPL-2

LazyLoad yes

biocViews GeneExpression, DifferentialExpression, GraphAndNetwork, Pathways

NeedsCompilation no

git_url <https://git.bioconductor.org/packages/DART>

git_branch RELEASE_3_19

git_last_commit 43875f5

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-05-19

Contents

DART-package	2
BuildRN	4
dataDART	5
DoDART	6
DoDARTCLQ	8
EvalConsNet	10
PredActScore	12
PruneNet	13

Index	15
--------------	-----------

DART-package	<i>Denosing Algorithm based on Relevance network Topology</i>
--------------	---

Description

Denosing Algorithm based on Relevance network Topology (DART) is an unsupervised algorithm which evaluates the consistency of model pathway/molecular signatures in independent molecular samples before estimating the activation status of the signature in these independent samples. DART was devised for application to cancer genomics problems. For instance, one may wish to infer the activation status of an in-vitro derived oncogenic perturbation gene expression signature in a primary tumour for which genome-wide expression data is available. Before estimating pathway activity in the tumour, DART will evaluate if the "model" in-vitro signature pattern of up and down regulation is consistent with the expression variation seen across an expression panel of primary tumours. If the consistency score is statistically significant, this justifies using the perturbation signature to infer the activation status of the oncogenic pathway in the independent tumour samples. However, in this case, DART will also prune/denose the perturbation signature using a relevance network topology strategy. This denosing step implemented in DART has been shown to improve estimates of pathway activity in clinical tumour specimens. Other examples of model pathway signatures could be a pathway model of signal transduction, a curated list of genes predicted to be up or down regulated in response to pathway activation/inhibition, or predicted upregulated targets of a transcription factor from say ChIP-Chip/Seq experiments. Three internal functions implement the steps in DART and are provided as explicit functions to allow user flexibility.

DoDARTCLQ infers perturbation/pathway activity over a smaller and more compact subnetwork compared to DoDART. Specifically, whereas DoDART uses the whole pruned correlation network, DoDARTCLQ infers all maximal cliques within the pruned correlation network and then estimates activity using only genes in the subnetwork obtained by the union of these maximal cliques.

DoDART and DoDARTCLQ are the main user functions which will automatically and sequentially run through the following internal functions:

- (1) **BuildRN**: This function builds a relevance correlation network of the model pathway signature genes in the data set in which the pathway activity estimate is desired. Note that this step is totally unsupervised and does not use any sample phenotype information.
- (2) **EvalConsNet**: This function evaluates the consistency of the inferred relevance network with the prior information of the model pathway signature. The up/down regulatory pattern given by the model signature implies predictions about the directionality of the gene-gene correlations in the

independent data set. For instance, if gene "A" is upregulated and gene "B" is downregulated, then assuming that the model signature has any relevance in the independent data set, we would expect genes "A" and "B" to be anti-correlated. Thus, a consistency score can be computed. Only if the consistency score is higher than the score expected by random chance is it recommended that the model signature be used to infer pathway activity.

(3) PruneNet: This function constructs the pruned, i.e consistent, network, in which any edge represents a significant correlation in gene expression whose directionality agrees with that predicted by the prior information. This is the denoising step of the algorithm. The function returns the whole pruned network and its maximally connected component.

(4) PredActScore: Given the adjacency matrix of the maximally connected consistent (pruned) subnetwork and given the regulatory weights of the corresponding model pathway signature, this function estimates a pathway activation score in a given sample. This function can also be used to infer pathway activity in samples from another independent data set using the original inferred subnetwork.

Author(s)

Andrew E Teschendorff

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Teschendorff AE, Li L, Yang Z. (2015) Denoising perturbation signatures reveals an actionable AKT-signaling gene module underlying a poor clinical outcome in endocrine treated ER+ breast cancer. *Genome Biology* 16:61.

Examples

```
### Example
### load in example data:
data(dataDART);
### dataDART$data: mRNA expression data of 67 ER negative breast cancer samples.
### dataDART$pheno: 51 basals and 16 HER2+ (ERBB2+).
### dataDART$sign: perturbation signature of ERBB2 activation.

### Build Relevance Network
rn.o <- BuildRN(dataDART$data,dataDART$sign,fdr=0.000001);
### Evaluate Consistency
evalNet.o <- EvalConsNet(rn.o);
print(evalNet.o$netcons);
### The consistency score, i.e fraction of consistent edges is 0.94
### P-value is significant, so proceed:
### Prune i.e denoise the network
prNet.o <- PruneNet(evalNet.o);
```

```

### print dimension of the maximally connected pruned network
print(dim(prNet.o$pradjMC));
### infer signature activation in the original data set
pred.o <- PredActScore(prNet.o,dataDART$data);
### check that activation is higher in HER2+ compared to basals
boxplot(pred.o$score ~ dataDART$pheno);
pv <- wilcox.test(pred.o$score ~ dataDART$pheno)$p.value;
text(x=1.5,y=3.8,labels=paste("P=",pv,sep=""));

```

BuildRN

Builds the relevance correlation network

Description

This function builds the relevance correlation network for the genes in the model pathway signature in the given data set.

Usage

```
BuildRN(data.m, sign.v, fdr)
```

Arguments

<code>data.m</code>	Data matrix (numeric). Rows label features (genes), columns label samples. It is assumed that the number of features is much larger than the number of samples. Rownames must be a valid gene or probe identifier.
<code>sign.v</code>	Model pathway signature vector (numeric). Elements correspond to the regulatory weights, i.e the sign indicates if up or downregulated. Names of <code>sign.v</code> must be a gene name (probe) identifier which must match the gene (probe) identifier used for the rows of <code>data.m</code> .
<code>fdr</code>	Desired false discovery rate (numeric) which determines the allowed number of false positives in the relevance network. The default value is 0.000001. Since typically model signatures may contain on the order of 100 genes, this amounts to constructing a relevance network on the order of 10000 edges (pairwise correlations). Using a Bonferroni correction, this leads to a P-value threshold of approx. $1e-6$ to $1e-7$. This parameter is tunable, so choosing a number of different thresholds may be advisable.

Value

A list with following entries:

<code>adj</code>	Adjacency matrix of inferred relevance network
<code>s</code>	Model signature vector in data
<code>sd</code>	Gene signature data matrix
<code>c</code>	Correlations between signature genes
<code>d</code>	Data matrix
<code>rep.idx</code>	Indices of the genes in signature which could be found in data matrix

Author(s)

Andrew E Teschendorff, Yan Jiao

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Examples

```
data(dataDART)
rn.o <- BuildRN(dataDART$data, dataDART$sign, fdr=0.000001)
## See ?DoDART and vignette('DART') for further examples.
```

dataDART

Example data for DART package

Description

This data object consists of a gene expression data matrix over 67 oestrogen receptor negative breast cancers (Wang, Y. et al. *Lancet* 365, 671-9 (2005)), of which 51 are basals and 16 are HER2+/ERBB2+. This classification is based on the intrinsic subtype classifier (see Hu Z, et al., *BMC Genomics*. 2006 Apr 27;7:96), and while not equivalent to IHC or the amplification status at the ERBB2 locus, it broadly matches these other classifications. The model pathway signature is an in-vitro derived perturbation signature reflecting ERBB2 activation (see Creighton CJ, et al., *Cancer Res* 2006 Apr 1;66(7):3903-11). Both data and signature are annotated with Entrez Gene IDs.

Usage

```
dataDART
```

Format

A list with 4 elements: (i) data: is the gene expression matrix described above, (ii) sign: is the ERBB2 perturbation signature, (iii) pheno: basal/ERBB2 status of samples, (iv) phenoMAINZ: basal/ERBB2 status of a further set of samples.

Examples

```
data(dataDART)
names(dataDART)
```

Description

This is the main function implementing DART. Given a data matrix and a model (pathway) signature it will construct the relevance correlation network for the genes in the signature over the data, evaluate the consistency of the correlative patterns with those predicted by the model signature, filter out the noise and finally obtain estimates of pathway activity for each individual sample. Specifically, it will call and run the following functions:

(1) **BuildRN**: This function builds a relevance correlation network of the model pathway signature in the data set in which the pathway activity estimate is desired. We point that this step is totally unsupervised and does not use and phenotypic information of the samples.

(2) **EvalConsNet**: This function evaluates the consistency of the inferred network with the prior information of the model pathway signature. The up/down regulatory pattern given by the model signature implies predictions about the directionality of the gene-gene correlations in the independent data set. For instance, if gene "A" is upregulated and gene "B" is downregulated, then assuming that the model signature has any relevance in the independent data set, we would expect genes "A" and "B" to be anti-correlated. Thus, a consistency score can be computed. Only if the consistency score is higher than the score expected by random chance is it recommended that the model signature be used to infer pathway activity.

(3) **PruneNet**: This function obtains the pruned, i.e consistent, network, in which any edge represents a significant correlation in gene expression whose directionality agrees with that predicted by the prior information. This is the denoising step of the algorithm. The function returns the whole pruned network and its maximally connected component.

(4) **PredActScore**: Given the adjacency matrix of the maximally connected consistent subnetwork and given the regulatory weights of the corresponding model pathway signature, this function estimates a pathway activation score in each sample. This function can also be used to infer pathway activity in another independent data set using the inferred subnetwork.

Before performing the pruning step, DoDART will check whether the relevance correlation network is significantly consistent with the predictions from the model signature. Significance is assessed by first computing a consistency score (in effect, the fraction of edges in the relevance network which are consistent with the model prediction) and subsequently by 1000 random permutations to obtain an empirical null distribution for the consistency score. Model signatures whose consistency scores have empirical P-values less than 0.001 are deemed consistent. If the consistency score is not significant, the function will issue a warning and it is not recommended to use the signature to predict pathway activity.

Usage

```
DoDART(data.m, sign.v, fdr)
```

Arguments

<code>data.m</code>	Data matrix (numeric). Rows label features, columns label samples. It is assumed that number of features is much larger than number of samples. Row-names of <code>data.m</code> must be valid unique gene (probe) identifiers.
<code>sign.v</code>	Model pathway signature vector (numeric). Elements represent the regulatory weights (i.e if up or downregulated). Names of <code>sign.v</code> are the gene identifiers, which must match the gene (probe) identifiers of the rows of <code>data.m</code>
<code>fdr</code>	Desired false discovery rate (numeric) which determines the allowed number of false positives in the relevance network. The default value is 0.000001. Since typically model signatures may contain on the order of 100 genes, this amounts to constructing a relevance network on the order of 10000 edges (pairwise correlations). Using a Bonferroni correction, this leads to a P-value threshold of approx. $1e-6$ to $1e-7$. This parameter is tunable, so choosing a number of different thresholds may be advisable.

Value

<code>netcons</code>	A vector summarising the properties of the correlation network and the consistency with the model pathway signature: <code>nG</code> is the number of genes in the signature, <code>nE</code> is the number of edges of the relevance network generated by function <code>BuildRN</code> , <code>fE</code> is the ratio of the number of edges in the relevance network to the maximum possible number, <code>fconsE</code> is the fraction of edges whose sign (i.e sign of correlation) is the same as the directionality predicted by the model signature, <code>Pval(consist)</code> is a p-value reflecting the significance of <code>fconsE</code> , and is estimated as the fraction of randomisations that yielded an average connectivity larger than the observed one.
<code>adj</code>	Adjacency matrix of maximally connected consistent relevance network.
<code>sign</code>	Model pathway signature vector of genes found in data set and in maximally connected component.
<code>score</code>	Predicted activation scores of the model signature in the samples of data set <code>data.m</code> .
<code>degree</code>	Degrees/connectivities of the genes in the DART network.
<code>consist</code>	Module consistency result, output of <code>EvalConsNet</code> .

Author(s)

Andrew E Teschendorff, Yan Jiao

References

- Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.
- Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Examples

```
### Example
### load in example data:
data(dataDART);
### dataDART$data: mRNA expression data of 67 ER negative breast cancer samples.
### dataDART$pheno: 51 basals and 16 HER2+ (ERBB2+).
### dataDART$phenoMAINZ: 24 basals and 8 HER2+ (ERBB2+).
### dataDART$sign: perturbation signature of ERBB2 activation.

### Using DoDART
dart.o <- DoDART(dataDART$data,dataDART$sign,fdr=0.000001);
### check that activation is higher in HER2+ compared to basals
boxplot(dart.o$score ~ dataDART$pheno);
pv <- wilcox.test(dart.o$score ~ dataDART$pheno)$p.value;
text(x=1.5,y=3.8,labels=paste("P=",pv,sep=""));
```

DoDARTCLQ

Improved edition of DoDART

Description

This function implements an improved version of DART. DoDARTCLQ estimates perturbation/pathway activity using a smaller subnetwork compared to DoDART. Specifically, whereas DoDART uses the whole pruned correlation network, DoDARTCLQ infers the largest cliques within the pruned correlation network and then estimates activity using only genes within a module obtained by merging the largest cliques together. Although the largest cliques may not be unique, we found that they generally exhibited very strong overlaps, justifying their merging, and resulting in approximate clique modules typically in the size of ~10 - 100 genes.

Given a data matrix and a model (pathway) signature it will construct the relevance correlation network for the genes in the signature over the data, evaluate the consistency of the correlative patterns with those predicted by the model signature, filter out the noise and finally obtain estimates of pathway activity for each individual sample. Specifically, it will call and run the following functions:

(1) **BuildRN**: This function builds a relevance correlation network of the model pathway signature in the data set in which the pathway activity estimate is desired. We point that this step is totally unsupervised and does not use any sample phenotype information.

(2) **EvalConsNet**: This function evaluates the consistency of the inferred network with the prior information of the model pathway signature. The up/down regulatory pattern given by the model signature implies predictions about the directionality of the gene-gene correlations in the independent data set. For instance, if gene "A" is upregulated and gene "B" is downregulated, then assuming that the model signature has any relevance in the independent data set, we would expect genes "A" and "B" to be anti-correlated. Thus, a consistency score can be computed. Only if the consistency score is higher than the score expected by random chance is it recommended that the model signature be used to infer pathway activity.

(3) PruneNet: This function obtains the pruned, i.e consistent, network, in which any edge represents a significant correlation in gene expression whose directionality agrees with that predicted by the prior information. This is the denoising step of the algorithm. The function returns the whole pruned network and its maximally connected component.

(4) PredActScore: Given the adjacency matrix of the maximally connected consistent subnetwork and given the regulatory weights of the corresponding model pathway signature, this function estimates a pathway activation score in each sample. This function can also be used to infer pathway activity in another independent data set using the inferred subnetwork.

Before performing the pruning step, DoDARTCLQ will check whether the relevance correlation network is significantly consistent with the predictions from the model signature. Significance is assessed by first computing a consistency score (in effect, the fraction of edges in the relevance network which are consistent with the model prediction) and subsequently by 1000 random permutations to obtain an empirical null distribution for the consistency score. Model signatures whose consistency scores have empirical P-values less than 0.001 are deemed consistent. If the consistency score is not significant, the function will issue a warning and it is not recommended to use the signature to predict pathway activity.

Usage

```
DoDARTCLQ(data.m, sign.v, fdr)
```

Arguments

data.m	Training normalized gene expression data matrix with rows labeling genes and columns labeling samples. Rownames of data.m should be annotated to the same gene identifier as used in names of sign.v.
sign.v	A perturbation expression signature vector, consisting of 1 and -1, indicating whether gene is significant overexpressed or underexpressed, respectively. names of sign.v should have a valid gene identifier e.g. entrez gene ID.
fdr	Desired false discovery rate (numeric) which determines the allowed number of false positives in the relevance network. The default value is 0.000001. Since typically model signatures may contain on the order of 100 genes, this amounts to constructing a relevance network on the order of 10000 edges (pairwise correlations). Using a Bonferroni correction, this leads to a P-value threshold of approx. 1e-6 to 1e-7. This parameter is tunable, so choosing a number of different thresholds may be advisable.

Value

pred	A vector of predicted perturbation activity scores for all samples in data.m.
clq	A list containing information about the approximate clique gene module used to compute perturbation activity. List entries: clq\$pradjMC: the adjacency matrix of the approx. clique gene module, clq\$signMC: the corresponding perturbation signature for the genes making up the approx. clique module, clq\$sizes: the sizes of all largest cliques in the pruned correlation network, clq\$n: the number of largest cliques in the pruned correlation network.
consist	Module consistency result, output of EvalConsNet.

Author(s)

Andrew E Teschendorff

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Teschendorff AE, Li L, Yang Z. (2015) Denoising perturbation signatures reveals an actionable AKT-signaling gene module underlying a poor clinical outcome in endocrine treated ER+ breast cancer. *Genome Biology* 16:61.

Examples

```
### Example
### load in example data:
data(dataDART);
### dataDART$data: mRNA expression data of 67 ER negative breast cancer samples.
### dataDART$pheno: 51 basals and 16 HER2+ (ERBB2+).
### dataDART$phenoMAINZ: 24 basals and 8 HER2+ (ERBB2+).
### dataDART$sign: perturbation signature of ERBB2 activation.
```

```
### Using DoDARTCLQ
dart.o <- DoDARTCLQ(dataDART$data,dataDART$sign, fdr=0.000001);
### check that activation is higher in HER2+ compared to basals
boxplot(dart.o$pred ~ dataDART$pheno);
pv <- wilcox.test(dart.o$pred ~ dataDART$pheno)$p.value;
text(x=1.5,y=3.5,labels=paste("P=",pv,sep=""));
```

EvalConsNet

Evaluates the consistency of the inferred relevance correlation network with the correlations predicted by the model pathway signature.

Description

This function evaluates statistical consistency of the inferred relevance network with the correlations predicted by the model pathway signature. Only if the consistency score is higher than the score expected by random chance, is it recommended to use the signature to infer pathway activity.

Usage

```
EvalConsNet(buildRN.o)
```

Arguments

buildRN.o Output list object from function BuildRN

Value

A list with following entries:

netcons	A vector summarising the properties of the network and the consistency with the prior information: nG is the number of genes in the signature, nE is the number of edges of the relevance network generated by function BuildRN, fE is the ratio of the number of edges in the relevance network to the maximum possible number, fconsE is the fraction of edges whose sign (i.e sign of correlation) is the same as the directionality predicted by the model signature, Pval(consist) is a p-value reflecting the significance of fconsE, and is estimated as the fraction of randomisations that yielded an average connectivity larger than the observed one.
netsign	A matrix of dimension 2 times number of edges in network comparing directionality of prior info and that in the observed data
adj	Adjacency matrix of inferred relevance network
s	Model signature vector
c	Correlation matrix between model signature genes

Author(s)

Andrew E Teschendorff, Yan Jiao

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Examples

```
data(dataDART)
rn.o <- BuildRN(dataDART$data, dataDART$sign, fdr=0.05)
evalNet.o <- EvalConsNet(rn.o)
## See ?DoDART and vignette('DART') for further examples.
```

PredActScore	<i>Computes the DART activation score of the model signature in the samples of a data set.</i>
--------------	--

Description

This function computes the DART activation score of the model signature for the samples of a data matrix. This data matrix can be the same data matrix in which DART was applied or it could be a totally independent data set.

Usage

```
PredActScore(prNet.o, data.m)
```

Arguments

<code>prNet.o</code>	Output list object from PruneNet.
<code>data.m</code>	A data matrix (numeric) with rows labeling genes/probes and columns labeling samples in which the signature activity scores are desired.

Value

A list with following elements:

<code>adj</code>	Adjacency matrix of the DART network for the genes found in the data set given by <code>data.m</code> .
<code>sign</code>	The corresponding model signature vector for the genes found in the data set.
<code>score</code>	A vector of the signature/pathway activity scores for each sample in the data set.

Author(s)

Andrew E Teschendorff, Yan Jiao

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Examples

```

data(dataDART)
rn.o <- BuildRN(dataDART$data, dataDART$sign, fdr=0.05)
evalNet.o <- EvalConsNet(rn.o)
prNet.o <- PruneNet(evalNet.o)
pred.o <- PredActScore(prNet.o, dataDART$data)
## See ?DoDART and vignette('DART') for further examples.

```

PruneNet	<i>Prunes relevance network to allow only edges that are consistent with the predictions of the model signature</i>
----------	---

Description

Prunes relevance network to allow only edges that are consistent with the predictions of the model signature, and extracts the maximally connected component. This is the denoising step in DART.

Usage

```
PruneNet(evalNet.o)
```

Arguments

evalNet.o Output list object from EvalConsNet

Value

A list with following entries:

pradj	The adjacency matrix of the pruned i.e consistent network.
sign	The model signature vector of genes in pruned network.
score	The fraction of edges surviving the pruning/denoising.
netconst	Same output as for EvalConsNet.
pradjMC	The adjacency matrix of the maximally connected component of pruned network.
signMC	The model signature vector of the genes in the maximally connected component.

Author(s)

Andrew E Teschendorff, Yan Jiao

References

Jiao Y, Lawler K, Patel GS, Purushotham A, Jones AF, Grigoriadis A, Ng T, Teschendorff AE. (2011) Denoising algorithm based on relevance network topology improves molecular pathway activity inference. *BMC Bioinformatics* 12:403.

Teschendorff AE, Gomez S, Arenas A, El-Ashry D, Schmidt M, et al. (2010) Improved prognostic classification of breast cancer defined by antagonistic activation patterns of immune response pathway modules. *BMC Cancer* 10:604.

Examples

```
data(dataDART)
rn.o <- BuildRN(dataDART$data, dataDART$sign, fdr=0.05)
evalNet.o <- EvalConsNet(rn.o)
prNet.o <- PruneNet(evalNet.o)
pred.o <- PredActScore(prNet.o, dataDART$data)
## See ?DoDART and vignette('DART') for further examples.
```

Index

- * **clique**
 - DoDARTCLQ, [8](#)
- * **gene expression**
 - DART-package, [2](#)
- * **network**
 - DoDART, [6](#)
 - DoDARTCLQ, [8](#)
- * **pathway**
 - DART-package, [2](#)

BuildRN, [4](#)

DART (DART-package), [2](#)

DART-package, [2](#)

dataDART, [5](#)

DoDART, [6](#)

DoDARTCLQ, [8](#)

EvalConsNet, [10](#)

PredActScore, [12](#)

PruneNet, [13](#)